



PRAY FOR
AMERICA

Dayne Jessup, Blackhawk Ag - Sheridan, Indiana



2023 Product Catalog

AUGUSTA SEED

*Independent. Family Owned & Operated.
Local Research.*



Photo by: Steve Durkes in Converse, IN

45 YEARS OF EXCELLENCE

Augusta Seed was founded in 1977 in the proverbial "breadbasket of the south" - The Shenandoah Valley of Virginia. The goal was to bring quality seed, first class genetics and affordable prices. Since 1977, Augusta has become a success story of service and quality products to thousands of customers over 25 states! We continue to operate our business in the old-fashioned way of service and genetics first. Technology supports our business and protects our yields but is an option for our customers.

Through the years, our objectives have remained the same. We want to provide quality seed, first class genetics and affordable prices. When you deal with Augusta, you receive that same level of commitment that we started with over 45 years ago. We have also found that our customers respect that we are an American owned and independent seed company. Our customers also like the fact that we have extensive research in the 27 states in which we sell.



You may ask... Are we optimistic about the future? You bet we are! With all of the turmoil in the world, there's never been a better time to be an American involved with agriculture and frankly to be a Christian living by faith!

Join our team for 2023 by using Augusta Seed. You will find that we are a farm family that you will enjoy becoming a part of!

DENNIS AND ANGIE RAWLEY


Founders and Owners of Augusta Seed



MEET OUR TEAM

Office: (540) 886-6055

Fax: (540) 886-3173





Corn Trait Stack Nomenclature Simplification

For the 2023 season, Syngenta has developed a simplified and streamlined corn trait portfolio naming structure for a clearer understanding of products and benefits within each trait stack.






Above-Below Ground Trait Stacks

Simplified Trait Stack Name	Designator	Former Products
DuracadeViptera™	DV	Agrisure Duracade® 5222 E-Z Refuge®
DuracadeViptera™ Z3	DVZ	Agrisure Duracade® 5332 E-Z Refuge®
Duracade™	D	Agrisure Duracade® 5122 E-Z Refuge®
Agrisure® Total	AT	Agrisure® 3122 E-Z Refuge®

Above-Ground Trait Stacks

Simplified Trait Stack Name	Designator	Former Products
Viptera™	V	Agrisure Viptera® 3220 E-Z Refuge®
Viptera™ Z3	VZ	Agrisure Viptera® 3330 E-Z Refuge®
Agrisure® Above	AA	Agrisure® 3120 E-Z Refuge®

Agrisure Traits Nomenclature

Above- and Below-Ground Insect Control			
Agrisure Duracade® 5% Single Bag Integrated Refuge*	5 2 2 2 A		E-Z Refuge® Agrisure® RW + Agrisure Duracade - corn rootworm control Agrisure CB/LL + Herculex® 1 - corn borer control Agrisure Viptera® + Herculex 1 - broad lepidopteran control Agrisure Duracade series plus glyphosate and glufosinate tolerance
Any hybrid with an "A" after the trait nomenclature indicates that it features Agrisure Artesian® technology. Agrisure Artesian technology is featured in many trait stacks.			
Agrisure Duracade 5% Single Bag Integrated Refuge*	5 1 2 2		E-Z Refuge Agrisure RW + Agrisure Duracade - corn rootworm control Agrisure CB/LL + Herculex 1 - corn borer control Herculex 1 - broad lepidopteran suppression Agrisure Duracade series plus glyphosate and glufosinate tolerance
Agrisure 5% Single Bag Integrated Refuge*			
Agrisure Viptera 20% Structured Refuge	3 1 2 2		E-Z Refuge Agrisure RW + Herculex Xtra - corn rootworm control Agrisure CB/LL + Herculex 1 - corn borer control Herculex 1 - broad lepidopteran suppression Herbicide tolerance - glyphosate and glufosinate
Above-Ground Insect Control			
Agrisure Viptera 5% Single Bag Integrated Refuge*	3 3 3 0		E-Z Refuge No corn rootworm trait Agrisure CB/LL + YieldGard VT Pro™ - corn borer control Agrisure Viptera + YieldGard VT Pro - broad lepidopteran suppression Herbicide tolerance - glyphosate and glufosinate
Agrisure Viptera 5% Single Bag Integrated Refuge*	3 2 2 0		E-Z Refuge No corn rootworm trait Agrisure CB/LL + Herculex 1 - corn borer control Agrisure Viptera + Herculex 1 - broad lepidopteran control Herbicide tolerance - glyphosate and glufosinate
Agrisure 5% Single Bag Integrated Refuge*	3 1 2 0		E-Z Refuge No corn rootworm trait Agrisure CB/LL + Herculex 1 - corn borer control Herculex 1 - broad lepidopteran suppression Herbicide tolerance - glyphosate and glufosinate
Agrisure Viptera 20% Structured Refuge	3 1 1 0		E-Z Refuge No corn rootworm trait Agrisure CB/LL - corn borer control Agrisure Viptera - broad lepidopteran control Herbicide tolerance - glyphosate and glufosinate

*Corn Belt only

NOTE: The naming system does not apply to Agrisure 3000GT.



©2018 Syngenta. Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium based herbicides. Agrisure®, Agrisure Artesian®, Agrisure Duracade®, Agrisure Viptera® and E-Z Refuge® are trademarks of a Syngenta Group Company. Herculex® and the HERCULEX Shield are trademarks of Dow AgroSciences, LLC. HERCULEX Insect Protection technology by Dow AgroSciences. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of Bayer. YieldGard VT Pro™ is a trademark of Monsanto Technology LLC.

The Handy Bt Trait Table for U.S. Corn Production

Updated March 2022

An up-to-date version of the table is posted at <https://www.texasinsects.org/bt-corn-trait-table.html>
Editor: Chris DiFonzo, Michigan State University, difonzo@msu.edu Web host: Pat Porter, Texas A&M University

The Handy Bt Trait Table provides a helpful list of trait names (below) and details of trait packages (over) to make it easier to understand company seed guides, sales materials, and bag tags.

EPA proposes new rules: As Bt toxins continue to lose efficacy against various pest caterpillars, EPA has been gathering feedback for several years to update rules for reducing the risk of Lepidopteran resistance in Bt corn and cotton. The Agency is now negotiating with the seed industry on the changes that are proposed. Any that are adopted will be phased in gradually as new trait packages get released or current packages are re-registered. A few highlights of EPA's proposal are:

- ** An increase in the refuge in the bag from the current minimum of 5% to 10% nationwide. My coauthor Dr. Porter points out that an increase in refuge may be problematic in production areas with southwestern corn borer (this insect girdles and breaks stalks before harvest) or where mycotoxins are a concern (the southern US and Great Lakes region)
- ** Cases of unexpected damage to Bt corn by rootworm and European corn borer were always required to be reported by companies to EPA. Now, unexpected injury from earworm, fall armyworm, & western bean cutworm would also be reported.
- ** Growers who are out of compliance with refuge requirements will be monitored for TWO years, instead of one.

Shoot-outs for resources related to trapping corn insects:

- Great Lakes & Maritimes Pest Management Network (GLMPMN), <https://arcg.is/0lry5a>. With the increase in non-Bt corn and potentially earlier flight of southern species north, pheromone trapping is becoming more important. Volunteers enter pheromone trap catches of black cutworm, earworm, European corn borer, fall & true armyworm, and western bean cutworm. The site generates weekly maps. In 2021, there were 1560 locations across six Canadian provinces and four northern states.
- Corn rootworm IPM website, rootwormipm.org. This web site is a one-stop shop for info on rootworm biology, efficacy trials, management recommendations, and new findings. It also hosts the CRW Adult Monitoring Network, a multistate project monitoring beetle populations in US and Canadian fields using sticky cards. See the website for how to volunteer in 2022.

Field corn 'events' (transformations of one or more genes) and their Trade Names

Trade name for trait	Event	Bt toxin or other trait expressed	Primary Insect Targets + Herbicide tolerance
Agrisure CB/LL	Bt11	Cry1Ab + PAT	corn borer + glufosinate tolerance
Agrisure Duracade	5307	eCry3.1Ab	rootworm
Agrisure GT	GA21	EPSPS	glyphosate tolerance
Agrisure RW	MIR604	mCry3A	rootworm
Agrisure Viptera	MIR162	Vip3Aa20	broad caterpillar control, except for corn borer
Enlist	DAS40278	aad-1	2,4-D & 'FOPS'
Herculex I (HXI) or CB	TC1507	Cry1Fa2 + PAT	corn borer + glufosinate tolerance
Herculex RW	DAS-591122-7	Cry34Ab1/Cry35Ab1 + PAT	rootworm + glufosinate tolerance
Roundup Ready 2	NK603	EPSPS	glyphosate tolerance
Yieldgard Corn Borer	MON810	Cry1Ab	corn borer
Yieldgard Rootworm	MON863	Cry3Bb1	rootworm
Yieldgard VT Pro	MON89034	Cry1A.105 + Cry2Ab2	corn borer & several caterpillar species
Yieldgard VT Rootworm	MON88017	Cry3Bb1 + EPSPS	rootworm + glyphosate tolerance
(None – in Qrome)	DP-4114	Cry1F + Cry34Ab1/Cry35Ab1 + PAT	corn borer + rootworm + glufosinate tolerance
(None – in SmartStax Pro)	MON87411	Cry3Bb1 + DvSf7 dsRNA + EPSPS	rootworm + glyphosate tolerance

Abbreviations	Insect targets	
	BCW	fall armyworm
E	black cutworm	SB stalk borer
G	corn earworm	SCB sugarcane borer
R	corn rootworm	SWCB southwestern corn borer
(N- Northern, W- Western)		TAW true armyworm
ECB	European corn borer	WBC western bean cutworm

The Handy Bt Trait Table for U.S. Corn Production, updated MARCH 2022


Trait packages in alphabetical order (acronym that may be used)	Bt protein(s) (or other trait) in package	Marketed for control of:								Resistance confirmed to the combination of Bts in package (check local situation)			Herbicide trait		Non-Bt Refuge % (cornbeet)					
		C	E	F	S	S	T	W	C	A	S	W	A	B	C	R	G	L	R	L
AcreMax (AM)	Cry1Ab Cry1F	x	x	x	x	x	x	x	x							x	x		5% in bag	
AcreMax CRW (AMRW)	Cry34/35Ab1	x							x	NCR	WCR	x	x			x	x		10% in bag	
AcreMax1 (AM1)	Cry1F Cry34/35Ab1	x	x	x	x	x	x	x	x	ECB	FAW SWB WBC	x	x			x	x		10% in bag	
AcreMax Leptra (AML)	Cry1Ab Cry1F Vip3A	x	x	x	x	x	x	x	x	CEW FAW WBC		x	x			x	x		20% ECB	
AcreMax TRisect (AMTT)	Cry1Ab Cry1F mCry3A	x	x	x	x	x	x	x	x	CEW FAW WBC	WCR	x	x			x	x		5% in bag	
AcreMax Xtra (AMX)	Cry1Ab Cry1F mCry3A	x	x	x	x	x	x	x	x	CEW FAW WBC	WCR	x	x			x	x		10% in bag	
AcreMax Xtreme (AMXT)	Cry1Ab Cry1F mCry3A Cry34/35Ab1	x	x	x	x	x	x	x	x	CEW FAW WBC	WCR	x	x			x	x		5% in bag	
Agrisure 3010 (BR)	Cry1Ab	x	x	x	x	x	x	x	x	CEW		x	x			x	x		20%	
Agrisure 3000GT & 3011A (VR)	Cry1Ab mCry3A	x	x			x	x	x	x	CEW	WCR	x	x			x	x		20%	
Agrisure Viptera 3110 (VR)	Cry1Ab Vip3A	x	x	x	x	x	x	x	x			x	x			x	x		20%	
Agrisure Viptera 3111 (A4)	Cry1Ab Vip3A mCry3A	x	x	x	x	x	x	x	x	WCR		x	x			x	x		20%	
Agrisure 3120 E-Z Refuge (BZ)	Cry1Ab Cry1F	x	x	x	x	x	x	x	x	CEW FAW WBC		x				See bag tag.				
Agrisure 3122 E-Z Refuge	Cry1Ab Cry1F mCry3A	x	x	x	x	x	x	x	x	CEW FAW WBC	WCR	x	x			x	x		5% in bag	
Agrisure Viptera 3220 E-Z (VZ)	Cry1Ab Cry1F Vip3A	x	x	x	x	x	x	x	x			x	x			x	x		5% in bag	
Agrisure Duracade 5122 E-Z (D1)	Cry1Ab Cry1F mCry3A eCry3.1Ab	x	x	x	x	x	x	x	x	CEW FAW WBC	WCR	x	x			x	x		5% in bag	
Agrisure Duracade 5222 E-Z (D2)	Cry1Ab Cry1F Vip3A mCry3A eCry3.1Ab	x	x	x	x	x	x	x	x	WCR		x	x			x	x		5% in bag	
Agrisure Duracade 5332-E-Z	Cry1Ab Cry1F Vip3A mCry3A eCry3.1Ab	x	x	x	x	x	x	x	x	WCR		x	x			x	x		5% in bag	
Herculex I (HXI)	Cry1F	x	x	x	x	x	x	x	x	ECB	FAW SWB WBC	x	x			x	x		5% in bag	
Herculex RW (HXRW)	Cry34/35Ab1	x				x	x	x	x	x	NCR	WCR	x	x			x	x		20%
Herculex XTRA (HXX)	Cry1F Cry34/35Ab1	x	x	x	x	x	x	x	x	ECB	FAW SWB WBC	x	x			x	x		20%	
Intrasect (YHR)	Cry1Ab Cry1F	x	x	x	x	x	x	x	x	CEW FAW WBC		x	x			x	x		20%	
Intrasect TRisect (CYHR)	Cry1Ab Cry1F mCry3A	x	x	x	x	x	x	x	x	CEW FAW WBC	WCR	x	x			x	x		20%	
Intrasect Xtra (YXR)	Cry1Ab Cry1F Cry34/35Ab1	x	x	x	x	x	x	x	x	CEW FAW WBC		x	x			x	x		5% in bag	
Intrasect Xtreme (CYXR)	Cry1Ab Cry1F mCry3A Cry34/35Ab1	x	x	x	x	x	x	x	x	CEW FAW WBC	WCR	x	x			x	x		5% in bag	
Leptra (VYR)	Cry1Ab Cry1F Vip3A	x	x	x	x	x	x	x	x			x	x			x	x		5%	
Powercore ^a (PW)	Cry1A.105/Cry2Ab2	x	x	x	x	x	x	x	x	CEW	WBC	x	x			x	x		20%	
PW Refuge Advanced ^b (PWRA)	Cry1F															x	x		20%	
Powercore Enlist (PWE)	Same as Powercore	x	x	x	x	x	x	x	x	CEW	WBC	x	x			x	x		20%	
QROME (Q)	Cry1Ab Cry1F mCry3A Cry34/35Ab1	x	x	x	x	x	x	x	x	CEW FAW WBC	WCR	x	x			x	x		5% in bag	
SmartStax ^a (SX,STX or SS) STX Refuge Advanced ^b (SXRA)	Cry1A.105/Cry2Ab2 Cry1F Cry3Bb1	x	x	x	x	x	x	x	x	CEW	WBC	x	x			x	x		5% in bag	
STX RIB Complete ^b (SSRIB)	Cry34/35Ab1									NCR	WCR								5% in bag	
SmartStax Enlist (SXE)	Same as SmartStax	x	x	x	x	x	x	x	x			x	x			Same as SmartStax	x	x	5% in bag	
SmartStax Pro w/ RNAi Technology (SSPRORIB)	Same as SmartStax + Dvsnf/dsRNA	x	x	x	x	x	x	x	x	CEW	WBC	x	x			x	x		5% in bag	
Trcepta ^a (TRE)	Cry1A.105/Cry2Ab2 Vip3A	x	x	x	x	x	x	x	x			x	x			x	x		5% in bag	
Trcepta RIB Complete ^b (TRERIB)	Vip3A																		5% in bag	
TRisect (CHR)	Cry1F mCry3A	x	x	x	x	x	x	x	x	WCR		x	x			x	x		20%	
VT DoublePRO ^a (VT2P)	Cry1A.105/Cry2Ab2	x	x	x	x	x	x	x	x	CEW		x	x			x	x		5% in bag	
VT2P RIB Complete ^b (VT2PRB)																			5% in bag	
VT TriplePRO ^c (VT3P)	Cry1A.105/Cry2Ab2	x	x	x	x	x	x	x	x			x	x			x	x		20%	
VT3P RIB Complete ^d (VT3PRB)	Cry3Bb1																		10% in bag	
Yieldgard Corn Borer (YGB)	Cry1Ab	x	x	x	x	x	x	x	x	CEW		x	x			x	x		20%	
Yieldgard Rootworm (YGRW)	Cry3Bb1											x	x			x	x		20%	
Yieldgard VT Triple (VT3)	Cry1Ab Cry3Bb1	x	x	x	x	x	x	x	x	CEW	NCR	WCR	x	x		x	x		20%	

AUGUSTA 2135

RDM: 85 DAYS

Trait Options: 3220GT

- Strong roots and good top end yield
- Very good stress tolerance for Central and Western geographies
- Plant at populations between 28,000 - 36,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn


Yes

AUGUSTA 2039

RDM: 89 DAYS

Trait Options: DC5122EZ, CONV

- Consistent high yields
- Very good plant health
- Plant at populations between 28,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**

16

Cob Color

Red

Corn after Corn


Yes

AUGUSTA 2036

RDM: 86 DAYS

Trait Options: 3120GTEZ, CONV

- High yielding with excellent agronomics
- Widely adapted across northern markets from East to West
- Great stalk and root strength
- Plant at populations between 28,000 - 32,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn



Yes

AUGUSTA 2541

RDM: 91 DAYS

Trait Options: Untreated, CONV, 3110GT, DC5222, DC5222EZ

- Superior yield
- Very good ear flex for lower populations
- Quick drydown
- Plant at populations between 24,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn

Yes

	AUGUSTA 2135	AUGUSTA 2036	AUGUSTA 2039	AUGUSTA 2541
HYBRID FEATURES				
Trait Options	3220GT	3120GTEZ, CONV	DC5122EZ, CONV	Untreated, CONV, 3110GT, DC5222, DC5222EZ
RDM	85	86	89	91
PLACEMENT GUIDE				
Highly Productive Soils	8	8	8	8
Moderately Productive Soils	7	8	8	8
Less Productive Soils	7	8	8	8
Grey Leaf Spot	N/A	N/A	N/A	6
Northern Leaf Blight	6	8	6	6
Goss's Wilt	8	8	7	7
Common Rust	N/A	8	N/A	6
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	8	8	8	7
Drought Tolerance	7	8	8	7
No-Till	8	6	8	8
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	8	8	8	8
Leaf Angle	7	7	8	5
Stalk Rating	6	8	8	8
Root Rating	8	8	6	6
Plant Height	6	8	7	7
Ear Height	6	6	6	6
Tar Spot Tolerance	N/A	Average	Average	Average
Staygreen	6	8	8	8
High Population Tolerance	8	7	7	7
EAR & GRAIN CHARACTERISTICS				
Ear Length	7	7	8	7
Ear Girth	7	7	7	7
Ear Flex	7	7	6	7
Kernel Rows	16-18	16-18	16	16-18
Test Weight	6	6	7	7
Cob Color	Red	Red	Red	Red
Husk Cover	6	6	6	6
Drydown	6	6	7	6
Silage Quantity	6	8	7	8
Silage Quality	6	8	7	8

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.

310GT = AGRISURE VIPTERA® 3110, 3120GTEZ = AGRISURE® 3120 E-Z REFUGE®, 3220GT = AGRISURE VIPTERA® 3220 REFUGE RENEW™, DC5122EZ = AGRISURE DURACADE® 5122 E-Z REFUGE®, DC5222 = AGRISURE DURACADE® 5222 REFUGE RENEW™, DC5222EZ = AGRISURE DURACADE® 5222 E-Z REFUGE®, CONV = CONVENTIONAL

AUGUSTA 2843

RDM: 93 DAYS

Trait Options: CONV, 3220GTEZ, DC5222EZ

- › Strong stalks and roots
- › Tall plant good for a dual purpose hybrid
- › Plant at populations between 28,000 - 32,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Pink

Corn after Corn


Yes

AUGUSTA 2545

RDM: 95 DAYS

Trait Options: 3120GTEZ, DC5122EZ

- › Consistent yielding hybrid
- › Performs best on productive soils
- › Plant at populations between 30,000 - 38,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn



Yes

AUGUSTA 2345

RDM: 95 DAYS

Trait Options: 3220GTEZ, DC5222EZ

- › Dual purpose hybrid with high yield potential
- › Very good seedling vigor and drydown
- › Plant at populations between 30,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

18-20

Cob Color

Red

Corn after Corn


Yes

AUGUSTA 2847

RDM: 97 DAYS

Trait Options: 3111GT

- › Outstanding yields across environments and years
- › Good combination of plant health and agronomics
- › Great ear flex and kernel depth
- › Plant at populations between 28,000 - 32,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Pink

Corn after Corn

Yes

	AUGUSTA 2843	AUGUSTA 2345	AUGUSTA 2545	AUGUSTA 2847
HYBRID FEATURES				
Trait Options	CONV, 3220GTEZ, DC5222EZ	3220GTEZ, DC5222EZ	3120GTEZ, DC5122EZ	3111GT
RDM	93	95	95	97
PLACEMENT GUIDE				
Highly Productive Soils	10	9	9	10
Moderately Productive Soils	9	8	6	9
Less Productive Soils	7	5	5	9
Grey Leaf Spot	8	N/A	6	9
Northern Leaf Blight	5	5	7	8
Goss's Wilt	7	7	5	8
Common Rust	N/A	N/A	N/A	N/A
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	8	8	7	9
Drought Tolerance	8	6	8	9
No-Till	8	8	7	10
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	9	9	6	9
Leaf Angle	7	8	6	7
Stalk Rating	8	6	8	9
Root Rating	6	7	8	8
Plant Height	7	7	7	9
Ear Height	7	7	6	8
Tar Spot Tolerance	Above Average	Above Average	Average	Average
Staygreen	8	8	5	8
High Population Tolerance	7	8	9	8
EAR & GRAIN CHARACTERISTICS				
Ear Length	8	8	6	8
Ear Girth	7	7	7	7
Ear Flex	8	6	5	8
Kernel Rows	16-18	18-20	16-18	16-18
Test Weight	8	7	6	8
Cob Color	Pink	Red	Red	Pink
Husk Cover	6	6	6	6
Drydown	7	9	6	7
Silage Quantity	9	8	6	9
Silage Quality	9	8	6	9

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.

3111GT = AGRISURE VIPTERA® 3111, 3220GTEZ = AGRISURE VIPTERA® 3220 E-Z REFUGE®, DC5122EZ = AGRISURE DURACADE® 5122 E-Z REFUGE®, DC5222EZ = AGRISURE DURACADE® 5222 E-Z REFUGE®, CONV = CONVENTIONAL

AUGUSTA 2448

RDM: 98 DAYS

Trait Options: GT

- › Flex ear type
- › Great option for dual purpose silage/grain
- › Plant at populations between 24,000 - 36,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn


Yes

AUGUSTA 2150

RDM: 100 DAYS

Trait Options: Untreated, CONV, 3220GTEZ, DC5222EZ

- › Strong stalks and roots
- › Wide utility in maturity zone
- › Good ear flex and kernel depth
- › Excels in 180-225 bushel range
- › Plant at populations between 24,000 - 36,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

18-20

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 22-250

RDM: 100 DAYS

Trait Options: 3120GTA

- › Outstanding yield and consistent performance
- › Widely adapted across northern markets from East to West
- › Good stalk and root strength
- › Plant at populations between 26,000 - 38,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

18-20

Cob Color

Red

Corn after Corn


Yes

AUGUSTA 3053

RDM: 103 DAYS

Trait Options: DC5222EZ

- › High top end yield potential and outstanding test weight
- › Semi-flex ear
- › Excellent plant health
- › Plant at populations between 26,000 - 38,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

18

Cob Color

Pink

Corn after Corn

Yes

	AUGUSTA 2448	AUGUSTA 22-250	AUGUSTA 2150	AUGUSTA 3053
HYBRID FEATURES				
Trait Options	GT	3120GTA	UNTREATED, CONV, 3220GTEZ, DC5222EZ	DC5222EZ
RDM	98	100	100	103
PLACEMENT GUIDE				
Highly Productive Soils	9	8	9	9
Moderately Productive Soils	9	8	8	9
Less Productive Soils	7	8	8	9
Grey Leaf Spot	6	7	6	5
Northern Leaf Blight	6	6	7	6
Goss's Wilt	8	5	6	8
Common Rust	6	N/A	N/A	N/A
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	9	8	8	7
Drought Tolerance	8	8	8	7
No-Till	9	6	7	9
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	9	6	8	8
Leaf Angle	8	7	7	8
Stalk Rating	8	8	8	7
Root Rating	8	8	8	7
Plant Height	8	6	7	8
Ear Height	6	6	8	8
Tar Spot Tolerance	Average	Average	Average	Above Average
Staygreen	8	8	7	8
High Population Tolerance	8	9	8	9
EAR & GRAIN CHARACTERISTICS				
Ear Length	8	7	7	7
Ear Girth	7	9	7	7
Ear Flex	9	8	8	6
Kernel Rows	16-18	18-20	18-20	18
Test Weight	8	6	8	8
Cob Color	Red	Red	Red	Pink
Husk Cover	8	7	7	6
Drydown	7	6	7	8
Silage Quantity	8	6	8	8
Silage Quality	8	6	8	7

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.

3120GTA = AGRISURE® 3120 REFUGE RENEW™ WITH ARTESIAN™, 3220GTEZ = AGRISURE VIPTERA® 3220 E-Z REFUGE®, DC5222EZ = AGRISURE DURACADE® 5222 E-Z REFUGE®, GT = AGRISURE® GT, CONV = CONVENTIONAL

AUGUSTA 3054

RDM: 104 DAYS

Trait Options: DC5122EZ

- › Good top end yield potential
- › Semi-fixed ear that likes 28,000 - 38,000 plant populations
- › Very good roots

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

18

Cob Color

Pink

Corn after Corn


Yes

AUGUSTA 3855

RDM: 105 DAYS

Trait Options: 3000GT

- › Fast emergence and drydown
- › Excellent standability
- › Adapted to high populations
- › Plant at populations between 28,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 4054

RDM: 104 DAYS

Trait Options: GT, DC5122EZ

- › Strong emergence and vigor
- › Good late season intactness
- › Widely adaptable
- › Plant at populations between 26,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

18-22

Cob Color

Pink

Corn after Corn

Yes

AUGUSTA 2956

RDM: 106 DAYS

Trait Options: CONV, GT, DC5222, DC5222EZ

- › Excellent early vigor
- › Great stalks, roots and husk cover
- › Plant at populations between 26,000 - 32,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16

Cob Color

Pink

Corn after Corn

N/A

	AUGUSTA 3054	AUGUSTA 4054	AUGUSTA 3855	AUGUSTA 2956
HYBRID FEATURES				
Trait Options	DC5122EZ	GT, DC5122EZ	3000GT	CONV, GT, DC5222, DC5222EZ
RDM	104	104	105	106
PLACEMENT GUIDE				
Highly Productive Soils	8	9	6	8
Moderately Productive Soils	7	8	8	7
Less Productive Soils	7	6	9	7
Grey Leaf Spot	6	6	7	9
Northern Leaf Blight	8	6	6	7
Goss's Wilt	6	6	N/A	6
Common Rust	N/A	6	7	6
Corn after Corn	Yes	Yes	Yes	N/A
Fungicide Response	7	8	9	8
Drought Tolerance	9	7	8	8
No-Till	9	7	8	10
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	8	7	9	8
Leaf Angle	6	6	7	7
Stalk Rating	6	7	10	8
Root Rating	9	7	10	8
Plant Height	6	7	5	9
Ear Height	4	7	5	8
Tar Spot Tolerance	Below Average	Average	N/A	N/A
Staygreen	5	6	5	10
High Population Tolerance	9	7	9	9
EAR & GRAIN CHARACTERISTICS				
Ear Length	6	7	6	10
Ear Girth	9	9	8	7
Ear Flex	5	7	5	10
Kernel Rows	18	18-22	16-18	16
Test Weight	6	6	7	9
Cob Color	Pink	Pink	Red	Pink
Husk Cover	6	6	8	8
Drydown	6	6	9	9
Silage Quantity	6	8	7	9
Silage Quality	6	8	8	9

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.

3000GT = AGRISURE® 3000GT, DC5122EZ = AGRISURE DURACADE® 5122 E-Z REFUGE®, DCS5222 = AGRISURE DURACADE® 5222 REFUGE RENEW™,

DCS5222EZ = AGRISURE DURACADE® 5222 E-Z REFUGE®, GT = AGRISURE® GT, CONV = CONVENTIONAL

AUGUSTA 1457

RDM: 107 DAYS

Trait Options: 3120GTEZ, DC5122EZ

- › Excels in central markets
- › Very good southern movement
- › Strong roots and stalks
- › Plant at populations between 24,000 - 38,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 4858

RDM: 108 DAYS

Trait Options: Untreated, CONV, 3120GTEZ, DC5122EZ

- › Semi-flex ear
- › High test weight
- › Tends to flower early
- › Good late season intactness
- › Plant at populations between 24,000 - 38,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

14-16

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 4658

RDM: 108 DAYS

Trait Options: 3220GTEZ, DC5222EZ

- › Excellent choice for dryland or irrigated acres
- › Exceptional ear flex and kernel depth
- › Do not spray with LibertyLink®
- › Plant at populations between 24,000 - 32,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Pink

Corn after Corn

No

AUGUSTA 5658

RDM: 108 DAYS

Trait Options: CONV, 3000GT

- › Consistent performer in maturity
- › Good late season standability in zone
- › For best results use on rotated ground
- › Plant at populations between 24,000 - 32,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Pink

Corn after Corn

No

	AUGUSTA 1457	AUGUSTA 4658	AUGUSTA 4858	AUGUSTA 5658
HYBRID FEATURES				
Trait Options	3120GTEZ, DC5122EZ	3220GTEZ, DC5222EZ	UNTREATED, CONV, 3120GTEZ, DC5122EZ	CONV, 3000GT
RDM	107	108	108	108
PLACEMENT GUIDE				
Highly Productive Soils	9	10	9	10
Moderately Productive Soils	9	8	9	8
Less Productive Soils	9	7	9	7
Grey Leaf Spot	7	6	8	6
Northern Leaf Blight	5	8	6	8
Goss's Wilt	5	8	8	8
Common Rust	N/A	N/A	N/A	N/A
Corn after Corn	Yes	No	Yes	No
Fungicide Response	8	9	8	9
Drought Tolerance	7	8	8	8
No-Till	7	9	9	9
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	6	8	6	8
Leaf Angle	6	8	6	8
Stalk Rating	8	8	8	8
Root Rating	8	5	8	5
Plant Height	8	5	8	5
Ear Height	7	6	6	5
Tar Spot Tolerance	Average	Average	Below Average	N/A
Staygreen	8	7	9	5
High Population Tolerance	9	7	9	8
EAR & GRAIN CHARACTERISTICS				
Ear Length	8	8	8	8
Ear Girth	7	9	8	9
Ear Flex	7	8	7	8
Kernel Rows	16	16-18	14-16	16-18
Test Weight	6	6	10	7
Cob Color	Red	Pink	Red	Pink
Husk Cover	6	7	7	7
Drydown	6	7	6	7
Silage Quantity	8	N/A	8	N/A
Silage Quality	8	N/A	8	N/A

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.


3000GT = AGRISURE® 3000GT, 3110GT = AGRISURE VIPTERA® 3110, 3120GTEZ = AGRISURE® 3120 E-Z REFUGE®, 3220GTEZ = AGRISURE VIPTERA® 3220 E-Z REFUGE®, DC5122EZ = AGRISURE DURACADE® 5122 E-Z REFUGE®, DC5222EZ = AGRISURE DURACADE® 5222 E-Z REFUGE®, CONV = CONVENTIONAL

AUGUSTA 1059

RDM: 109 DAYS

Trait Options: Untreated, CONV, GT, 3110GT, 3330GTEZ

- › High yielding line with great agronomics
- › Excellent roots and stalks
- › Very good tolerance to GLS and NCLB
- › Plant at populations between 30,000 - 38,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**

18-20

Cob Color

Pink

Corn after Corn


Yes

AUGUSTA 1359

RDM: 109 DAYS

Trait Options: VT2Pro

- › Widely adaptable with deep, thick kernels
- › Moves south well on highly productive soils
- › Excellent stalks with low green snap risk
- › Plant at populations between 26,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**

16

Cob Color

Red

Corn after Corn


Yes

AUGUSTA 1259

RDM: 109 DAYS

Trait Options: 3220GT, 3220GTEZ, DC5222, DC5222EZ

- › Excels in central markets
- › Very good vigor and early emergence
- › Medium sized plant with medium low ear placement
- › Plant at populations between 24,000 - 32,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**

16

Cob Color

Pink

Corn after Corn


No

AUGUSTA 4759

RDM: 109 DAYS

Trait Options: CONV, GT, 3111GT

- › Excellent choice for corn after corn
- › Widely adaptable
- › Consistent performer
- › Plant at populations between 28,000 - 36,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**

16

Cob Color

Pink

Corn after Corn

Yes

	AUGUSTA 1059	AUGUSTA 1259	AUGUSTA 1359	AUGUSTA 4759
HYBRID FEATURES				
Trait Options	UNTREATED, CONV, GT, 3110GT, 3330GTEZ	3220GT, 3220GTEZ, DC5222, DC5222EZ	VT2Pro	CONV, GT, 3111GT
RDM	109	109	109	109
PLACEMENT GUIDE				
Highly Productive Soils	9	9	9	8
Moderately Productive Soils	8	9	9	8
Less Productive Soils	6	9	6	8
Grey Leaf Spot	9	6	8	8
Northern Leaf Blight	9	4	8	9
Goss's Wilt	8	8	6	8
Common Rust	N/A	N/A	N/A	6
Corn after Corn	Yes	No	Yes	Yes
Fungicide Response	7	8	7	8
Drought Tolerance	8	7	6	9
No-Till	9	9	8	8
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	8	8	6	9
Leaf Angle	7	6	7	7
Stalk Rating	8	6	8	9
Root Rating	9	6	7	9
Plant Height	7	6	8	8
Ear Height	5	5	6	7
Tar Spot Tolerance	Above Average	Below Average	N/A	Above Average
Staygreen	7	5	5	9
High Population Tolerance	10	7	8	10
EAR & GRAIN CHARACTERISTICS				
Ear Length	6	7	8	7
Ear Girth	9	7	7	7
Ear Flex	4	7	6	8
Kernel Rows	18-20	16	16	16
Test Weight	6	7	8	7
Cob Color	Pink	Pink	Red	Pink
Husk Cover	6	6	6	7
Drydown	8	8	7	9
Silage Quantity	9	5	8	9
Silage Quality	8	5	6	9

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.


3110GT = AGRISURE VIPTERA® 3110, 3111GT = AGRISURE VIPTERA® 3111, 3330GTEZ = AGRISURE VIPTERA® 3330 E-Z REFUGE®, VT2PRO = VT DOUBLE PRO® CORN, 3220GT = AGRISURE VIPTERA® 3220 REFUGE RENEW™, 3220GTEZ = AGRISURE VIPTERA® 3220 E-Z REFUGE®, DC5222 = AGRISURE DURACADE® 5222 REFUGE RENEW™, DC5222EZ = AGRISURE DURACADE® 5222 E-Z REFUGE®, GT = AGRISURE® GT

AUGUSTA 4959

RDM: 109 DAYS

Trait Options: 3110GT

- Superior yielding hybrid
- Very high test weight
- Likes irrigated or highly managed soils
- Plant at populations between 28,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn

No

AUGUSTA 4760

RDM: 110 DAYS

Trait Options: 3110GT

- Late flowering hybrid with good drydown
- Good dual purpose option
- Consistent ears with deep kernels
- Excellent Grey Leaf Spot tolerance

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

14-18

Cob Color

Red

Corn after Corn


Yes

AUGUSTA 1060

RDM: 110 DAYS

Trait Options: 3330GT, 3330GTEZ, DC5332, DC5332EZ

- Very stable under stress
- Superior plant health
- Very good tolerance to GLS and NCLB
- Plant at populations between 30,000 - 38,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

18

Cob Color

Pink

Corn after Corn

Yes

AUGUSTA 0720

RDM: 111 DAYS

Trait Options: GT, 3000GT

- Workhorse hybrid with good top end
- Above average test weight
- Medium sized plant with medium ear placement
- Plant at populations between 24,000 - 32,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn

Yes

	AUGUSTA 4959	AUGUSTA 1060	AUGUSTA 4760	AUGUSTA 0720
HYBRID FEATURES				
Trait Options	3110GT	3330GT, 3330GTEZ, DC5332, DC5332EZ	3110GT	GT, 3000GT
RDM	109	110	110	111
PLACEMENT GUIDE				
Highly Productive Soils	10	9	9	7
Moderately Productive Soils	8	8	9	8
Less Productive Soils	7	6	8	9
Grey Leaf Spot	8	8	9	7
Northern Leaf Blight	8	8	6	6
Goss's Wilt	N/A	8	5	5
Common Rust	N/A	N/A	N/A	8
Corn after Corn	No	Yes	Yes	Yes
Fungicide Response	8	7	5	9
Drought Tolerance	7	6	6	9
No-Till	8	5	8	7
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	8	5	8	7
Leaf Angle	7	6	7	8
Stalk Rating	7	9	6	8
Root Rating	6	8	6	7
Plant Height	7	7	7	7
Ear Height	6	7	8	7
Tar Spot Tolerance	N/A	Above Average	N/A	N/A
Staygreen	7	8	8	7
High Population Tolerance	9	9	8	9
EAR & GRAIN CHARACTERISTICS				
Ear Length	8	8	8	7
Ear Girth	7	7	8	7
Ear Flex	7	5	8	8
Kernel Rows	16-18	18	14-18	16-18
Test Weight	10	7	6	8
Cob Color	Red	Pink	Red	Red
Husk Cover	7	6	6	7
Drydown	7	8	8	7
Silage Quantity	7	8	9	6
Silage Quality	N/A	8	8	5

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.


3000GT = AGRISURE® 3000GT, 3110GT = AGRISURE VIPTERA® 3110, 3330GT = AGRISURE VIPTERA® 3330 REFUGE RENEW™, 3330GTEZ = AGRISURE VIPTERA® 3330 E-Z REFUGE®, GT = AGRISURE® GT, TRE = TRECEPTA®, DC5332 = AGRISURE DURACADE® 5332 REFUGE RENEW™, DC5332EZ = AGRISURE DURACADE® 5332 E-Z REFUGE®

AUGUSTA 1961

RDM: 111 DAYS

Trait Options: TRE

- Wide, dark leaves
- High top end yield potential and widely adaptable across soil types
- Medium statured with good roots and stalks
- Plant at populations between 26,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

18-20

Cob Color

Red

Corn after Corn


N/A

AUGUSTA 5062

RDM: 112 DAYS

Trait Options: 3110GT

- Food grade grain quality
- Tall, high yielding plant
- Plant at populations between 24,000 - 30,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-20

Cob Color

Pink

Corn after Corn


No

AUGUSTA 4961

RDM: 111 DAYS

Trait Options: 3120GTEZ, DC5122EZ

- Excellent test weight and grain quality
- High yield potential with attractive appearance
- Good tar spot tolerance
- Plant at populations between 28,000 - 36,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16

Cob Color

Pink

Corn after Corn


Yes

AUGUSTA 5262

RDM: 112 DAYS

Trait Options: GT, 3010GT, 3000GT

- Outstanding yields across environments and years
- Superb combination of plant health and agronomics
- Great dual purpose hybrid
- Plant at populations between 24,000 - 32,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-20

Cob Color

Pink

Corn after Corn

Yes

	AUGUSTA 1961	AUGUSTA 4961	AUGUSTA 5062	AUGUSTA 5262
HYBRID FEATURES				
Trait Options	TRE	3120GTEZ, DC5122EZ	3110GT	GT, 3010GT, 3000GT
RDM	111	111	112	112
PLACEMENT GUIDE				
Highly Productive Soils	10	8	9	8
Moderately Productive Soils	9	8	8	9
Less Productive Soils	7	8	7	10
Grey Leaf Spot	6	8	8	7
Northern Leaf Blight	7	7	5	7
Goss's Wilt	7	5	N/A	6
Common Rust	N/A	4	7	6
Corn after Corn	N/A	Yes	No	Yes
Fungicide Response	9	8	8	10
Drought Tolerance	7	8	8	9
No-Till	7	8	7	9
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	7	8	8	8
Leaf Angle	7	6	7	5
Stalk Rating	7	8	7	8
Root Rating	8	6	5	8
Plant Height	6	7	10	9
Ear Height	6	4	8	8
Tar Spot Tolerance	Average	Above Average	N/A	N/A
Staygreen	7	5	8	7
High Population Tolerance	8	9	5	9
EAR & GRAIN CHARACTERISTICS				
Ear Length	7	7	8	6
Ear Girth	9	7	8	10
Ear Flex	8	5	8	8
Kernel Rows	18-20	16	16-20	16-20
Test Weight	6	8	10	5
Cob Color	Red	Pink	Pink	Pink
Husk Cover	4	7	6	8
Drydown	6	6	6	4
Silage Quantity	6	N/A	8	10
Silage Quality	8	N/A	7	8

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.

3000GT = AGRISURE® 3000GT, 3010GT = AGRISURE® 3010, 3110GT = AGRISURE VIPTERA® 3110, 3120GTEZ = AGRISURE® 3120 E-Z REFUGE®, 3220GTEZ = AGRISURE VIPTERA® 3220 E-Z REFUGE®, DC5122EZ = AGRISURE DURACADE® 5122 E-Z REFUGE®, DC5222EZ = AGRISURE DURACADE® 5222 E-Z REFUGE®, GT = AGRISURE® GT, TRE = TRECEPTA®

AUGUSTA 6162

RDM: 112 DAYS

Trait Options: 3220GTEZ, DC5222EZ

- › Consistently yielding hybrid
- › Outstanding emergence and vigor
- › Excellent root strength
- › Plant at populations between 24,000 - 36,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 3363

RDM: 113 DAYS

Trait Options: DCVT2Pro

- › Attractive plant with impressive fall appearance
- › Girthy ears with tremendous kernel depth
- › Belongs in higher yielding environments
- › Plant at populations between 28,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

18-20

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 7162

RDM: 112 DAYS

Trait Options: VT2Pro, VT2ProRIB

- › High top end yield potential
- › Widely adaptable across soil types
- › Responds well to intense management
- › Plant at populations between 28,000 - 36,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 4463

RDM: 113 DAYS

Trait Options: CONV, VT2Pro, VT2ProRIB

- › Outstanding agronomic package with good test weight
- › Balanced ear style with good tip fill and husk coverage
- › Very good late season health and intactness
- › Plant at populations between 28,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16

Cob Color

Red

Corn after Corn

Yes

	AUGUSTA 6162	AUGUSTA 7162	AUGUSTA 3363	AUGUSTA 4463
HYBRID FEATURES				
Trait Options	3220GTEZ, DC5222EZ	VT2PRO, VT2PRORIB	DGVT2PRO	CONV, VT2PRO, VT2PRORIB
RDM	112	112	113	113
PLACEMENT GUIDE				
Highly Productive Soils	7	9	10	9
Moderately Productive Soils	8	8	9	9
Less Productive Soils	8	8	5	9
Grey Leaf Spot	6	5	8	7
Northern Leaf Blight	6	8	8	7
Goss's Wilt	8	6	7	5
Common Rust	N/A	6	N/A	5
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	8	8	8	8
Drought Tolerance	8	8	7	7
No-Till	9	8	7	7
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	8	8	8	6
Leaf Angle	7	8	7	7
Stalk Rating	6	7	8	7
Root Rating	8	9	8	7
Plant Height	7	7	7	8
Ear Height	8	7	7	6
Tar Spot Tolerance	Average	N/A	Average	Average
Staygreen	8	7	7	7
High Population Tolerance	9	8	9	8
EAR & GRAIN CHARACTERISTICS				
Ear Length	7	7	6	8
Ear Girth	7	7	9	8
Ear Flex	6	7	5	8
Kernel Rows	16	16-18	18-20	16
Test Weight	7	8	8	8
Cob Color	Red	Red	Red	Red
Husk Cover	7	7	8	8
Drydown	8	8	6	6
Silage Quantity	8	8	9	9
Silage Quality	8	8	7	9

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.

310GT = AGRISURE VIPTERA® 3110, VT2PRO = VT DOUBLE PRO® CORN, VT2PRORIB = VT DOUBLE PRO® RIB COMPLETE® CORN BLEND, 3120GTEZ = AGRISURE® 3120 E-Z REFUGE®, DC5222EZ = AGRISURE DURACADE® 5222 E-Z REFUGE®, DGVT2PRO = DROUGHTGARD® HYBRIDS WITH VT DOUBLE PRO® CORN, CONV = CONVENTIONAL

AUGUSTA 5663

RDM: 113 DAYS

Trait Options: Untreated, CONV, 3000GT

- › Good ear flex for lower populations
- › Consistent performer
- › Plant at populations between 24,000 - 30,000
- › Exceptional silage corn with a long harvest window

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

14-16

Cob Color

Pink

Corn after Corn

Yes

AUGUSTA 2064

RDM: 114 DAYS

Trait Options: CONV, 3110GT, DC5122, DC5122EZ

- › Go anywhere hybrid for silage or grain
- › Great choice for dryland or irrigated acres
- › Quick emergence and vigor
- › Strong roots and stalks to support corn after corn acreage
- › Plant at populations between 28,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

14-16

Cob Color

Pink

Corn after Corn

Yes

AUGUSTA 1964

RDM: 114 DAYS

Trait Options: 3110GT

- › Excellent disease tolerance
- › Good standability and late season intactness
- › Flex ears with ample husk cover
- › Plant at populations between 26,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

14-18

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 5264

RDM: 114 DAYS

Trait Options: GT, 3000GT

- › Exceptional green life and disease resistance
- › Earliest maturing "Green Gene" hybrid
- › Big plant with great late season intactness
- › Plant at populations between 26,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

14-18

Cob Color

Red

Corn after Corn

Yes

	AUGUSTA 5663	AUGUSTA 1964	AUGUSTA 2064	AUGUSTA 5264
HYBRID FEATURES				
Trait Options	UNTREATED, CONV, 3000GT	3110GT	CONV, 3110GT, DC5122, DC5122EZ	GT, 3000GT
RDM	113	114	114	114
PLACEMENT GUIDE				
Highly Productive Soils	8	9	8	8
Moderately Productive Soils	9	8	9	9
Less Productive Soils	9	7	8	9
Grey Leaf Spot	9	8	6	10
Northern Leaf Blight	7	6	6	9
Goss's Wilt	9	7	8	6
Common Rust	6	6	8	7
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	6	7	10	9
Drought Tolerance	9	6	9	9
No-Till	9	7	9	9
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	9	6	9	8
Leaf Angle	6	8	8	8
Stalk Rating	10	7	9	8
Root Rating	10	7	10	9
Plant Height	8	9	8	10
Ear Height	8	7	7	9
Tar Spot Tolerance	N/A	Above Average	Average	N/A
Staygreen	5	7	7	10
High Population Tolerance	5	7	10	8
EAR & GRAIN CHARACTERISTICS				
Ear Length	10	7	8	8
Ear Girth	5	7	7	8
Ear Flex	10	7	7	8
Kernel Rows	14-16	14-18	14-16	16-18
Test Weight	7	8	7	9
Cob Color	Pink	Red	Pink	Red
Husk Cover	5	8	8	8
Drydown	8	6	7	7
Silage Quantity	9	8	9	10
Silage Quality	9	8	9	8

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.

3000GT = AGRISURE® 3000GT, 3110GT = AGRISURE VIPTERA® 3110, DC5122 = AGRISURE DURACADE® 5122 REFUGE RENEW™, DC5122EZ = AGRISURE DURACADE® 5122 E-Z REFUGE®, GT = AGRISURE® GT, CONV = CONVENTIONAL

AUGUSTA 6664

RDM: 114 DAYS

Trait Options: VT2Pro, VT2ProRIB

- › High top end yield potential
- › Consistent performance under drought stress
- › Avoid SU herbicides
- › Plant at populations between 26,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**
16-18**Cob Color**
Red**Corn after Corn**
Yes**AUGUSTA 1165**

RDM: 115 DAYS

Trait Options: Untreated, CONV, VT2Pro, VT2ProRIB


- › Good husk cover and canopy
- › Excellent heat and drought stress tolerance
- › Good ear flex
- › Plant at populations between 26,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**
16-18**Cob Color**
Red**Corn after Corn**
Yes**AUGUSTA 1065**

RDM: 115 DAYS

Trait Options: VT2Pro, VT2ProRIB



- › Exceptional ear flex with heavy test weight
- › Excellent heat and drought stress tolerance
- › Flex ear that likes lower populations
- › Avoid coastal regions
- › Plant at populations between 24,000 - 30,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**
14-18**Cob Color**
Red**Corn after Corn**
Yes**AUGUSTA 1265**

RDM: 115 DAYS

Trait Options: DC5222

- › Top yielding hybrid across soil types
- › Good movement North and South
- › Strong disease resistance
- › Plant at populations between 28,000 - 38,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**
16**Cob Color**
Red**Corn after Corn**
Yes

	AUGUSTA 6664	AUGUSTA 1065	AUGUSTA 1165	AUGUSTA 1265
HYBRID FEATURES				
Trait Options	VT2PRO, VT2PRORIB	VT2PRO, VT2PRORIB	UNTREATED, CONV, VT2PRO, VT2PRORIB	DC5222
RDM	114	115	115	115
PLACEMENT GUIDE				
Highly Productive Soils	10	9	10	8
Moderately Productive Soils	9	9	9	8
Less Productive Soils	8	9	9	8
Grey Leaf Spot	7	6	8	7
Northern Leaf Blight	N/A	7	8	7
Goss's Wilt	6	5	N/A	7
Common Rust	N/A	N/A	N/A	N/A
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	10	8	8	8
Drought Tolerance	8	8	8	8
No-Till	10	9	9	8
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	8	8	8	8
Leaf Angle	9	5	7	7
Stalk Rating	9	8	9	8
Root Rating	8	7	9	8
Plant Height	7	7	9	8
Ear Height	6	7	6	7
Tar Spot Tolerance	N/A	N/A	N/A	Above Average
Staygreen	6	7	7	8
High Population Tolerance	9	4	8	8
EAR & GRAIN CHARACTERISTICS				
Ear Length	8	9	9	8
Ear Girth	9	6	8	7
Ear Flex	8	10	8	7
Kernel Rows	16-18	14-18	16-18	16
Test Weight	9	10	8	6
Cob Color	Red	Red	Red	Red
Husk Cover	7	8	7	7
Drydown	8	8	8	6
Silage Quantity	N/A	6	9	8
Silage Quality	N/A	6	9	8

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.

DC5222 = AGRISURE DURACADE® 522 REFUGE RENEW™, VT2PRO = VT DOUBLE PRO® CORN, VT2PRORIB = VT DOUBLE PRO® RIB COMPLETE® CORN BLEND, CONV = CONVENTIONAL

AUGUSTA 1465

RDM: 115 DAYS

Trait Options: VT2Pro

- Strong stress tolerant hybrid for tough acres
- Good grain quality and test weight
- Dense leaf canopy that shades the row
- Plant at populations between 24,000 - 32,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16

Cob Color

Red

Corn after Corn



Yes

AUGUSTA 4565

RDM: 115 DAYS

Trait Options: 3220GT

- High yielding line of genetics
- Very girthy ear that fills out well
- Fixed ear that likes high populations
- Plant at populations between 30,000 - 38,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Pink

Corn after Corn

Yes

AUGUSTA 4465

RDM: 115 DAYS

Trait Options: CONV, DC5222, DC5222EZ

- Widely adapted for Eastern geography
- Attractive plant with wide utility
- Thick, girthy ears with high test weight
- Plant for populations of 24,000 - 36,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn



Yes

AUGUSTA 5065

RDM: 115 DAYS

Trait Options: Untreated, CONV, 3110GT, 3111GT

- Excellent ear flex
- Early flowering hybrid great for early planting
- Food grade grain quality
- Plant at populations between 26,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-20

Cob Color

Pink

Corn after Corn

N/A

	AUGUSTA 1465	AUGUSTA 4465	AUGUSTA 4565	AUGUSTA 5065
HYBRID FEATURES				
Trait Options	VT2PRO	CONV, DC5222, DC5222EZ	3220GT	UNTREATED, CONV, 3110GT, 3111GT
RDM	115	115	115	115
PLACEMENT GUIDE				
Highly Productive Soils	5	9	9	9
Moderately Productive Soils	9	9	6	7
Less Productive Soils	9	9	5	5
Grey Leaf Spot	6	8	7	8
Northern Leaf Blight	6	8	6	6
Goss's Wilt	6	8	8	N/A
Common Rust	N/A	N/A	N/A	7
Corn after Corn	Yes	Yes	Yes	N/A
Fungicide Response	8	9	9	8
Drought Tolerance	8	8	8	8
No-Till	7	9	9	
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	6	8	6	6
Leaf Angle	8	8	6	7
Stalk Rating	6	6	8	7
Root Rating	7	8	8	7
Plant Height	6	8	8	10
Ear Height	7	6	6	7
Tar Spot Tolerance	Average	Average	N/A	N/A
Staygreen	8	8	8	8
High Population Tolerance	5	8	10	5
EAR & GRAIN CHARACTERISTICS				
Ear Length	8	7	6	9
Ear Girth	7	9	9	8
Ear Flex	8	7	6	8
Kernel Rows	16	16-18	16-18	16-20
Test Weight	9	8	7	10
Cob Color	Red	Red	Pink	Pink
Husk Cover	7	7	8	6
Drydown	6	6	6	6
Silage Quantity	N/A	9	9	9
Silage Quality	N/A	8	8	9

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.



310GT = AGRISURE VIPTERA® 3110, 3111GT = AGRISURE VIPTERA® 3111, 3220GT = AGRISURE VIPTERA® 3220 REFUGE RENEW™, DC5222 = AGRISURE DURACADE® 5222 REFUGE RENEW™, DC5222EZ = AGRISURE DURACADE® 5222 E-Z REFUGE®, VT2PRO = VT DOUBLE PRO® CORN, CONV = CONVENTIONAL

AUGUSTA 5465

RDM: 115 DAYS

Trait Options: 3000GT

- › Exceptional green life and disease resistance
- › High test weight
- › Superb drought tolerance
- › Plant at populations between 26,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn


Yes

AUGUSTA 1466

RDM: 116 DAYS

Trait Options: 3220ACTEZ, DC5222AEZ

- › Widely adaptable across soil types
- › Superior agronomics
- › Consistent plant health
- › Plant at populations between 24,000 - 36,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn


Yes

AUGUSTA 5565

RDM: 115 DAYS

Trait Options: VT2Pro, VT2ProRIB

- › Outstanding yields across the board
- › Works well in no-till environments and for early planting
- › Outright leaf structure with heavy canopy to shade ground
- › Plant at populations between 24,000 - 32,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 5566

RDM: 116 DAYS

Trait Options: Untreated, CONV, GT, 3000GT, 3110GT, 3111GT

- › Consistent high yields
- › Excellent late season plant health
- › Great dryland option
- › Plant at populations between 24,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****Kernel Rows**

16-18

Cob Color

Pink

Corn after Corn

Yes

	AUGUSTA 5465	AUGUSTA 5565	AUGUSTA 1466	AUGUSTA 5566
HYBRID FEATURES				
Trait Options	3000GT	VT2PRO, VT2PRORIB	3220AGTEZ, DC5222AEZ	UNTREATED, CONV, GT, 3000GT, 3110GT, 3111GT
RDM	115	115	116	116
PLACEMENT GUIDE				
Highly Productive Soils	8	9	9	9
Moderately Productive Soils	9	9	9	9
Less Productive Soils	9	8	9	9
Grey Leaf Spot	9	5	8	9
Northern Leaf Blight	9	8	8	9
Goss's Wilt	6	6	8	8
Common Rust	7	6	N/A	N/A
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	9	10	8	9
Drought Tolerance	9	7	8	9
No-Till	9	9	8	10
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	8	10	8	8
Leaf Angle	8	5	7	8
Stalk Rating	8	8	8	9
Root Rating	9	10	8	8
Plant Height	10	5	8	9
Ear Height	9	5	6	6
Tar Spot Tolerance	N/A	N/A	N/A	N/A
Staygreen	10	5	8	9
High Population Tolerance	8	7	9	9
EAR & GRAIN CHARACTERISTICS				
Ear Length	8	8	7	8
Ear Girth	8	8	8	9
Ear Flex	8	8	7	8
Kernel Rows	16-18	16-18	16-18	16-18
Test Weight	9	9	6	8
Cob Color	Red	Red	Red	Pink
Husk Cover	8	8	6	8
Drydown	6	9	8	7
Silage Quantity	10	8	8	10
Silage Quality	8	8	8	8

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.


3000GT = AGRISURE® 3000GT, 3110GT = AGRISURE VIPTERA® 3110, 3111GT = AGRISURE VIPTERA® 3111, 3220AGTEZ = AGRISURE VIPTERA® 3220 E-Z REFUGE® WITH ARTESIAN™, DC5222AEZ = AGRISURE DURACADE® 5222 E-Z REFUGE® WITH ARTESIAN™, GT = AGRISURE® GT, VT2PRO = VT DOUBLE PRO® CORN, VT2PRORIB = VT DOUBLE PRO® RIB COMPLETE® CORN BLEND, CONV = CONVENTIONAL

AUGUSTA 1367

RDM: 117 DAYS

Trait Options: 3220GT, DC5222EZ

- › High yielding plant with consistent performance
- › Excellent mobility across southeastern geographies
- › Good ear flex and plant health
- › Great option for corn after corn
- › Plant at populations between 28,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-20

Cob Color

Pink

Corn after Corn

Yes

AUGUSTA 4567

RDM: 117 DAYS

Trait Options: 3220GT, DC5222, DC5222EZ

- › Fuller season version of A4565
- › Girthy ear
- › Responds well to higher populations
- › Plant at populations between 30,000 - 38,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Pink

Corn after Corn

Yes

AUGUSTA 4467

RDM: 117 DAYS

Trait Options: 3220GT

- › Broadly adapted from East to West
- › Solid agronomic package
- › Very good grain quality
- › Plant at populations between 24,000 - 36,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Red

Corn after Corn


Yes

AUGUSTA 6867

RDM: 117 DAYS

Trait Options: Untreated, CONV

- › Healthy line of genetics
- › Very girthy ear
- › High test weight
- › Plant at populations between 26,000 - 34,000

**HIGHLY PRODUCTIVE SOILS****MODERATELY PRODUCTIVE SOILS****LESS PRODUCTIVE SOILS****DROUGHT TOLERANCE****EAR FLEX****TEST WEIGHT****Kernel Rows**

16-18

Cob Color

Pink

Corn after Corn

Silage Only

	AUGUSTA 1367	AUGUSTA 4467	AUGUSTA 4567	AUGUSTA 6867
HYBRID FEATURES				
Trait Options	3220GT, DC5222EZ	3220GT	3220GT, DC5222, DC5222EZ	UNTREATED, CONV
RDM	117	117	117	117
PLACEMENT GUIDE				
Highly Productive Soils	9	9	10	8
Moderately Productive Soils	7	9	6	8
Less Productive Soils	6	9	5	8
Grey Leaf Spot	5	8	7	8
Northern Leaf Blight	6	8	6	8
Goss's Wilt	8	8	8	N/A
Common Rust	N/A	N/A	N/A	N/A
Corn after Corn	Yes	Yes	Yes	Silage Only
Fungicide Response	9	9	9	9
Drought Tolerance	8	8	8	8
No-Till	7	9	9	9
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	6	8	6	6
Leaf Angle	8	8	6	8
Stalk Rating	8	6	8	6
Root Rating	6	7	8	7
Plant Height	8	8	8	9
Ear Height	6	6	6	8
Tar Spot Tolerance	N/A	Average	N/A	N/A
Staygreen	8	8	8	8
High Population Tolerance	8	8	10	8
EAR & GRAIN CHARACTERISTICS				
Ear Length	7	7	6	7
Ear Girth	9	9	9	8
Ear Flex	7	7	6	6
Kernel Rows	16-20	16-18	16-18	16-18
Test Weight	7	8	7	7
Cob Color	Pink	Red	Pink	Pink
Husk Cover	5	7	8	8
Drydown	5	6	6	5
Silage Quantity	6	9	9	9
Silage Quality	6	8	8	9

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.

3220GT = AGRISURE VIPTERA® 3220 REFUGE RENEW™, DC5222 = AGRISURE DURACADE® 5222 REFUGE RENEW™, DC5222EZ = AGRISURE DURACADE® 5222 E-Z REFUGE®, CONV = CONVENTIONAL

	AUGUSTA 7767	AUGUSTA 9967	AUGUSTA 7168	AUGUSTA 7268
HYBRID FEATURES				
Trait Options	VT2Pro	3000GT	VT2Pro	VT2Pro
RDM	117	117	118	118
PLACEMENT GUIDE				
Highly Productive Soils	9	9	9	9
Moderately Productive Soils	9	9	8	8
Less Productive Soils	8	6	7	7
Grey Leaf Spot	7	8	8	8
Northern Leaf Blight	8	8	6	8
Goss's Wilt	4	N/A	4	6
Common Rust	8	9	N/A	8
Corn after Corn	Yes	Silage Only	Yes	Yes
Fungicide Response	8	8	7	8
Drought Tolerance	9	7	8	8
No-Till	10	8	7	7
AGRONOMIC CHARACTERISTICS				
Seedling Vigor	7	7	6	6
Leaf Angle	6	8	8	8
Stalk Rating	10	8	8	8
Root Rating	10	5	8	8
Plant Height	6	9	7	7
Ear Height	5	8	6	6
Fall Appearance	N/A	N/A	Below Average	Below Average
Staygreen	7	8	8	8
High Population Tolerance	8	8	8	8
EAR & GRAIN CHARACTERISTICS				
Ear Length	9	6	8	8
Ear Girth	7	9	7	8
Ear Flex	8	8	6	9
Kernel Rows	16	18-22	16-18	18-20
Test Weight	8	7	8	10
Cob Color	Red	Red	Pink	Red
Husk Cover	10	6	8	8
Drydown	8	6	6	6
Silage Quantity	8	9	6	9
Silage Quality	9	10	5	8

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.
 VT2PRO = VT DOUBLE PRO® CORN, 3000GT = AGRISURE® 3000GT

QUICK DATA REFERENCE

HYBRID	RDM	Highly Productive Soils		Moderately Productive Soils		Less Productive Soils	Grey Leaf Spot	Northern Leaf Blight	Coss's Wilt	Common Rust	Corn after Corn	Fungicide Response	Drought Tolerance	No-Till	Seedling Vigor	Leaf Angle	Stalk Rating	Root Rating	Plant Height	Ear Height	Tar Spot Tolerance	Staygreen	High Population Tolerance		Ear Length	Ear Girth	Ear Flex	Kernel Rows	Test Weight	Cob Color	Husk Cover	Drydown	Silage Quantity	Silage Quality
AUGUSTA 2135	85	8	7	7	N/A	6	8	N/A	Yes	8	7	8	8	8	7	6	8	6	6	N/A	6	8	7	7	7	16-18	6	Red	6	6	6	6		
AUGUSTA 2036	86	8	8	8	N/A	8	8	8	Yes	8	8	6	8	8	7	8	8	8	6	A	8	7	7	7	7	16-18	6	Red	6	6	8	8		
AUGUSTA 2039	89	8	8	8	N/A	6	7	N/A	Yes	8	8	8	8	8	8	8	8	6	7	6	A	8	7	7	8	7	6	7	7	7	7	7		
AUGUSTA 2541	91	8	8	8	6	6	7	6	Yes	7	7	8	8	8	5	8	6	7	6	A	8	7	7	7	7	16-18	7	Red	6	6	8	8		
AUGUSTA 2843	93	10	9	7	8	5	7	N/A	Yes	8	8	8	9	7	8	6	7	7	7	AA	8	7	8	7	8	16-18	8	Pink	6	7	9	9		
AUGUSTA 2345	95	9	8	5	N/A	5	7	N/A	Yes	8	6	8	9	8	8	6	7	7	7	AA	8	8	8	7	6	18-20	7	Red	6	9	8	8		
AUGUSTA 2545	95	9	6	5	6	7	5	N/A	Yes	7	8	7	6	6	6	8	8	7	6	A	5	9	6	7	5	16-18	6	Red	6	6	6	6		
AUGUSTA 2847	97	10	9	9	9	8	8	N/A	Yes	9	9	10	9	7	9	8	9	8	A	8	8	8	7	8	16-18	8	Pink	6	7	9	9			
AUGUSTA 2448	98	9	9	7	6	6	8	6	Yes	9	8	9	9	8	8	8	8	8	6	A	8	8	8	7	9	16-18	8	Red	8	7	8	8		
AUGUSTA 22-250	100	8	8	8	7	6	5	N/A	Yes	8	8	6	6	7	8	8	8	6	6	A	8	9	7	9	8	18-20	6	Red	7	6	6	6		
AUGUSTA 2150	100	9	8	8	6	7	6	N/A	Yes	8	8	7	8	7	8	8	8	7	8	A	7	8	7	7	8	18-20	8	Red	7	7	8	8		
AUGUSTA 3053	103	9	9	9	5	6	8	N/A	Yes	7	7	9	8	8	7	7	8	8	8	AA	8	9	7	7	6	18	8	Pink	6	8	8	7		
AUGUSTA 3054	104	8	7	7	6	8	6	N/A	Yes	7	9	9	8	6	6	9	6	4	BA	5	9	6	9	5	18	6	Pink	6	6	6	6			
AUGUSTA 4054	104	9	8	6	6	6	6	6	Yes	8	7	7	7	6	7	7	7	7	7	A	6	7	7	9	7	18-22	6	Pink	6	6	8	8		
AUGUSTA 3855	105	6	8	9	7	6	5	N/A	7	Yes	9	8	8	9	7	10	10	5	5	N/A	5	9	6	8	5	16-18	7	Red	8	9	7	8		
AUGUSTA 2956	106	8	7	7	9	7	6	6	N/A	8	8	10	8	7	8	8	9	8	N/A	10	9	10	7	10	16	9	Pink	8	9	9	9			
AUGUSTA 1457	107	9	9	9	7	5	5	N/A	Yes	8	7	7	6	6	8	8	8	8	7	A	8	9	8	7	7	16	6	Red	6	6	8	8		
AUGUSTA 4658	108	10	8	7	6	8	8	N/A	No	9	8	9	8	8	8	5	5	6	A	7	7	8	9	8	16-18	6	Pink	7	7	N/A	N/A			
AUGUSTA 4858	108	9	9	9	8	6	8	N/A	Yes	8	8	9	6	6	8	8	8	6	BA	9	9	8	8	7	14-16	10	Red	7	6	8	8			
AUGUSTA 5658	108	10	8	7	6	8	8	N/A	No	9	8	9	8	8	8	8	5	5	N/A	5	8	8	9	8	16-18	7	Pink	7	7	N/A	N/A			
AUGUSTA 1059	109	9	8	6	9	9	8	N/A	Yes	7	8	9	8	7	8	9	7	5	AA	7	10	6	9	4	18-20	6	Pink	6	8	9	8			
AUGUSTA 1259	109	9	9	9	6	4	8	N/A	No	8	7	9	8	6	6	6	6	5	BA	5	7	7	7	7	16	7	Pink	6	8	5	5			
AUGUSTA 1359	109	9	9	6	8	8	6	N/A	Yes	7	6	8	6	7	8	7	8	6	N/A	5	8	8	7	6	16	8	Red	6	7	8	6			
AUGUSTA 4759	109	8	8	8	8	9	8	6	Yes	8	9	8	9	7	9	9	8	7	AA	9	10	7	7	8	16	7	Pink	7	9	9	9			
AUGUSTA 4959	109	10	8	7	8	8	8	N/A	N/A	No	8	7	8	8	7	7	6	7	N/A	7	9	8	7	7	16-18	10	Red	7	7	7	N/A			
AUGUSTA 1060	110	9	8	6	8	8	8	N/A	Yes	7	6	5	5	6	9	8	7	7	AA	8	9	8	7	5	18	7	Pink	6	8	8	8			
AUGUSTA 4760	110	9	9	8	9	6	5	N/A	Yes	5	6	8	8	7	6	6	7	8	N/A	8	8	8	8	8	14-18	6	Red	6	8	9	8			
AUGUSTA 0720	111	7	8	9	7	6	5	8	Yes	9	9	7	7	8	8	7	7	7	N/A	7	9	7	7	8	16-18	8	Red	7	7	6	5			
AUGUSTA 1961	111	10	9	7	6	7	7	N/A	N/A	9	7	7	7	7	8	6	6	6	A	7	8	7	9	8	18-20	6	Red	4	6	6	8			
AUGUSTA 4961	111	8	8	8	8	7	5	4	Yes	8	8	8	8	6	8	6	7	4	AA	5	9	7	7	5	16	8	Pink	7	6	N/A	N/A			

QUICK DATA REFERENCE

HYBRID	RDM	Highly Productive Soils		Moderately Productive Soils		Less Productive Soils		Northern Leaf Blight	Goss's Wilt	Common Rust	Corn after Corn	Fungicide Response	Drought Tolerance	No-Till	Sedding Vigor	Leaf Angle	Stalk Rating	Root Rating	Plant Height	Ear Height	Tar Spot Tolerance	Staygreen	High Population Tolerance		Ear Length	Ear Girth	Ear Flex	Kernel Rows	Test Weight	Cob Color	Husk Cover	Drydown	Silage Quantity	Silage Quality
AUGUSTA 5062	112	9	8	7	8	5	N/A	7	No	8	8	7	8	7	8	7	8	5	10	8	N/A	8	5	8	16-20	10	Pink	6	6	8	7			
AUGUSTA 5262	112	8	9	10	7	7	6	6	Yes	10	9	9	8	5	8	6	8	8	9	8	N/A	7	9	6	16-20	5	Pink	8	4	10	8			
AUGUSTA 6162	112	7	8	8	6	6	8	N/A	Yes	8	8	9	8	7	6	8	7	8	7	8	A	8	9	7	7	6	16	7	8	8	8			
AUGUSTA 7162	112	9	8	8	5	8	6	6	Yes	8	8	8	8	8	7	7	8	7	7	7	N/A	7	8	7	7	7	16-18	8	Red	7	8	8	8	
AUGUSTA 3363	113	10	9	5	8	8	7	N/A	Yes	8	8	7	7	8	7	8	8	7	7	A	7	9	6	9	5	18-20	8	Red	8	6	9	7		
AUGUSTA 4463	113	9	9	9	7	7	5	5	Yes	8	7	7	6	7	7	7	8	7	6	A	7	8	8	8	8	16	8	Red	8	6	9	9		
AUGUSTA 5663	113	8	9	9	9	7	9	6	Yes	6	9	9	9	6	10	10	8	8	N/A	5	5	10	5	10	14-16	7	Pink	5	8	9	9			
AUGUSTA 1964	114	9	8	7	8	6	7	6	Yes	7	6	7	6	8	7	7	9	7	7	AA	7	7	7	7	7	14-18	8	Red	8	6	8	8		
AUGUSTA 2064	114	8	9	8	6	6	8	8	Yes	10	9	9	9	8	9	10	8	7	7	A	7	10	8	7	7	14-16	7	Pink	8	7	9	9		
AUGUSTA 5264	114	8	9	9	10	9	6	7	Yes	9	9	9	8	8	8	9	9	10	9	N/A	10	8	8	8	8	16-18	9	Red	8	7	10	8		
AUGUSTA 6664	114	10	9	8	7	N/A	6	N/A	Yes	10	8	10	8	9	9	8	7	6	N/A	6	9	8	9	8	16-18	9	Red	7	8	N/A	N/A			
AUGUSTA 1065	115	9	9	9	6	7	5	N/A	Yes	8	8	9	8	5	8	7	7	7	N/A	7	4	9	6	10	14-18	10	Red	8	8	6	6			
AUGUSTA 1165	115	10	9	9	8	8	N/A	N/A	Yes	8	8	9	8	7	9	9	9	6	N/A	7	8	9	8	8	16-18	8	Red	7	8	9	9			
AUGUSTA 1265	115	8	8	8	7	7	7	N/A	Yes	8	8	8	8	7	8	8	8	8	7	AA	8	8	8	7	7	16	6	Red	7	6	8	8		
AUGUSTA 1465	115	5	9	9	6	6	6	N/A	Yes	8	8	7	6	8	6	7	6	7	A	8	5	8	7	8	16	9	Red	7	6	N/A	N/A			
AUGUSTA 4465	115	9	9	9	8	8	8	N/A	Yes	9	8	9	8	8	6	8	8	6	A	8	8	7	9	7	16-18	8	Red	7	6	9	8			
AUGUSTA 4565	115	9	6	5	7	6	8	N/A	Yes	9	8	9	6	6	8	8	8	6	N/A	8	10	6	9	6	16-18	7	Pink	8	6	9	8			
AUGUSTA 5065	115	9	7	5	8	6	N/A	7	N/A	8	8	6	6	7	7	7	10	7	N/A	8	5	9	8	8	16-20	10	Pink	6	6	9	9			
AUGUSTA 5465	115	8	9	9	9	9	6	7	Yes	9	9	9	8	8	8	9	9	10	N/A	10	8	8	8	8	16-18	9	Red	8	6	10	8			
AUGUSTA 5565	115	9	9	8	5	8	6	6	Yes	10	7	9	10	5	8	10	5	5	N/A	5	7	8	8	8	16-18	9	Red	8	9	8	8			
AUGUSTA 1466	116	9	9	9	8	8	8	N/A	Yes	8	8	8	8	7	8	8	8	8	6	N/A	8	9	7	8	7	16-18	6	Red	6	8	8	8		
AUGUSTA 5566	116	9	9	9	9	9	8	N/A	Yes	9	9	10	8	8	9	8	9	6	N/A	9	9	8	9	8	16-18	8	Pink	8	7	10	8			
AUGUSTA 1367	117	9	7	6	5	6	8	N/A	Yes	9	8	7	6	8	8	6	8	6	N/A	8	8	7	9	7	16-20	7	Pink	5	5	6	6			
AUGUSTA 4467	117	9	9	9	8	8	8	N/A	Yes	9	8	9	8	8	6	7	8	6	A	8	8	7	9	7	16-18	8	Red	7	6	9	8			
AUGUSTA 4567	117	10	6	5	7	6	8	N/A	Yes	9	8	9	6	6	8	8	8	6	N/A	8	10	6	9	6	16-18	7	Pink	8	6	9	8			
AUGUSTA 6867	117	8	8	8	8	8	N/A	N/A	SO	9	8	9	6	8	6	7	9	8	N/A	8	8	7	8	6	16-18	7	Pink	8	5	9	9			
AUGUSTA 7767	117	9	9	8	7	8	4	8	Yes	8	9	10	7	6	10	10	6	5	N/A	7	8	9	7	8	16	8	Red	10	8	8	9			
AUGUSTA 9967	117	9	9	6	8	8	N/A	9	SO	8	7	8	7	8	8	5	9	8	N/A	8	8	6	9	8	18-22	7	Red	6	6	9	10			
AUGUSTA 7168	118	9	8	7	8	6	4	N/A	Yes	7	8	7	6	8	8	8	8	7	6	BA	8	8	8	7	6	16-18	8	Pink	8	6	6	5		
AUGUSTA 7268	118	9	8	7	8	8	6	8	Yes	8	8	7	6	8	8	8	8	7	6	BA	8	8	8	9	18-20	10	Red	8	6	9	8			

SCALE: 10 EQUALS MOST OR MOST EXTREME, 1 EQUALS LEAST OR LEAST EXTREME.
 CORN AFTER CORN: SO = SILAGE ONLY, TAR SPOT TOLERANCE: A = AVERAGE, AA = ABOVE AVERAGE, BA = BELOW AVERAGE



Floyd Childress - Christiansburg, VA



Henry Blume, Blume Farms - Dorchester, WI



Gundry Farms - Seaford, DE




Hutchison Brothers
Cordova, MD



Jason Stuth's Equipment - Barren Ridge, VA

The logo features a stylized white eagle with spread wings, centered inside a large blue letter 'A'. Below the graphic, the word "AUGUSTA SEED" is written in bold, red, sans-serif capital letters.

*Independent. Family Owned & Operated.
Local Research.*



Dayne Jessup
Blackhawk Ag - Sheridan, IN



Jamie Austin
Marshville, NC



Don, Joe, and Charles Anderson
Anderson Farms - Statesville, NC



Tyler Osborne
Johnson City, TN




Cullen Schlewig
Windy Ridge Farm - Fall Creek, WI

Since 1977, Augusta has become a success story of service and quality products to thousands of customers **over 25 states!**






Shortall Farms - Easton, MD



Carroll Goodman
Statesville, NC



Gary Isaacs - Greenwood, DE



 3000GT	3000GT Agrisure® 3000GT	 Duracade 5122 Refuge Renew™	DC5122 Agrisure Duracade® 5122 Refuge Renew™
 3010	3010GT Agrisure® 3010	 Duracade 5122 E-Z Refuge®	DC5122EZ Agrisure Duracade® 5122 E-Z Refuge®
 3110	3110GT Agrisure Viptera® 3110	 Duracade 5222A E-Z Refuge®	DC5222AEZ Agrisure Duracade® 5222 E-Z Refuge® with Artesian™
 3111	3111GT Agrisure Viptera® 3111	 Duracade 5222 Refuge Renew™	DC5222 Agrisure Duracade® 5222 Refuge Renew™
 3120 Refuge Renew™	3120GT Agrisure® 3120 Refuge Renew™	 Duracade 5222 E-Z Refuge®	DC5222EZ Agrisure Duracade® 5222 E-Z Refuge®
 3120 Refuge Renew™	3120GTA Agrisure® 3120 Refuge Renew™ with Artesian™	 Duracade 5332	DC5332 Agrisure Duracade® 5332 Refuge Renew™
 3120 E-Z Refuge®	3120GTEZ Agrisure® 3120 E-Z Refuge®	 Duracade 5332 E-Z Refuge®	DC5332EZ Agrisure Duracade® 5332 E-Z Refuge®
 3220 E-Z Refuge®	3220ACTEZ Agrisure Viptera® 3220 E-Z Refuge® with Artesian™	 GT	GT Agrisure® GT
 3220 Refuge Renew™	3220GT Agrisure Viptera® 3220 Refuge Renew™	 Trecepta®	TRE Trecepta®
 3220 E-Z Refuge®	3220GTEZ Agrisure Viptera® 3220 E-Z Refuge®	 VTDoublePRO®	VT2Pro VT Double PRO® Corn
 3330 Refuge Renew™	3330GT Agrisure Viptera® 3330 Refuge Renew™	 VTDoublePRO® RIB COMPLETE	VT2ProRIB VT Double PRO® RIB Complete® Corn Blend
 3330 E-Z Refuge®	3330GTEZ Agrisure Viptera® 3330 E-Z Refuge®	 DroughtGard® HYBRIDS VTDoublePRO® RIB COMPLETE	DGVT2Pro DroughtGard® Hybrids with VT Double PRO® Corn



Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, **including applicable refuge requirements for insect resistance management**, for the biotechnology traits expressed in the seed as set forth in the Technology/Stewardship Agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation and agreement to comply with the most recent stewardship requirements.

Bayer Company is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. This product has been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

B.t. products may not yet be registered in all states. Check with your representative for the registration status in your state.

IMPORTANT IRM INFORMATION: RIB Complete® corn blend products do not require the planting of a structured refuge **except** in the Cotton-Growing Area where corn earworm is a significant pest. SmartStax® RIB Complete® corn blend is not allowed to be sold for planting in the Cotton-Growing Area. See the IRM/Grower Guide for additional information. Always read and follow IRM requirements.

DroughtGard® Hybrids with RIB Complete® corn blend the refuge seed may not always contain DroughtGard® Hybrids trait.

Insect control technology provided by **Vip3A** is utilized under license from Syngenta Crop Protection AG. AgriSure Viptera® is a registered trademark of a Syngenta group company.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Roundup Ready technology contain genes that confer tolerance to glyphosate, an active ingredient in Roundup® brand agricultural herbicides. Agricultural herbicides containing glyphosate will kill crops that are not tolerant to glyphosate.

Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the grower's fields.



Acceleron®, DroughtGard®, RIB Complete and Design®, RIB Complete®, Roundup Ready 2 Technology and Design®, Roundup Ready®, Roundup®, SmartStax and Design®, SmartStax®, TruFlex™, Trecepta®, Trecepta® RIB Complete®, and VT Double PRO® are trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® are registered trademarks of BASF Corporation. Herculex® is a registered trademark of Corteva AgroSciences LLC. AgriSure Viptera® is a registered trademark of Syngenta. Respect the Refuge and Corn Design® and Respect the Refuge® are registered trademarks of National Corn Growers Association. All other trademarks are the property of their respective owners.

Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium based herbicides. AgriSure®, AgriSure® Above, AgriSure Artesian®, Artesian™, AgriSure Duracade®, AgriSure Viptera®, AgriSure® Total, Duracade™, DuracadeViptera™, DuracadeViptera™Z3, Viptera™, Viptera™Z3, Refuge Renew™ and E-Z Refuge® are trademarks of a Syngenta Group Company.

More information about AgriSure Duracade® is available at www.biotechstatus.com.

LIBERTY LINK® Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, postemergent weed control of Liberty® herbicide for optimum yield and excellent weed control. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF.

HERCULEX® and the HERCULEX Shield are trademarks of Corteva AgroSciences, LLC.


YieldGard VT PRO® YieldGard VT Pro® is a registered trademark used under license from the Bayer Group.



CONTACT US!

Office: (540) 886-6055

Fax: (540) 886-3173



Dennis Fanner
Neshkoro, WI



Jude, Justus, Jay, and James Baxter
Georgetown, DE



Terry O'Donnell
Gays Mills, WI



BELIEVE THE BIBLE IS
TRUE



CONTACT US!

Dennis Rawley
(540) 255-5903

Steve Collins
(540) 908-6218

Craig Pitts
(540) 290-9440

James Snavely
(765) 431-0525

Matt Rawley
(540) 255-5902

Darren Hinkle
(540) 255-7649

Daniel Rawley
(540) 421-4138

Brian Whitt
(540) 255-8094

Tony James
(540) 292-8138

Mike Sandy
(540) 292-7947