

years of excellence

Founded in 1977 in the heart of the Shenandoah Valley of Virginia, Augusta Seed has been dedicated to providing quality seed corn with first-class genetics and affordable prices for nearly five decades. Our journey began with a simple goal: to serve farmers with top-notch products and exceptional service. Today, we are proud to be a success story, serving thousands of customers over 25 states.



Our Commitment: At Augusta Seed, we believe in doing business the old-fashioned way, where service and genetics come first. While technology plays a supportive role in protecting our yields, we prioritize offering our customers the option to choose what works best for their needs. Our unwavering commitment to quality seed, first-class genetics, and affordable prices has remained unchanged since our founding.

American Owned and Independent: As an American-owned and independent seed company, we take pride in our extensive research and development efforts across the states where we operate. Our customers appreciate our dedication to maintaining independence and our focus on delivering reliable, high-quality seed.

Looking to the Future: In a world of constant change, we remain optimistic about the future of agriculture. We believe there has never been a better time to be involved in American agriculture and to live by faith as Christians. We invite you to join the Augusta Seed family for 2025 and experience the same level of commitment and quality that has defined us for 47 years.

Join Our Farm Family: When you choose Augusta Seed, you're not just buying seed; you're becoming part of a farm family. Founders Dennis and Angie Rawley have built a company that values its customers and strives to build lasting relationships. We look forward to welcoming you into our community and helping you achieve your agricultural goals.



MEET OUR TEAM

Office: (540) 886-6055

Fax: (540) 886-3173


































The Handy Bt Trait Table

for U.S. Corn Production

Compiled by

Web site hosting by

Chris DiFonzo

Texas A&M University Michigan State University

Pat Porter

https://www.texasinsects.org/bt-corn-trait-table.html Questions? Comments? Complaints? difonzo@msu.edu The most up-to-date version of this table plus related extension materials are free online at:

A helpful list of trait packages to make it easier to understand seed guides, sales materials, and bag tags

Updated design for 2024

In the past, all Bt trait packages have been in the trait table. But over the years, some industry colleagues commented that leaving older products in the table records from previous years. Also, companies still refer to original traits (like Herculex I or YieldGard) on field signs, web sites, and seed guides, because was confusing if growers assumed they could still be purchased. However, information on older packages is needed to interpret planting or research single traits are components of newer multi-trait hybrids.

found a trait package offered in at least one hybrid, from any company, it stayed guides from the major seed companies plus many smaller regional providers. If I This is a work in progress; if you see an error in the 'phased out' table, send me historical reference. Hopefully, this split addresses any confusion in availability. To finally address this concern, the 2024 table is split. I looked at 2024 seed on the current trait table (page 2). Trait packages which were not found as standalone hybrids were moved into a new 'phased out' table (below) for some evidence and I'll move that package back into the current table.

is now Gpp34Ab1/Tpp35Ab1. I kept the old name in the Bt Trait Table for now, recently updated. Most Bts in the trait table are unchanged, but Cry34/35Ab1 New Bt names: Names of pesticidal proteins that come from bacteria were since many seed guides and extension materials haven't caught up to the change. But related materials on the Texas A&M website are up to date.

corn rootworm black cutworm **Insect Pest Targets** CRW

ABBREVIATIONS in the TRAIT TABLE

European corn borer fall armyworm FAW ECB

northern corn rootworm sugarcane borer stalk borer NCR SCB SB

southwestern corn borer western corn rootworm western bean cutworm true armyworm SWCB TAW WCR WBC

Herbicide Tolerance

check the bag tag for LL status glyphosate / Roundup-Ready Enlist 2,4-D & fops / Enlist trait glufosinate / Liberty Link GLY


all other percentages assume separate, Unless specified as RIB (Refuge In Bag), strips, blocks, borders, or whole fields structured refuge areas planted in

HISTORICAL REFERENCE	Вад	Proteins in package *******	Mar	Marketed to control:	ntrol:	Species w/	Refuge,		
as standalone hybrids *some may be components of	tag code	Font type denotes target: caterpillar or rootworm	W E C E W B W A B W A B W A B W A B W A B W A B W A B B W A B W	S S B	° × × × × × × × × × × × × × × × × × × ×	to all Bts in package	States Herbicide (higher in south) tolerance	Herb	Herbicide tolerance
AcreMax RW	AMRW	AMRW <i>Cry34/35Ab1</i>			×	NCR WCR	10% RIB	GLY	
AcreMax TRIsect	AMT	AMT Cry1Ab Cry1F mCry3A	×	× × × ×		x CEW FAW WBC 10% RIB WCR	10% RIB	פרג וו	
Herculex I	IXH	Cry1F	×	× × × ×		ECB FAW SWCB 20% WBC	20%	GLY	1
Herculex RW	HXRW	HXRW Cry34/35Ab1			×	NCR WCR	20%	GLY	
Intrasect TRIsect	CYHR	CYHR Cry1Ab Cry1F <i>mCry3A</i>	×	× × × ×		x CEW FAW WBC 20% WCR	20%	פרג ור	=
Intrasect Xtra	YXR	Cry1Ab Cry1F Cry34/35Ab1	×	× × × ×		x CEW FAW NCR WBC WCR	20%	פרג ור	=
Intrasect Xtreme	CYXR	CYXR Cry1Ab Cry1F Cry34/35Ab1 mCry3A	×	× × × ×		x CEW FAW WBC WCR	2%	GLY	-
TRIsect	CHR	Cry1F <i>mCry3A</i>	×	× × × ×		x ECB FAW SWCB WBC WCR	20%	СГУ	1
VT Triple PRO	VT3P	VT3P Cry1A.105 Cry2Ab2 Cry3Bb1	×	× × ×	×	CEW NCR WCR	20%	GLY	
YieldGard Corn Borer	YGCB	YGCB Cry1Ab	×	×		CEW	70%	GLY	
YieldGard Rootworm	YGRW	YGRW Cry3Bb1			×	x NCR WCR	20%	GLY	
YieldGard VT Triple	VT3	Cry1Ab <i>Cry3Bb1</i>	×	×		x CEW NCR WCR	20%	GLY	

The Handy Bt Trait Table for U.S. Corn Production

							,	
Currently available	Bag	**************************************	Mark	eted to	ᅵ	species w/	northern	Herbicide
trait packages, A-Z	tag	Font type denotes target:	В C	R A	s ≥	to all Bts	states	(? = check
(alternate name)	code	caterpillar or rootworm	` >	. В	(>	in package	(higher in south)	ا ق
AcreMax	AM	Cry1Ab Cry1F	×××	×××	×		5% RIB	GLY LL
AcreMax1	AM1	Cry1F Cry34/35Ab1	×	× ×	×	ECB FAW NCR SWCB WBC WCR	10% RIB 20% ECB	GLY LL
AcreMax Leptra	AML	Crýláb CrylF Vip3A	×	×××	×××			GLY LL
AcreMax Xtra	AMX	Cry1Ab Cry1F Cry34/35Ab1	×	×	×	CEW FAW NCR WBC WCR	10% RIB	GLY LL
AcreMax Xtreme	AMXT		× × ×	× ×	×	CEW FAW WBC WCR	5% RIB	GLY LL
Agrisure 3000GT	3000GT	Cry1Ab mCry	×	×	×	CEW WCR	20%	OLY LL
Agrisure 3010 (Agrisure GT/CB/LL)	3010	_	×	×	×		20%	GLY LL
Agrisure Above (Agrisure 3120EZ) AA Refuge Renew (Agrisure 3120)	AA	Cry1Ab Cry1F	× ×	× ×	×	CEW FAW WBC	EZ: 5% RIB Renew: 5%	GLY LL?
⊢	۲.	mCry3A		ļ	×	WCR		GLY (if GT)
Agrisure Total (Agrisure 3122EZ) AT Refuge Renew (Agrisure 3122)	AT	CrylAb Cry1F Cry34/35Ab1 mCry3A	× ×	× ×	×	CEW FAW WBC WCR	EZ: 5% RIB Renew: 5%	GLY LL?
Agrisure Viptera 3110	3110	Cry1Ab Vip3A	×	×	×			1 1
Agrisure Viptera 3111	3111	Cry1Ab Vip3A <i>mCry3A</i>	×	×	× × ×	WCR	ヿ	- 1
Duracade (Agrisure 5122EZ) D Refuge Renew (Agrisure 5122)	۵	Crylab Cry1F eCry3.1Ab mCry3A	× ×	× ×	×	CEW FAW WBC WCR	EZ: 5% RIB Renew: 5%	GLY LL?
Duracade Viptera (Agrisure 5222EZ) DV Refuge Renew (Agrisure 52222)	ΛQ	Cry1Ab Cry1F Vip3A eCry3.1Ab mCry3A	×	×	× × ×	WCR	EZ: 5% RIB Renew: 5%	GLY LL?
Duracade Viptera Z3 (Agrisure 5332EZ) DVZ Refuge Renew (Agrisure 5332)	ZAQ	Cry1Ab Cry1A.105 Cry2Ab2 Vip3A eCry3.1Ab mCry3A	×	× ×	× × ×	WCR	EZ: 5% RIB Renew: 5%	פרא ורל
	XXH	Cry1F Cry34/35Ab1	×	×	×	ECB FAW NCR SWCB WBC WCR	20%	GLY LL
Intrasect	YHR		× ×	× ×	×	CEW FAW WBC	2%	GLY LL
Leptra	VYHR	Cry1Ab Cry1F Vip3A	×	×				
Powercore	PW	Cry1A.105 Cry2Ab2	×	×				
Powercore Refuge Adv.	PWRA	Cry1A.105 Cry2Ab2	×	×				- 1
Powercore Enlist Refuge Adv.	PWE	Cry1A.1U5 Cry2Ab2 Cry1F	× ×	× ×	×			GLY LL Enlist
QROME	ď	Cry1Ab Cry1F Cry34/35Ab1 mCry3A	× × ×	×	×	CEW FAW WBC WCR	5% RIB	
SmartStax/Genuity SmartStax	XS SS	-	× ×	×	×	CEW NCR WBC WCR	5%	GLY LL
SmartStax Enlist or SS Enlist Refuge Advanced	SSE		×	× ×	×	CEW NCR WBC WCR	6 RIB	GLY LL Enlist
SmartStax Refuge Adv. or SmartStax RIB Complete	SXRA	Same as SmartStax	× ×	× ×	×	CEW NCR WBC WCR	5% RIB	GLY LL
SmartStax PRO	SSPro	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1 Cry34/35Ab1 dvSnf7	×	×	×	CEW WBC	2%	פרא וו
SmartStax PRO Enlist or SSPro Enlist Refuge Advanced	SSPro	Same as SmartStax Pro	× ×	× ×	×	CEW WBC	5% Adv: 5% RIB	GLY LL Enlist
SmartStax PRO Refuge Adv. RIB Complete, or w/RNAi Tech	SSPro	Same as SmartStax Pro	×	×	×	CEW WBC	5% RIB	פרג ור
Trecepta RIB Complete	TRERIB	Cry1A.105 Cry.	×	×	ļ		П	
Viptera (Agrisure 3220EZ) Vip Refuge Renew (Agrisure 3220)	^	Cry1Ab Cry1F Vip3A	×	×	×		EZ: 5% RIB Renew: 5%	GLY LL?
Viptera Z3 (Agrisure 3330EZ) VZ Refuge Renew (Agrisure 3330)	ZA	Cry1Ab Cry1A.105 Cry2Ab2 Vip3A	×	× ×	× × ×		EZ: 5% RIB Renew: 5%	GLY LL?
Vorceed Enlist	^	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1 Cry34/35Ab1 dvSnf7	×	×	×	CEW NCR WBC	5% RIB	GLY LL Enlist
VT Double PRO	VT2P	Cry1A.105		×				GLY
VT2 PRO RIB Complete	VI ZPRIB VT3PRIB	Cry1a.105 Cry2ab2 Cry1a 105 Cry2ab2 Cry38b1	× × × ×	× × × ×	× ×	CEW	5% RIB 10% RIB	GLY
VT4 PRO w/RNAi Tech.	VT4PRO	Cry1A.105 Cry2Ab2 Cry3Bb1 dvSnf7		×	×			GLY

AUGUSTA 2029 Trait Options: Untreated, CONV, 3110GT > High yielding plant with attractive appearance



Very good husk cover

-) Good health and stress tolerance
- > Plant at populations between 30.000 - 34.000



HIGHLY PRODUCTIVE SOILS		
	9	Ke
MODERATELY PRODUCTIVE SOILS		110
8	В	
LESS PRODUCTIVE SOILS		•••••
8	В	C
DROUGHT TOLERANCE		C
8	8	
EAR FLEX		• • • • • • • • • • • • • • • • • • • •
7		Corr
TEST WEIGHT		Con
7		

RDM: 79



Cob Color Red

14-16

n after Corn

Yes


AUGUSTA 2034

RDM: 84

Trait Options: 3110GT

- > Dual purpose hybrid with good staygreen and intactness
- › Likes rotated acres and well drained soils
- > Blocky ear style with good flex
- > Plant at populations between 28.000 - 32.000





AUGUSTA 2036

RDM: 86

Trait Options: Untreated, CONV, AAEZ

- > High yielding with excellent agronomics
- > Widely adapted across Northern markets from East to West
- Great stalk and root strength
- > Plant at populations between 28.000 - 32.000



• • • • • • • • • • • • • • • • • • • •		
HIGHLY PRODUCTIVE SOILS		
	8	Kernel Rows
MODERATELY PRODUCTIVE SOILS		16-18
	8	
LESS PRODUCTIVE SOILS		•••••
	8	Cob Color
DROUGHT TOLERANCE		Red
	8	, red
EAR FLEX		•••••
7		C
TEST WEIGHT		Corn after Corn
6		765

AUGUSTA 2136

RDM: 86

Trait Options: AAEZ

- > High yields with consistent performance
- > Broadly adaptable
- > Solid agronomics with great early vigor
- > Plant at populations between 30,000 - 38,000



HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS 16-18 LESS PRODUCTIVE SOILS **Cob Color** DROUGHT TOLERANCE Red EAR FLEX Corn after Corn TEST WEIGHT

		AUGUSTA 2029	AUGUSTA 2034	AUGUSTA 2036	AUGUSTA 2136
YBRID FEATURES					
Trait Options		Untreated, CONV, 3110GT	3110GT	Untreated, CONV, AAEZ	AAEZ
RDM		79	84	86	86
LACEMENT GUIDE					
Highly Productive	ioils	9	8	8	8
Moderately Productiv	e Soils	8	8	8	8
Less Productive S	oils	8	7	8	8
Grey Leaf Spot		7	6	7	7
Northern Leaf Blig	ıht	8	6	8	7
Goss's Wilt		7	5	8	8
Common Rust		8	N/A	8	N/A
Corn after Corn		Yes	Yes	Yes	Yes
Fungicide Respor	se	8	8	8	8
Drought Toleran	:e	8	6	8	8
No-Till		8	6	7	8
GRONOMIC CHARACTE	RISTICS				
Seedling Vigor		9	6	8	8
Leaf Angle		7	8	7	7
Stalk Rating		8	7	8	8
Root Rating		8	7	8	8
Plant Height		6	8	7	8
Ear Height		6	8	6	6
Tar Spot Tolerand	e	Average	Average	Average	Average
Staygreen		8	7	8	8
High Population Tole	rance	8	6	7	9
AR & GRAIN CHARACT	ERISTICS				
Ear Length		7	6	7	7
Ear Girth		7	9	7	8
Ear Flex		7	8	7	7
Kernel Rows		14-16	18-20	16-18	16-18
Test Weight		7	7	6	6
Cob Color		Red	Red	Red	Red
Husk Cover		9	8	6	7
Drydown		8	8	6	8
Silage Quantity		7	8	7	6
Silage Quality		7	8	7	6

AUGUSTA 2039 **RDM:** 89 Trait Options: Untreated, CONV, DEZ Consistent high yields Very good plant health > Plant at populations between 28,000 - 34,000 HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Red EAR FLEX Corn after Corn

AUGUSTA 2140 RDM: 90 Trait Options: AAEZ > Strong early roots > Excels Central and West Widely adaptable, semi flex > Plant at populations between 24,000 - 34,000 HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Red EAR FLEX Corn after Corn Yes

AUGUSTA 2541

RDM: 97

Yes


Trait Options: Untreated, CONV, VEZ, DVEZ

> Superior yield

TEST WEIGHT

- Very good ear flex for lower populations
-) Quick drydown
- > Plant at populations between 24,000 34,000





AUGUSTA 2843 RDM: 93 Trait Options: Untreated, CONV, VEZ, DVEZ Strong stalks and roots > Tall plant good for a dual purpose hybrid > Plant at populations between 28,000 - 34,000 HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS 16-20 LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Pink EAR FLEX Corn after Corn TEST WEIGHT Yes

		AUGUSTA 2039	AUGUSTA 2140	AUGUSTA 2541	AUGUSTA 2843
YBRI	D FEATURES				
	Trait Options	Untreated, CONV, DEZ	AAEZ	Untreated, CONV, VEZ, DVEZ	Untreated, CONV, VEZ, DVEZ
	RDM	89	90	91	93
LACE	MENT GUIDE				
	Highly Productive Soils	8	8	10	9
N	loderately Productive Soils	8	8	9	9
	Less Productive Soils	8	8	8	10
	Grey Leaf Spot	7	8	6	8
	Northern Leaf Blight	6	6	6	7
	Goss's Wilt	7	6	7	7
	Common Rust	N/A	N/A	6	N/A
	Corn after Corn	Yes	Yes	Yes	Yes
	Fungicide Response	8	8	7	8
	Drought Tolerance	8	8	8	9
	No-Till	8	8	8	8
ROI	NOMIC CHARACTERISTICS				
	Seedling Vigor	8	8	8	9
	Leaf Angle	8	7	5	7
	Stalk Rating	8	7	8	8
	Root Rating	6	7	6	7
	Plant Height	8	7	7	8
	Ear Height	6	6	6	7
	Tar Spot Tolerance	Average	Average	Average	Above Average
	Staygreen	8	6	8	8
-	ligh Population Tolerance	7	6	7	8
AR &	GRAIN CHARACTERISTICS				
	Ear Length	8	7	8	8
	Ear Girth	7	8	7	7
	Ear Flex	6	8	7	9
	Kernel Rows	16	18	16-20	16-20
	Test Weight	7	7	7	8
	Cob Color	Red	Red	Red	Pink
	Husk Cover	6	7	7	7
	Drydown	7	6	6	7
	Silage Quantity	8	8	8	9
	Silage Quality	8	8	8	9



Jerad and Roland Hill Lewes, DE



A1259 and A4759 have both been amazing performers for me! I really like the way they have held off during our stress period and came roaring back as we got moisture! **Adam Yoder** LaGrange, IN





Andy Jones Seaford, DE



A1964 – this is some serious corn silage! **Bernie Cline**



New Hope, VA



I believe A1964 is one of the best corns being used in the Shenandoah Valley. **Mike Plaugher** Bridgewater, VA



I really like the stress tolerance and the growth that I've seen

Austin and Scottie Joe Clark Staunton, VA



Harry Spruill Columbia, NC



Arden Hickman Parsonsburg, MD



Kendall and Bill Metz

A1259 – it's our favorite hybrid! Steve and Allon Durkes Converse, IN

I'm impressed with A1954 standing

up to our stress!

Keith Clevenger

Ridgeville, IN



Andy Sanders AgCom · Gettysburg, PA



Gary and Jennifer Nagel Preston, MD



John and Bill Bruning Snow Hill, MD

Al964 has done fantastic this year! I have had a lot of heat stress but gotten some timely rain and I am really excited about this hybrid.

Joe Will Bridgewater, VA



Ben Cunningham Greenwood, DE



John, Lauren, John Michael & Hannah Bruning Snow Hill, MD

I am thrilled with the performance of my A1961 - 111 RDM! I planted 50 units of it and am about done harvesting it now. It has dried down fast and it is averaging over 180 bushels per acre, dryland.

David Hudnall Kilmarnock, VA



Jay Bennett and Reese Stevenson Bay View Farms • Milford, DE



Jeremy Larimore Harrington, DE



Bob Chase Davidsonville, MD



For the stressful season we have had, A2060 PWE 110 RDM has performed above and beyond my expectations!

Fred Stites
Townsend, DE



Tanner Singletary Bladenboro, NC



Ben Marshall Buchanan, VA



Jim Minner Felton, DE



The Kurtz Family Snow Hill, MD




I am extremely pleased with A2260! It is obvious there is CORN out here! We planted it in vetch cover crop at 32,000 where this picture is taken. It's variable rate so it runs from 28,000 to 32,000 on group 2 and group 3 production soil. Dave Black Charles City, VA





A2260 is strong on performance in the F.I.R.S.T. Trials! Roger Powell Powell Seed • Converse, IN


Yes

TEST WEIGHT













	AUGUSTA 2345	AUGUSTA 2545	AUGUSTA 1946	AUGUSTA 2448
HYBRID FEATURES				
Trait Options	VEZ, DVEZ	AAEZ, DEZ	AAEZ	GT
RDM	95	95	96	98
LACEMENT GUIDE				
Highly Productive Soils	9	9	9	9
Moderately Productive Soils	8	6	9	9
Less Productive Soils	6	5	6	7
Grey Leaf Spot	6	6	6	6
Northern Leaf Blight	7	7	6	6
Goss's Wilt	7	5	6	8
Common Rust	N/A	N/A	7	6
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	8	9	8	9
Drought Tolerance	7	8	7	8
No-Till	8	6	8	9
GRONOMIC CHARACTERISTICS				
Seedling Vigor	9	6	8	9
Leaf Angle	8	6	7	8
Stalk Rating	7	8	8	8
Root Rating	7	8	8	8
Plant Height	8	6	9	8
Ear Height	7	6	6	6
Tar Spot Tolerance	Above Average	Average	Average	Average
Staygreen	8	5	8	8
High Population Tolerance	8	9	7	8
AR & GRAIN CHARACTERISTICS				
Ear Length	8	6	9	8
Ear Girth	7	7	6	7
Ear Flex	7	5	8	9
Kernel Rows	18-20	16-18	16	16-18
Test Weight	7	6	7	8
Cob Color	Red	Red	Red	Red
Husk Cover	7	6	7	8
Drydown	9	7	7	7
Silage Quantity	9	6	9	8
Silage Quality	9	6	9	8

Scale: 10 = most or most extreme; 1 = least or least extreme; 3110CT = Agrisure Viptera® 3110C; AAEZ = Agrisure® Above; CONV = Conventional; D = Duracade® Refuge Renew; DEZ = Duracade®; PowerCore® Enlist® Corn; RR = Roundup Ready® Corn 2; TRE = Trecepta®; TRERIB = Trecepta® RIB Complete® Corn Blend; V = Viptera® Refuge Renew; VEZ = Viptera® Z3 Refuge Renew; VZEZ = Viptera® Z3; VT2Pro = VT Double PRO® Corn; VT2ProRIB = VT Double PRO® RIB Complete® Corn Blend; V = Viptera® Refuge Renew; VEZ = Viptera® Z3 Refuge Renew; VZEZ = Viptera® Z3; VT2Pro = VT Double PRO® Corn; VT2ProRIB = VT Double PRO® RIB Complete® Corn Blend; V = Viptera® RIB Corn Blend; V = Viptera® RIB Corn Blen













	AUGUSTA 2150	AUGUSTA 2351	AUGUSTA 2252	AUGUSTA 3053
HYBRID FEATURES				
Trait Options	Untreated, CONV, DV, DVEZ	AAEZ	DEZ	DVEZ
RDM	100	101	102	103
PLACEMENT GUIDE				
Highly Productive Soils	9	8	8	9
Moderately Productive Soils	9	8	8	9
Less Productive Soils	9	8	8	9
Grey Leaf Spot	8	7	6	5
Northern Leaf Blight	7	7	6	6
Goss's Wilt	6	8	8	8
Common Rust	7	N/A	N/A	N/A
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	8	8	9	7
Drought Tolerance	8	8	8	7
No-Till	7	8	8	9
GRONOMIC CHARACTERISTICS				
Seedling Vigor	8	8	8	8
Leaf Angle	7	7	7	8
Stalk Rating	8	8	8	7
Root Rating	9	8	8	7
Plant Height	8	6	8	8
Ear Height	8	5	6	8
Tar Spot Tolerance	Average	Average	Average	Above Average
Staygreen	9	7	7	8
High Population Tolerance	8	9	9	9
AR & GRAIN CHARACTERISTICS				
Ear Length	7	7	7	7
Ear Girth	8	7	8	7
Ear Flex	8	6	8	6
Kernel Rows	18-22	16	16-18	18
Test Weight	8	10	8	8
Cob Color	Red	Red	Red	Pink
Husk Cover	7	7	7	6
Drydown	8	7	8	8
Silage Quantity	8	7	6	8
Silage Quality	8	8	6	7

Yes











	AUGUSTA 1954	AUGUSTA 2154	AUGUSTA 4054	AUGUSTA 1956
HYBRID FEATURES				
Trait Options	PWE	Untreated, CONV	GT	CONV
RDM	104	104	104	106
LACEMENT GUIDE				
Highly Productive Soils	9	9	9	8
Moderately Productive Soils	9	9	8	8
Less Productive Soils	7	7	7	5
Grey Leaf Spot	7	7	6	6
Northern Leaf Blight	7	7	6	7
Goss's Wilt	8	8	6	7
Common Rust	N/A	N/A	6	N/A
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	7	7	8	7
Drought Tolerance	5	5	7	6
No-Till	7	7	7	7
GRONOMIC CHARACTERISTICS				
Seedling Vigor	8	8	7	8
Leaf Angle	8	8	6	8
Stalk Rating	8	8	7	8
Root Rating	6	6	7	8
Plant Height	8	8	7	8
Ear Height	7	7	7	8
Tar Spot Tolerance	Above Average	Above Average	Average	Above Average
Staygreen	9	9	6	8
High Population Tolerance	7	7	7	7
AR & GRAIN CHARACTERISTICS				
Ear Length	8	8	7	6
Ear Girth	8	8	9	9
Ear Flex	8	8	7	5
Kernel Rows	16-18	16-18	18-22	18-22
Test Weight	8	8	6	5
Cob Color	Red	Red	Pink	Red
Husk Cover	7	7	6	8
Drydown	6	6	6	6
Silage Quantity	8	8	8	6
Silage Quality	8	8	8	6





AUGUSTA 1958

RDM: *108*

Trait Options: *DVEZ*

- Strong consistent yields that like high populations
- Excellent agronomics and late season appearance
- Good disease tolerance and test weight
- Plant at populations between 30.000 - 38.000



HIGHLY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS B LESS PRODUCTIVE SOILS B Cob Color Red EAR FLEX 6 Corn after Corn Yes

AUGUSTA 4658 RDM: 108 Trait Options: VEZ, DVEZ > Excellent choice for dryland or irrigated acres > Exceptional ear flex and kernel depth) Do not spray with LibertyLink® > Plant at populations between 24.000 - 32.000 HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS 18-22 LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Pink EAR FLEX Corn after Corn TEST WEIGHT No

	AUGUSTA 2856	AUGUSTA 2257	AUGUSTA 1958	AUGUSTA 4658
HYBRID FEATURES				
Trait Options	VEZ, DVEZ	PWE	DVEZ	VEZ, DVEZ
RDM	106	107	108	108
LACEMENT GUIDE				
Highly Productive Soils	9	9	8	10
Moderately Productive Soils	9	9	8	8
Less Productive Soils	7	6	8	7
Grey Leaf Spot	6	7	8	6
Northern Leaf Blight	8	7	8	8
Goss's Wilt	8	8	N/A	8
Common Rust	N/A	N/A	N/A	N/A
Corn after Corn	Yes	Yes	Yes	No
Fungicide Response	7	8	8	9
Drought Tolerance	6	6	8	8
No-Till	9	7	7	9
RONOMIC CHARACTERISTICS				
Seedling Vigor	8	8	7	8
Leaf Angle	6	7	7	8
Stalk Rating	6	7	7	8
Root Rating	6	8	7	5
Plant Height	6	8	7	5
Ear Height	6	6	6	6
Tar Spot Tolerance	Average	Average	N/A	Average
Staygreen	5	7	8	7
High Population Tolerance	9	8	9	6
R & GRAIN CHARACTERISTICS				
Ear Length	8	8	7	8
Ear Girth	6	8	8	9
Ear Flex	6	8	6	8
Kernel Rows	14-16	16-18	16-18	18-22
Test Weight	6	8	8	6
Cob Color	Red	Red	Red	Pink
Husk Cover	6	8	9	7
Drydown	6	7	4	7
Silage Quantity	5	N/A	N/A	N/A
Silage Quality	5	N/A	N/A	N/A



Our A1964 and A4465 held on waiting for rain and came through for us! **Robert Whipple** Brownsburg, VA



Raymond Burkholder Dayton, VA



We are pleased with



A2150's response to our

Will, William, and Bill Harper

dry and hot weather.

Brandon Malcolm & Dean Fugate VA Tech · Blacksburg, VA



Jimmy Smith Craddockville, VA



Ronnie Matthews Greenbush, VA



The A2150 is looking really good for my growers again this year! It's a great fit for Grant County! **Dan Clauer** Beetown Feed & Seed · Beetown, WI



Bobby, Travis & Kyle Hutchison Cordova, MD



Bob Evans Afton Farms • Limestone, TN



Bobby Wright

A2150 DV 100 RDM is a great product for Pennsylvania! Scott Baker Needmore, PA



A2150 is a good fit on my farm. Bill Kessler Henderson, MN



I wanted to try the new 110 RDM hybrid A2260 PWE and it didn't let me down! It really yielded well for our stressful year. I planted it with the top national competitor. Calvin Haile **Dunnsville, VA**



This looks outstanding! Mike Sandy standing in A2345 at Larry Ringler's farm! Mike Sandy Stanley, WI



The A2564 with 60 plus pound test weight looks fantastic! Jeremy Aughinbaugh Powell Seed • Converse, IN



Bruce Richardson Capeville, VA



Sidney, Melinda, Landon, Logan and Leaton Jessee Jessee Family Farms • Luttrell, TN



Louis Starkey Harrington, DE



Brian Hetrick Preston, MD



I've used A2150 100 RDM for two years. It has kept me happy both years! **Tracey Caley** Beetown, WI



Steve and Joe Jackewicz Dover, DE



Look at those ears and incredibly deep kernels on A2260 AA Dryland! **Roger Richardson Farm** Eden, MD



Robbie Williams R & L Farms Wytheville, VA



Full season corn? A1365 - 115 RDM and A7168 - 118 RDM of course! Sam Winslow Harris Farms • Roper, NC



Michael Williams


Christiansburg, VA





Brooklynn Larimore Harrington, DE




Bruce and Charlie Dempsey Dover, DE











	AUGUSTA 4858	AUGUSTA 1059	AUGUSTA 1259	AUGUSTA 1359
IYBRID FEATURES				
Trait Options	Untreated, CONV, AAEZ, DEZ	Untreated, CONV, GT, VZEZ	V, VEZ, DV, DVEZ	VT2ProRIB
RDM	108	109	109	109
LACEMENT GUIDE				
Highly Productive Soils	8	9	9	9
Moderately Productive Soils	9	7	9	9
Less Productive Soils	9	6	9	7
Grey Leaf Spot	8	9	6	8
Northern Leaf Blight	6	9	6	8
Goss's Wilt	8	8	8	6
Common Rust	N/A	N/A	N/A	N/A
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	8	7	9	7
Drought Tolerance	8	8	8	6
No-Till	9	9	9	8
GRONOMIC CHARACTERISTIC	s			
Seedling Vigor	6	8	8	6
Leaf Angle	6	7	6	7
Stalk Rating	8	8	7	7
Root Rating	8	9	7	8
Plant Height	8	7	6	8
Ear Height	6	5	5	6
Tar Spot Tolerance	Below Average	Above Average	Average	N/A
Staygreen	9	8	5	5
High Population Tolerance	9	10	6	8
AR & GRAIN CHARACTERISTIC	cs			
Ear Length	8	6	8	8
Ear Girth	8	9	8	7
Ear Flex	7	4	9	6
Kernel Rows	14-16	18-20	16	16
Test Weight	9	6	7	8
Cob Color	Red	Pink	Pink	Red
Husk Cover	7	6	6	7
Drydown	6	8	8	8
Silage Quantity	8	9	7	8
Silage Quality	8	8	7	6

Yes

AUGUSTA 4759 RDM: 109 Trait Options: Untreated, CONV, GT, 3110GT > Excellent choice for corn after corn > Widely adaptable Consistent performer > Plant at populations between 28,000 - 32,000 HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Pink EAR FLEX Corn after Corn TEST WEIGHT




AUGUSTA 1060 **RDM:** 110 Trait Options: VZ, VZEZ Very stable under stress > Superior plant health Very good tolerance to Gray Leaf Spot and Northern Leaf Blight > Plant at populations between 30.000 - 38.000 HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Pink EAR FLEX Corn after Corn TEST WEIGHT Yes




	AUGUSTA 4759	AUGUSTA 4959	AUGUSTA 1060	AUGUSTA 2060
YBRID FEATURES				
Trait Options	Untreated, CONV, GT, 3110GT	3110GT	VZ, VZEZ	PWE Untreated, PWE
RDM	109	109	110	110
LACEMENT GUIDE				
Highly Productive Soils	8	9	7	9
Moderately Productive Soils	8	8	7	9
Less Productive Soils	9	7	5	7
Grey Leaf Spot	8	8	8	8
Northern Leaf Blight	9	8	8	5
Goss's Wilt	8	N/A	8	7
Common Rust	6	N/A	N/A	N/A
Corn after Corn	Yes	No	Yes	Yes
Fungicide Response	8	8	7	9
Drought Tolerance	9	7	6	7
No-Till	8	8	5	7
RONOMIC CHARACTERISTICS				
Seedling Vigor	9	8	5	8
Leaf Angle	7	7	6	7
Stalk Rating	8	7	9	9
Root Rating	9	6	8	8
Plant Height	8	7	7	6
Ear Height	7	6	7	6
Tar Spot Tolerance	Above Average	N/A	Above Average	Average
Staygreen	9	7	8	7
High Population Tolerance	9	9	10	8
R & GRAIN CHARACTERISTICS				
Ear Length	7	8	8	8
Ear Girth	7	7	7	8
Ear Flex	7	7	5	8
Kernel Rows	16	16-18	18	16-18
Test Weight	7	10	7	6
Cob Color	Pink	Red	Pink	Red
Husk Cover	6	8	6	8
Drydown	9	7	8	8
Silage Quantity	9	7	8	9
Silage Quality	9	6	8	8

Yes





AUGUSTA 1961 **RDM:** 777 Trait Options: TRE, TRERIB > Wide, dark leaves > High top end yield potential and widely adaptable across soil types Medium statured with good roots and stalks > Plant at populations between 26,000 - 34,000 HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS 16-18 LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Red EAR FLEX Corn after Corn N/A

AUGUSTA 4961 **RDM:** 777 Trait Options: CONV, VEZ, DEZ > Excellent test weight and grain quality > High yield potential with attractive appearance > Good Tar Spot tolerance > Plant at populations between 28.000 - 36.000 HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Pink EAR FLEX Corn after Corn TEST WEIGHT Yes



	AUGUSTA 2260	AUGUSTA 1961	AUGUSTA 4961	AUGUSTA 6162
YBRID FEATURES				
Trait Options	AAEZ	TRE, TRERIB	CONV, VEZ, DEZ	VEZ, DVEZ
RDM	110	1111	111	112
LACEMENT GUIDE				
Highly Productive Soils	9	10	9	8
Moderately Productive Soils	9	9	9	8
Less Productive Soils	7	9	8	8
Grey Leaf Spot	8	7	8	6
Northern Leaf Blight	7	7	7	6
Goss's Wilt	5	7	5	8
Common Rust	N/A	N/A	4	N/A
Corn after Corn	Yes	N/A	Yes	Yes
Fungicide Response	8	9	8	8
Drought Tolerance	8	8	8	8
No-Till	7	7	8	9
RONOMIC CHARACTERISTICS				
Seedling Vigor	6	7	8	8
Leaf Angle	5	7	6	7
Stalk Rating	8	8	8	6
Root Rating	8	8	6	8
Plant Height	6	6	8	7
Ear Height	6	6	5	8
Tar Spot Tolerance	Above Average	Average	Above Average	Average
Staygreen	8	7	7	8
High Population Tolerance	9	8	9	9
R & GRAIN CHARACTERISTICS				
Ear Length	8	8	9	7
Ear Girth	7	9	6	7
Ear Flex	7	8	5	6
Kernel Rows	14-16	16-18	16	16
Test Weight	6	6	8	7
Cob Color	Red	Red	Pink	Red
Husk Cover	7	4	7	7
Drydown	6	6	6	8
Silage Quantity	6	6	8	8
Silage Quality	6	9	8	8






AUGUSTA 2063

RDM: 113

Trait Options: V, VEZ, DV, DVEZ

- Racehorse yield capability
- > Responds well to high populations
- Likes fungicide
- > Responds to well drained soils
- > Plant at populations between 30.000 38.000





AUGUSTA 4463 **RDM:** 113 **Trait Options:** VT2Pro > Outstanding agronomic package with good test weight > Balanced ear style with good tip fill and husk coverage > Very good late season health and intactness > Plant at populations between 28.000 - 34.000 HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Red EAR FLEX Corn after Corn TEST WEIGHT Yes

	AUGUSTA 6362	AUGUSTA 7162	AUGUSTA 2063	AUGUSTA 4463
YBRID FEATURES				
Trait Options	DEZ	VT2Pro, VT2ProRIB	V, VEZ, DV, DVEZ	VT2Pro
RDM	112	112	113	113
LACEMENT GUIDE				
Highly Productive Soils	8	9	9	9
Moderately Productive Soils	8	9	8	8
Less Productive Soils	8	8	7	7
Grey Leaf Spot	8	6	7	7
Northern Leaf Blight	8	8	7	7
Goss's Wilt	8	6	8	5
Common Rust	N/A	6	N/A	5
Corn after Corn	Yes	No	Yes	Yes
Fungicide Response	8	9	9	8
Drought Tolerance	8	8	7	7
No-Till	8	8	8	7
RONOMIC CHARACTERISTICS				
Seedling Vigor	8	8	8	6
Leaf Angle	6	8	7	7
Stalk Rating	8	7	7	7
Root Rating	8	9	7	7
Plant Height	10	7	8	8
Ear Height	6	7	8	6
Tar Spot Tolerance	Above Average	N/A	Average	Average
Staygreen	7	7	7	7
High Population Tolerance	9	8	10	8
R & GRAIN CHARACTERISTICS				
Ear Length	8	7	7	8
Ear Girth	7	7	8	8
Ear Flex	7	7	6	8
Kernel Rows	16	16-18	16-18	16
Test Weight	6	8	6	8
Cob Color	Red	Red	Red	Red
Husk Cover	6	7	7	8
Drydown	6	8	8	6
Silage Quantity	9	8	8	9
Silage Quality	9	8	8	10

We're very, very pleased with A4465!

Michael and Ronnie Hazelwood Elizabethton, TN



Cheryl and Jim Evans Parksley, VA



Chad and Rebecca Baldwin Lothian, MD



The A4465 did fantastic for us! We didn't have much rain but it came at the right time and A4465 did great!

Payton, Lee, Tanner and Evan Simmons

Big Rock Dairy
Mt. Solon, VA



The Augusta 2150 is working here for our highly variable soil!

Quentin McGaughey

Hamlet, IN



A4465 is the best corn we have on the farm this year! We have starch levels at 44! It's chopping 27 to 30 tons per acre. I left some for grain and it will run in the 250 bushel per acre by my estimate!

Byron Phillips
North Point Farm
New Hope, VA



Carl Coleman Choice Ag • Dillon, SC



Bud Ritter and Michael Parsons Harbeson, DE



We are very pleased with our A3053 this year. Mellanie Meech Sebeka, MN



Charles, Chuck, and Joe Horn Delta Springs Farm Mount Solon, VA



Mike, Marty and Chuck Sheets Mount Solon, VA



Chris and Mollie Hudson Delmar, DE



Robert Eure Hertford, NC



Carter Crabbe Melfa, VA

Buster Fitchett Melfa, VA

Chad and Charlie Dempsey Dover, DE



Claire Evans Parksley, VA



Sam Parker with Alex Salisbury, MD



LIEV

Ronald, Shirleen, Silvia and Bobby Wright Harrington, DE



For highly variable land, A4759 is fantastic! With yields from 200 to 260 and moisture at 17.4% on September 12. I am delighted! Josh Freed Delphi, IN



Philpot, KY



Quint Riley Parsonsburg, MD



A4465 - 115 RDM An explosive duo for dualpurpose farming or for grain! **Blake Wright** Russellville, KY



Matt Minton Hurlock, MD



Dave and Faith Marvel Harrington, DE



The A3053 is looking good in several of my fields! Tim Hess Glen Haven, WI



Parker Epperley Blacksburg, VA



Paul Perdue Salisbury, MD




Wes Marshall Weyers Cave, VA


Corn after Corn


Yes

TEST WEIGHT

AUGUSTA 1964 **RDM:** 774 Trait Options: 3110GT, DV, DVEZ > Excellent disease tolerance › Good standability and late season intactness > Flex ears with ample husk cover > Plant at populations between 26,000 - 34,000 HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS 14-18 LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Red EAR FLEX









	AUGUSTA 1964	AUGUSTA 2064	AUGUSTA 2464	AUGUSTA 2564
YBRID FEATURES				
Trait Options	3110GT, DV, DVEZ	CONV, D, DEZ	DV, DVEZ	AAEZ, D, DEZ
RDM	114	114	114	114
LACEMENT GUIDE				
Highly Productive Soils	9	8	8	9
Moderately Productive Soils	9	8	8	9
Less Productive Soils	8	8	8	7
Grey Leaf Spot	8	7	8	7
Northern Leaf Blight	8	7	8	7
Goss's Wilt	7	8	8	8
Common Rust	6	8	N/A	N/A
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	7	10	8	8
Drought Tolerance	6	9	8	7
No-Till	7	9	8	8
RONOMIC CHARACTERISTICS				
Seedling Vigor	7	9	8	8
Leaf Angle	8	8	6	7
Stalk Rating	8	10	8	7
Root Rating	7	10	8	7
Plant Height	10	9	9	8
Ear Height	9	6	7	8
Tar Spot Tolerance	Above Average	Average	Above Average	Above Average
Staygreen	7	7	8	6
High Population Tolerance	7	10	8	7
R & GRAIN CHARACTERISTICS				
Ear Length	7	8	8	8
Ear Girth	8	7	7	8
Ear Flex	8	7	7	8
Kernel Rows	14-18	14-16	16	16
Test Weight	8	7	6	10
Cob Color	Red	Pink	Red	Red
Husk Cover	8	8	6	7
Drydown	6	7	7	8
Silage Quantity	10	9	9	8
Silage Quality	9	10	9	8

TEST WEIGHT

25,000 - 32,000







AUGUSTA 1265 Trait Options: DV, DVEZ Top yielding hybrid across soil types Good movement North and South Strong disease resistance Plant at populations between


S MO RY VY VY OK AR SC


Yes







	AUGUSTA 6664	AUGUSTA 1165	AUGUSTA 1265	AUGUSTA 1365
BRID FEATURES				
Trait Options	VT2Pro, VT2ProRIB	CONV, VT2Pro, VT2ProRIB	DV, DVEZ	CONV, PWE
RDM	114	115	115	115
ACEMENT GUIDE				
Highly Productive Soils	10	10	6	9
Moderately Productive Soils	9	9	8	8
Less Productive Soils	8	9	8	7
Grey Leaf Spot	7	8	7	7
Northern Leaf Blight	8	8	7	6
Goss's Wilt	6	N/A	7	6
Common Rust	N/A	N/A	N/A	N/A
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	10	8	8	8
Drought Tolerance	8	8	7	7
No-Till	10	9	8	7
RONOMIC CHARACTERISTICS				
Seedling Vigor	7	8	8	5
Leaf Angle	9	7	7	8
Stalk Rating	8	9	8	6
Root Rating	8	9	7	8
Plant Height	5	8	8	8
Ear Height	6	6	7	6
Tar Spot Tolerance	N/A	N/A	Above Average	N/A
Staygreen	6	7	8	7
High Population Tolerance	10	8	7	5
R & GRAIN CHARACTERISTICS				
Ear Length	8	9	8	9
Ear Girth	9	8	7	7
Ear Flex	8	9	7	10
Kernel Rows	16-18	16-18	14-16	16-18
Test Weight	9	8	6	10
Cob Color	Red	Red	Red	Red
Husk Cover	7	7	7	8
Drydown	8	8	6	7
Silage Quantity	No	9	9	8
Silage Quality	No	9	9	6









	AUGUSTA 1465	AUGUSTA 4465	AUGUSTA 4565	AUGUSTA 5065
IYBRID FEATURES				
Trait Options	VT2Pro	CONV, GT, V, VEZ, DV, DVEZ	Untreated, V	CONV, 3110GT
RDM	115	115	115	115
LACEMENT GUIDE				
Highly Productive Soils	8	9	9	9
Moderately Productive Soils	9	9	6	6
Less Productive Soils	9	9	5	5
Grey Leaf Spot	7	8	7	8
Northern Leaf Blight	6	8	6	6
Goss's Wilt	6	8	8	N/A
Common Rust	N/A	N/A	7	7
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	8	9	9	8
Drought Tolerance	9	9	7	6
No-Till	7	9	9	7
GRONOMIC CHARACTERISTICS				
Seedling Vigor	6	8	8	6
Leaf Angle	8	8	6	7
Stalk Rating	8	8	8	7
Root Rating	8	8	8	7
Plant Height	7	9	8	10
Ear Height	7	6	6	7
Tar Spot Tolerance	Average	Average	Average	N/A
Staygreen	8	9	8	8
High Population Tolerance	7	8	10	7
AR & GRAIN CHARACTERISTICS				
Ear Length	9	9	6	9
Ear Girth	7	9	10	7
Ear Flex	8	9	7	8
Kernel Rows	16	16-20	18-22	16-20
Test Weight	9	9	6	10
Cob Color	Red	Red	Pink	Pink
Husk Cover	7	8	8	7
Drydown	7	8	7	7
Silage Quantity	No	9	9	9
Silage Quality	No	8	8	7

Danny Hammond Willards, MD



Demock Mann Family Fairfield, NC



Marty Casstevens Booneville, NC



Don Dulin Denton, MD



A6362 is over the top! Consistently running 35-40 tons per acre. It has ears that are 16 x 48 at 35,000 plants per acre! It's just unreal how good it is! Taunya says it puts a smile on my face! George Mastey Foley, MN



David Hutchinson Melfa, VA




A7168 has been my highest yielding hybrid 3 years in a row! Glenn Pendleton Elizabeth City, NC





Joe Will Bridgewater, VA



Lee and Justin Winkle Winkles Dairy · Riner, VA

I'm tickled to death with how good this replant of A2150 DV 100 RDM looks. I have nothing but great things to say about working with Dayne at Blackhawk Ag Solutions and Augusta Seed. **Brent Lopossa**



Craig Pitts Dover, DE



Chuck Shorter Blacksburg, VA



Daniel Rawley Waynesboro, VA



My customer, Darren Katzung, wanted a tall hybrid and big ears for yield and to bale corn stalks! He is very pleased with his A6362 this year! He is getting both! **Darren Katzung** and Dan Clauer Beetown Feed & Seed Beetown, WI



Keith and Paul Shortall Easton, MD



Faith, family and farming have been the solid rock that we could always lean on. **Ralph and Deborah Robertson** Winchester, MD



Ellis Parker Wallace, NC



Faith, family, farming, and America! I'm standing firm for America and for my values! Thank God for the 1st and 2nd Amendments! **Bud Shaver** Weyers Cave, VA



David Mason Onancock, VA



Dayne Jessup Sheridan, IN

Debbie and Tommy Elliott

Delmar, DE



Mount Pleasant, NC



W.A. Ruleman Deerfield, VA



Greg Turner Preston, MD



Larry Smith Shawville, VA



I like the consistent yields on the A2345! **Matt Jech** Elgin, MN



Todd Fansler Mathias, WV



Rusty, Todd, Wyatt and Isaac Eberspacher Cambridge, MD



Willard Kauffman Harrington, DE




IEVE


Kevin Bauer & Jason Bauer Melrose, MN





Roger Richardson Eden, MD

u











	AUGUSTA 5565	AUGUSTA 5166	AUGUSTA 5566	AUGUSTA 1367
IYBRID FEATURES				
Trait Options	VT2Pro	DVZEZ	CONV, 3110GT	V, DV
RDM	115	116	116	117
LACEMENT GUIDE				
Highly Productive Soils	9	8	9	9
Moderately Productive Soils	9	8	9	9
Less Productive Soils	8	8	9	9
Grey Leaf Spot	5	7	9	5
Northern Leaf Blight	8	7	9	6
Goss's Wilt	6	8	8	8
Common Rust	6	7	8	7
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	10	8	9	9
Drought Tolerance	7	8	9	10
No-Till	9	8	10	7
GRONOMIC CHARACTERISTICS				
Seedling Vigor	10	8	8	6
Leaf Angle	5	8	8	8
Stalk Rating	8	8	9	8
Root Rating	10	8	8	7
Plant Height	5	8	9	9
Ear Height	5	8	7	6
Tar Spot Tolerance	N/A	Average	N/A	N/A
Staygreen	5	7	9	7
High Population Tolerance	7	9	9	8
AR & GRAIN CHARACTERISTICS				
Ear Length	8	8	8	8
Ear Girth	8	8	9	9
Ear Flex	8	8	9	10
Kernel Rows	16-18	16	16-18	16-20
Test Weight	9	7	8	6
Cob Color	Red	White	Pink	Pink
Husk Cover	8	8	9	7
Drydown	9	7	6	7
Silage Quantity	No	9	10	8
Silage Quality	No	9	8	9

Scale: 10 = most or most extreme; 1 = least or least extreme; 3110CT = Agrisure Viptera® 3110C, AAEZ = Agrisure® Above; CONV = Conventional; D = Duracade® Refuge Renew, DEZ = Duracade®; PowerCore® Enlist® Corn; RR = Roundup Ready® Corn 2; TRE = Trecepta®; TRERIB = Trecepta® RIB Complete® Corn Blend; V = Viptera® Refuge Renew; VEZ = Viptera® Z3 Refuge Renew; VZEZ = Viptera® Z3; VT2Pro = VT Double PRO® Corn; VT2ProRIB = VT Double PRO® RIB Complete® Corn Blend; V = Viptera® RIB Comple








RDM: 118

Trait Options: VT2Pro

- Long flex type ears
- > Strong disease package, good for corn on corn situations
- > Excellent grain quality and test weight
- Plant at populations between 26,000 - 34,000







Nathan and Matthew Smith Stoney Run Farms • McGaheysville, VA





The Rotkiske Family Harrington, DE

Tony Gundry with Boomer Seaford, DE

	AUGUSTA 7767	AUGUSTA 7168	AUGUSTA 7268
HYBRID FEATURES			
Trait Options	RR, VT2Pro	VT2Pro	VT2Pro
RDM	117	118	118
PLACEMENT GUIDE			
Highly Productive Soils	9	9	9
Moderately Productive Soils	9	8	8
Less Productive Soils	8	7	5
Grey Leaf Spot	7	8	8
Northern Leaf Blight	8	6	8
Goss's Wilt	4	4	6
Common Rust	8	N/A	8
Corn after Corn	Yes	Yes	No
Fungicide Response	8	7	9
Drought Tolerance	9	8	7
No-Till	10	8	7
AGRONOMIC CHARACTERISTICS			
Seedling Vigor	7	7	6
Leaf Angle	6	8	8
Stalk Rating	10	8	6
Root Rating	10	8	6
Plant Height	6	7	7
Ear Height	5	6	6
Tar Spot Tolerance	N/A	Below Average	Below Average
Staygreen	6	8	8
High Population Tolerance	8	8	8
EAR & GRAIN CHARACTERISTICS			
Ear Length	9	8	8
Ear Girth	7	7	8
Ear Flex	8	9	9
Kernel Rows	16-18	16-18	18-22
Test Weight	9	9	10
Cob Color	Red	Pink	Red
Husk Cover	10	8	8
Drydown	8	7	7
Silage Quantity	6	6	No
Silage Quality	5	5	No



Mike Sirman Newark, MD



Kevin Windsor Lothian, MD



Lane and Tom West Girdletree, MD



Mark and Mike Fansler Mathias, WV

	Trait Options	RDM	Highly Productive Soils	Moderately Productive Soils	Less Productive Soils	Grey Leaf Spot	Northern Leaf Blight	Goss's Wilt	Common Rust	Corn after Corn	Fungicide Response	Drought Tolerance	No-Till
AUGUSTA 2029	Untreated, CONV, 3110GT	79	9	8	8	7	8	7	8	Yes	8	8	8
AUGUSTA 2034	3110GT	84	8	8	7	6	6	5	N/A	Yes	8	6	6
AUGUSTA 2036	Untreated, CONV, AAEZ	86	8	8	8	7	8	8	8	Yes	8	8	7
AUGUSTA 2136	AAEZ	86	8	8	8	7	7	8	N/A	Yes	8	8	8
AUGUSTA 2039	Untreated, CONV, DEZ	89	8	8	8	7	6	7	N/A	Yes	8	8	8
AUGUSTA 2140	AAEZ	90	8	8	8	8	6	6	N/A	Yes	8	8	8
AUGUSTA 2541	Untreated, CONV, VEZ, DVEZ	91	10	9	8	6	6	7	6	Yes	7	8	8
AUGUSTA 2843	Untreated, CONV, VEZ, DVEZ	93	9	9	10	8	7	7	N/A	Yes	8	9	8
AUGUSTA 2345	VEZ, DVEZ	95	9	8	6	6	7	7	N/A	Yes	8	7	8
AUGUSTA 2545	AAEZ, DEZ	95	9	6	5	6	7	5	N/A	Yes	9	8	6
AUGUSTA 1946	AAEZ	96	9	9	6	6	6	6	7	Yes	8	7	8
AUGUSTA 2448	GT	98	9	9	7	6	6	8	6	Yes	9	8	9
AUGUSTA 2150	Untreated, CONV, DV, DVEZ	100	9	9	9	8	7	6	7	Yes	8	8	7
AUGUSTA 2351	AAEZ	101	8	8	8	7	7	8	N/A	Yes	8	8	8
AUGUSTA 2252	DEZ	102	8	8	8	6	6	8	N/A	Yes	9	8	8
AUGUSTA 3053	DVEZ	103	9	9	9	5	6	8	N/A	Yes	7	7	9
AUGUSTA 1954	PWE	104	9	9	7	7	7	8	N/A	Yes	7	5	7
AUGUSTA 2154	Untreated, CONV	104	9	9	7	7	7	8	N/A	Yes	7	5	7
AUGUSTA 4054	GT	104	9	8	7	6	6	6	6	Yes	8	7	7
AUGUSTA 1956	CONV	106	8	8	5	6	7	7	N/A	Yes	7	6	7
AUGUSTA 2856	VEZ, DVEZ	106	9	9	7	6	8	8	N/A	Yes	7	6	9
AUGUSTA 2257	PWE	107	9	9	6	7	7	8	N/A	Yes	8	6	7
AUGUSTA 1958	DVEZ	108	8	8	8	8	8	N/A	N/A	Yes	8	8	7
AUGUSTA 4658	VEZ, DVEZ	108	10	8	7	6	8	8	N/A	No	9	8	9
AUGUSTA 4858	Untreated, CONV, AAEZ, DEZ	108	8	9	9	8	6	8	N/A	Yes	8	8	9
AUGUSTA 1059	Untreated, CONV, GT, VZEZ	109	9	7	6	9	9	8	N/A	Yes	7	8	9
AUGUSTA 1259	V, VEZ, DV, DVEZ	109	9	9	9	6	6	8	N/A	Yes	9	8	9
AUGUSTA 1359	VT2ProRIB	109	9	9	7	8	8	6	N/A	Yes	7	6	8
AUGUSTA 4759	Untreated, CONV, GT, 3110GT	109	8	8	9	8	9	8	6	Yes	8	9	8

Scale: 10 = most or most extreme; 1 = least or least extreme :: 3010cT = Agrisure 3010; 3110cT = Agrisure Viptera 3110; AA = Agrisure Above Refuge Renew; AEZ = Agrisure Above; CONV = Conventional; D = Duracade Refuge Renew; DEZ = Duracade Power Conventional; D = Duracade Viptera 23 conventional; D = Duracade Viptera 24 conventional; D = Duracade Viptera 25 conventional; D = Duracade Viptera 26 conventional; D = Duracade Viptera 27 conventional;

Seedling Vigor	Leaf Angle	Stalk Rating	Root Rating	Plant Height	Ear Height	Tar Spot Tolerance	Staygreen	High Population Tolerance	Ear Length	Ear Girth	Ear Flex	Kernel Rows	Test Weight	Cob Color	Husk Cover	Drydown	Silage Quantity	Silage Quality
9	7	8	8	6	6	Average	8	8	7	7	7	14-16	7	Red	9	8	7	7
6	8	7	7	8	8	Average	7	6	6	9	8	18-20	7	Red	8	8	8	8
8	7	8	8	7	6	Average	8	7	7	7	7	16-18	6	Red	6	6	7	7
8	7	8	8	8	6	Average	8	9	7	8	7	16-18	6	Red	7	8	6	6
8	8	8	6	8	6	Average	8	7	8	7	6	16	7	Red	6	7	8	8
8	7	7	7	7	6	Average	6	6	7	8	8	18	7	Red	7	6	8	8
8	5	8	6	7	6	Average	8	7	8	7	7	16-20	7	Red	7	6	8	8
9	7	8	7	8	7	Above Average	8	8	8	7	9	16-20	8	Pink	7	7	9	9
9	8	7	7	8	7	Above Average	8	8	8	7	7	18-20	7	Red	7	9	9	9
6	6	8	8	6	6	Average	5	9	6	7	5	16-18	6	Red	6	7	6	6
8	7	8	8	9	6	Average	8	7	9	6	8	16	7	Red	7	7	9	9
9	8	8	8	8	6	Average	8	8	8	7	9	16-18	8	Red	8	7	8	8
8	7	8	9	8	8	Average	9	8	7	8	8	18-22	8	Red	7	8	8	8
8	7	8	8	6	5	Average	7	9	7	7	6	16	10	Red	7	7	7	8
8	7	8	8	8	6	Average	7	9	7	8	8	16-18	8	Red	7	8	6	6
8	8	7	7	8	8	Above Average	8	9	7	7	6	18	8	Pink	6	8	8	7
8	8	8	6	8	7	Above Average	9	7	8	8	8	16-18	8	Red	7	6	8	8
8	8	8	6	8	7	Above Average	9	7	8	8	8	16-18	8	Red	7	6	8	8
7	6	7	7	7	7	Average	6	7	7	9	7	18-22	6	Pink	6	6	8	8
8	8	8	8	8	8	Above Average	8	7	6	9	5	18-22	5	Red	8	6	6	6
8	6	6	6	6	6	Average	5	9	8	6	6	14-16	6	Red	6	6	5	5
8	7	7	8	8	6	Average	7	8	8	8	8	16-18	8	Red	8	7	N/A	N/A
7	7	7	7	7	6	N/A	8	9	7	8	6	16-18	8	Red	9	4	N/A	N/A
8	8	8	5	5	6	Average	7	6	8	9	8	18-22	6	Pink	7	7	N/A	N/A
6	6	8	8	8	6	Below Average	9	9	8	8	7	14-16	9	Red	7	6	8	8
8	7	8	9	7	5	Above Average	8	10	6	9	4	18-20	6	Pink	6	8	9	8
8	6	7	7	6	5	Average	5	6	8	8	9	16	7	Pink	6	8	7	7
6	7	7	8	8	6	N/A	5	8	8	7	6	16	8	Red	7	8	8	6
9	7	8	9	8	7	Above Average	9	9	7	7	7	16	7	Pink	6	9	9	9

Scale: 10 = most or most extreme; 1 = least or least extreme :: 3010GT = Agrisure 3010; 3110GT = Agrisure 3010; AA = Agrisure Above Refuge Renew; AEZ = Agrisure Above; CONV = Conventional; D = Duracade Refuge Renew; DEZ = Duracade Plybrids with VT Double PRO® RIB Complete® Corn Blend; DV = DuracadeViptera™ Refuge Renew, DVEZ = DuracadeViptera™ Z3; GT = Glyphosate Tolerant; PWE = PowerCore® Enlist® Corn; RR = Roundup Ready® Corn 2; TRE = Trecepta®; TRERIB = Trecepta® RIB Complete® Corn Blend; V = Viptera™ Refuge Renew; VEZ = Viptera™ Z3; VT2Pro = VT Double PRO® Corn; VT2ProRIB = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Refuge Renew; VEZ = Viptera™ Z3; VT2Pro = VT Double PRO® Corn; VT2ProRIB = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® Corn; VT2ProRIB = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® Corn; VT2ProRIB = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = Viptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = VIptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = VIptera™ Z3; VT2Pro = VT Double PRO® RIB Complete® Corn Blend; V = VIptera™ Z3; V

	Trait Options	RDM	Highly Productive Soils	Moderately Productive Soils	Less Productive Soils	Grey Leaf Spot	Northern Leaf Blight	Goss's Wilt	Common Rust	Corn after Corn	Fungicide Response	Drought Tolerance	No-Till
AUGUSTA 4959	3110GT	109	9	8	7	8	8	N/A	N/A	No	8	7	8
AUGUSTA 1060	VZ, VZEZ	110	7	7	5	8	8	8	N/A	Yes	7	6	5
AUGUSTA 2060	PWE Untreated, PWE	110	9	9	7	8	5	7	N/A	Yes	9	7	7
AUGUSTA 2260	AAEZ	110	9	9	7	8	7	5	N/A	Yes	8	8	7
AUGUSTA 1961	TRE, TRERIB	111	10	9	9	7	7	7	N/A	N/A	9	8	7
AUGUSTA 4961	CONV, VEZ, DEZ	111	9	9	8	8	7	5	4	Yes	8	8	8
AUGUSTA 6162	VEZ, DVEZ	112	8	8	8	6	6	8	N/A	Yes	8	8	9
AUGUSTA 6362	DEZ	112	8	8	8	8	8	8	N/A	Yes	8	8	8
AUGUSTA 7162	VT2Pro, VT2ProRIB	112	9	9	8	6	8	6	6	No	9	8	8
AUGUSTA 2063	V, VEZ, DV, DVEZ	113	9	8	7	7	7	8	N/A	Yes	9	7	8
AUGUSTA 4463	VT2Pro	113	9	8	7	7	7	5	5	Yes	8	7	7
AUGUSTA 1964	3110GT, DV, DVEZ	114	9	9	8	8	8	7	6	Yes	7	6	7
AUGUSTA 2064	CONV, D, DEZ	114	8	8	8	7	7	8	8	Yes	10	9	9
AUGUSTA 2464	DV, DVEZ	114	8	8	8	8	8	8	N/A	Yes	8	8	8
AUGUSTA 2564	AAEZ, D, DEZ	114	9	9	7	7	7	8	N/A	Yes	8	7	8
AUGUSTA 6664	VT2Pro, VT2ProRIB	114	10	9	8	7	8	6	N/A	Yes	10	8	10
AUGUSTA 1165	CONV, VT2Pro, VT2ProRIB	115	10	9	9	8	8	N/A	N/A	Yes	8	8	9
AUGUSTA 1265	DV, DVEZ	115	6	8	8	7	7	7	N/A	Yes	8	7	8
AUGUSTA 1365	CONV, PWE	115	9	8	7	7	6	6	N/A	Yes	8	7	7
AUGUSTA 1465	VT2Pro	115	8	9	9	7	6	6	N/A	Yes	8	9	7
AUGUSTA 4465	CONV, GT, V, VEZ, DV, DVEZ	115	9	9	9	8	8	8	N/A	Yes	9	9	9
AUGUSTA 4565	Untreated, V	115	9	6	5	7	6	8	7	Yes	9	7	9
AUGUSTA 5065	CONV, 3110GT	115	9	6	5	8	6	N/A	7	Yes	8	6	7
AUGUSTA 5565	VT2Pro	115	9	9	8	5	8	6	6	Yes	10	7	9
AUGUSTA 5166	DVZEZ	116	8	8	8	7	7	8	7	Yes	8	8	8
AUGUSTA 5566	CONV, 3110GT	116	9	9	9	9	9	8	8	Yes	9	9	10
AUGUSTA 1367	V, DV	117	9	9	9	5	6	8	7	Yes	9	10	7
AUGUSTA 7767	RR, VT2Pro	117	9	9	8	7	8	4	8	Yes	8	9	10
AUGUSTA 7168	VT2Pro	118	9	8	7	8	6	4	N/A	Yes	7	8	8
AUGUSTA 7268	VT2Pro	118	9	8	5	8	8	6	8	No	9	7	7
		-											

Scale: 10 = most or most extreme; 1 = least or least extreme : 3010GT = Agrisure 3010; 3110GT = Agrisure Viptera 3110; AA = Agrisure Above Refuge Renew; AEZ = Agrisure Above; CONV = Conventional; D = Duracade Refuge Renew; DEZ = Duracade Refuge Renew; DVEZ = Duracade Viptera Z3; GT = Glyphosate Tolerant; PWE = PowerCore Enlist Corn; RR = Roundup Ready Corn 2; TRE = Trecepta RIB Complete Corn Blend; D = VT Double PRO RIB Complete Corn Blend; D = VT Double PRO RIB Complete Corn Blend; D = VT Double PRO RIB Complete Corn Blend; D = VT Double PRO RIB Complete Corn Blend; D = VT Double PRO RIB Complete Corn Blend; D = VT Double PRO RIB Complete Corn Blend; D = VT Double PRO RIB Complete Roundup Ready Refuge Renew; D = VT Double PRO RIB Complete Roundup Ready Refuge Renew; D = VT Double PRO RIB Complete Roundup Ready Refuge Renew; D = VT Double PRO RIB Complete Roundup Ready Refuge Renew; D = VT Double PRO RIB Complete Roundup Ready Refuge Renew; D = VT Double PRO RIB Complete Roundup Ready Refuge Renew; D = VT Double PRO RIB Complete Roundup Ready Refuge Renew; D = VT Double PRO RIB Complete Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double PRO RIB Roundup Ready Refuge Renew; D = VT Double

Seedling Vigor	Leaf Angle	Stalk Rating	Root Rating	Plant Height	Ear Height	Tar Spot Tolerance	Staygreen	High Population Tolerance	Ear Length	Ear Girth	Ear Flex	Kernel Rows	Test Weight	Cob Color	Husk Cover	Drydown	Silage Quantity	Silage Quality
8	7	7	6	7	6	N/A	7	9	8	7	7	16-18	10	Red	8	7	7	6
5	6	9	8	7	7	Above Average	8	10	8	7	5	18	7	Pink	6	8	8	8
8	7	9	8	6	6	Average	7	8	8	8	8	16-18	6	Red	8	8	9	8
6	5	8	8	6	6	Above Average	8	9	8	7	7	14-16	6	Red	7	6	6	6
7	7	8	8	6	6	Average	7	8	8	9	8	16-18	6	Red	4	6	6	9
8	6	8	6	8	5	Above Average	7	9	9	6	5	16	8	Pink	7	6	8	8
8	7	6	8	7	8	Average	8	9	7	7	6	16	7	Red	7	8	8	8
8	6	8	8	10	6	Above Average	7	9	8	7	7	16	6	Red	6	6	9	9
8	8	7	9	7	7	N/A	7	8	7	7	7	16-18	8	Red	7	8	8	8
8	7	7	7	8	8	Average	7	10	7	8	6	16-18	6	Red	7	8	8	8
6	7	7	7	8	6	Average	7	8	8	8	8	16	8	Red	8	6	9	10
7	8	8	7	10	9	Above Average	7	7	7	8	8	14-18	8	Red	8	6	10	9
9	8	10	10	9	6	Average	7	10	8	7	7	14-16	7	Pink	8	7	9	10
8	6	8	8	9	7	Above Average	8	8	8	7	7	16	6	Red	6	7	9	9
8	7	7	7	8	8	Above Average	6	7	8	8	8	16	10	Red	7	8	8	8
7	9	8	8	5	6	N/A	6	10	8	9	8	16-18	9	Red	7	8	No	No
8	7	9	9	8	6	N/A	7	8	9	8	9	16-18	8	Red	7	8	9	9
8	7	8	7	8	7	Above Average	8	7	8	7	7	14-16	6	Red	7	6	9	9
5	8	6	8	8	6	N/A	7	5	9	7	10	16-18	10	Red	8	7	8	6
6	8	8	8	7	7	Average	8	7	9	7	8	16	9	Red	7	7	No	No
8	8	8	8	9	6	Average	9	8	9	9	9	16-20	9	Red	8	8	9	8
8	6	8	8	8	6	Average	8	10	6	10	7	18-22	6	Pink	8	7	9	8
6	7	7	7	10	7	N/A	8	7	9	7	8	16-20	10	Pink	7	7	9	7
10	5	8	10	5	5	N/A	5	7	8	8	8	16-18	9	Red	8	9	No	No
8	8	8	8	8	8	Average	7	9	8	8	8	16	7	White	8	7	9	9
8	8	9	8	9	7	N/A	9	9	8	9	9	16-18	8	Pink	9	6	10	8
6	8	8	7	9	6	N/A	7	8	8	9	10	16-20	6	Pink	7	7	8	9
7	6	10	10	6	5	N/A	6	8	9	7	8	16-18	9	Red	10	8	6	5
7	8	8	8	7	6	Below Average	8	8	8	7	9	16-18	9	Pink	8	7	6	5
6	8	6	6	7	6	Below Average	8	8	8	8	9	18-22	10	Red	8	7	No	No
															District of the last of the la			

Scale: 10 = most or most extreme; 1 = least or least extreme :: 3010GT = Agrisure 3010; 3110GT = Agrisure 3010GT = Agrisure 3010GT

CONTACT US! Office: (540) 886-6055 · **Fax:** (540) 886-3173

TRAITS			
Agrisure LIBERTY Viptera	3110GT Agrisure Viptera® 3110	Viptera z3	VZEZ Viptera®Z3
Agrisure Above	AAEZ Agrisure® Above	Glyphosate	GT Glyphosate Tolerant
Duracade: REPUGE RENUW:	D Duracade® Refuge Renew	POWERCORE	PWE PowerCore® Enlist® Corn
Duracade	DEZ Duracade®	Roundup Ready, CORN 2	RR Roundup Ready® Corn 2
Duracade Viptera REFUGE RENOW-	DV DuracadeViptera™ Refuge Renew	Trecepta [®]	TRE Trecepta®
Duracade Viptera	DVEZ DuracadeViptera™	Trecepta®	TRERIB Trecepta® RIB Complete® Corn Blend
Viptera: REFUGE RENUM:	V Viptera® Refuge Renew	√ TDouble _{PRO°}	VT2Pro VT Double PRO® Corn
Viptera	VEZ Viptera®	VTDoublePRO®	VT2ProRIB VT Double PRO® RIB Complete® Corn Blend



Wayne Smitherman East Bend, NC



Matt Eske Spangler Seed Jefferson, WI



Jim Belote Onancock, VA



Larry and Cindy Custis Pungoteague, VA



Kevin Fishell Federalsburg, MD



Leah Rawley Waynesboro, VA



Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance

management, for the biotechnology traits expressed in

the seed as set forth in the Technology/Stewardship Agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation and agreement to comply with the most recent stewardship requirements.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all applicable regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

B.t. products may not yet be registered in all states. Check with your seed brand representative for the registration status in your state.

Refuge seed may not always contain the DroughtGard® trait. IMPORTANT IRM INFORMATION: Certain products are sold as RIB Complete® corn blend products, and do not require the planting of a structured refuge except in the Cotton-Growing Area where corn earworm is a significant pest. Products sold without refuge in the bag (non-RIB Complete) require the planting of a structured refuge. See the IRM/Grower Guide for additional information. Always read and follow IRM requirements.

Roundup Ready® Technology contains genes that confer tolerance to glyphosate. Roundup Ready® 2 Technology contains genes that confer tolerance to glyphosate. Plants that are not tolerant to glyphosate may be damaged or killed if exposed to those herbicides. Insect control technology provided by Vip3A is utilized under license from Syngenta Crop Protection AG. Herculex® is a registered trademark of Dow AgroSciences LLC. Agrisure Viptera* is a registered trademark of a Syngenta group company. Respect the Refuge and Com Design* and Respect the Refuge* are registered trademarks of National Corn Growers Association. Acceleron®, DroughtGard®, RIB Complete®, Roundup Ready 2 Technology and Design®, Roundup Ready®, SmartStax®, Trecepta®, VT Double PRO®, VT4PRO™ and VT4PRO™ are trademarks of Bayer Group.





Seeds containing the PowerCore® Enlist®, PowerCore® Enlist® Refuge Advanced®, and Enlist® Corn - REFUGE traits are protected under one or more U.S. patents which can be found at: www. traitstewardship.com. The purchase of this traited seed includes a limited license to produce a single crop in the United States. The use of seed from such a crop and/or the progeny thereof for propagation or seed multiplication or for production or development of a hybrid or different variety of seed is strictly prohibited. You acknowledge and agree to be bound by the terms and conditions of the following documents in effect at the time of planting of this seed: (i) the Corteva Agriscience Technology Use Agreement and (ii) the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use requirements.

To plant PowerCore Enlist, PowerCore Enlist Refuge Advanced, and Enlist Corn - REFUGE seed, you must have a limited license from Corteva Agriscience (or other appropriate affiliates). In consideration of the foregoing, Corteva Agriscience grants to the Grower a limited license to use its technology to produce only a single commercial crop in the United States under the terms and conditions set forth in the Technology Use Agreement in effect at the time of planting of this seed.

IRM - Properly managing trait technology is key to preserving it as a long term crop protection tool. Growers who fail to comply with IRM requirements risk losing access to this product. To help preserve the effectiveness of B.t. corn technologies, growers planting B.t. corn technologies are required to follow an IRM Plan. Consult the Corn Product Use Guide for appropriate refuge configuration options. Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Technology Use Agreement and Product Use Guide. By opening and using a bag of seed, you are reaffirming your obligation to comply with the most recent stewardship requirements. For complete details on IRM requirements for hybrids with Bt technology, including refuge examples and important information on the use of insecticides on refuge and Bt corn acres, please consult appropriate Product Use Guide. Go to www.corteva.us/Resources/trait-stewardship.html to download the latest

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with the Corteva Agriscience policies regarding stewardship of those products. In line with these guidelines, Corteva Agriscience's product launch process for responsible launches of new products includes a long-standing process to evaluate export market information, value chain consultations, and regulatory functionality. Growers and end-users must take all steps within their control to follow appropriate stewardship requirements and confirm their buyer's acceptance of the grain or other material being purchased. For more detailed information on the status of a trait or stack, please visit www.biotradestatus.com.

Excellence Through Stewardship® is a registered trademark of Global Stewardship Group.

Following burndown, Enlist Duo* and Enlist One* herbicides with Colex-D* technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® corn and soybeans. Consult Enlist® herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo, To obtain "Bulletins," consult epa, gov/espp/, call 1-844-447-3813, or email ESPP@epa qov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being applied. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS, IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING, ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CORN AND SOYBEANS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide,

POWERCORE® is a registered trademark of Bayer Group. POWERCORE® multi-event technology developed by Corteva Agriscience and Bayer Group. Liberty®, Libertylink® and the Water Droplet Design are registered trademarks of BASE. *Roundup and Roundup Ready are registered trademarks of Bayer Group. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.t. products may not yet be registered in all states. Check with your seed representative for the registration status in your state.

Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

™ ® Trademarks of Corteva Agriscience and its affiliated companies





PWE - PowerCore® Enlist® corn products with HX1, VTP, ENL, LL, RR, A separate 5% corn borer refuge in the corn belt, and a separate 20% corn borer refuge in EPA-designated cotton-growing counties must be planted PowerCore Enlist products

Corn trait technology incorporated into these seeds is commercialized under license from Syngenta Seeds, LLC. Herculex® Technology incorporated into these seeds is commercialized under license from Corteva Agriscience LLC. HERCULEX® and the HERCULEX Shield are trademarks of Corteva Agriscience LLC.



YieldGard

YieldGard VT Pro® is a registered trademark used under license from the Bayer Group

Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, post-emergent weed control of Liberty® herbicide for optimum yield and excellent weed control. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF. Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate

Agrisure®., Agrisure® Above, Agrisure Viptera®, Duracade®, DuracadeViptera™, DuracadeViptera™Z3, Viptera®, Viptera®, Jand E-Z Refuge® are trademarks of a Syngenta Group Company. More information about Duracade® is available at http://www.biotradestatus.com

A CLOSER LOOK AT THE ENLIST® WEED CONTROL SYSTEM FOR CORN.



2,4-D choline

Glyphosate

Glufosinate

FOP Herbicides

Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use on PowerCore® Enlist® corn crops.

On-Target Application

- 90% less drift than traditional 2.4-D
- 96% less volatile than 2.4-D ester

🚔 Enlist Duo® COLEX*D* technology HERBICIDE

Convenient proprietary blend of 2,4-D choline and glyphosate

• The two sites of action work together to deliver control of yieldrobbing weeds and help prevent resistance



HERRICIDE

- Straight-goods 2,4-D choline with additional tank-mix flexibility
- Provides additional tank-mix flexibility with Liberty® herbicide and other qualified tank-mix products, allowing for a customized weed control program to fit each farm



Douglas Harkey Mt. Pleasant, NC



Freddie and Carol Matthews Parksley, VA



A1964 and A4465 – an explosive duo for dual-purpose farming or for grain!

A1964 chopped 30 tons per acre!

Some of the best I've ever raised!

Dusty Rhodes Dayton, VA



Gene Horney Speedwell, VA



Snow Hill, MD



James and Josh Kurtz



Tyler & Carly Osborne Johnson City, TN



Jamie Simmers Dayton, VA



Jamie Draughn Mt. Airy, NC

Dale Newhart Westpoint, IN



Edward McNamee Smithsburg, MD



Grier Stayton Lincoln, DE



Tim Will

Gary Isaacs Greenwood, DE



James Puffenbarger Mt. Solon, VA



Jay Baxter Georgetown, DE

Glenn Custis Pungoteague, VA



Howard Webb Milford, DE



Garrett Beck Marble Valley Farms • Deerfield, VA



Jared and Jack Yaros Cape Charles, VA



For our weather conditions A2060 PWE did great!
It wasn't real tall, but put on a tremendous ear at Koontz Farm.
Bud Koontz
Spring Valley Farms • Dayton, VA

Larry and Cathy Scott

Seaford, DE

Jackson and Jason Hart

Parksley, VA



Tom Brodzina Warriors Mark, PA



Steve and Marvin Gray Whaleyville, MD



Robbie Karge and Glen Plutschak Preston, MD



Steve Elmore Clinton, NC



Hetrick Family Preston, MD



The Redden Family Pocomoke, MD



ELIEVE

Skylar Larimore Harrington, DE



Preston, Matt, Mary Ellen and Caroline Clark Thurmont, MD



Wayne O'Neill with Cooper and Greyson Lothian, MD

