

years of excellence





Office: (540) 886-6055 Fax: (540) 886-3173

www.AugustaSeed.com







Founded in 1977 in the heart of the Shenandoah Valley of Virginia, Augusta Seed has been dedicated to providing quality seed corn with first-class genetics and affordable prices for nearly five decades. Our journey began with a simple goal: to serve farmers with top-notch products and exceptional service. Today, we are proud to be a success story, serving thousands of customers across 25 states.

Our Commitment: At Augusta Seed, we believe in doing business the old-fashioned way, where service and genetics come first. While technology plays a supportive role in protecting our yields, we prioritize offering our customers the option to choose what works best for their needs. Our unwavering commitment to quality seed, first-class genetics and affordable prices has remained unchanged since our founding.

American-Owned and Independent: As an American-owned and independent seed company, we take pride in our extensive research and development efforts across the states where we operate. Our customers appreciate our dedication to maintaining independence and our focus on delivering reliable, high-quality seed.

Looking to the Future: In a world of constant change, we remain optimistic about the future of agriculture. We believe there has never been a better time to be involved in American agriculture and to live by faith as Christians. We invite you to join the Augusta Seed family for 2026 and experience the same level of commitment and quality that has defined us for 49 years.

Join Our Farm Family: When you choose Augusta Seed, you're not just buying seed; you're becoming part of a farm family. Augusta Seed remains a company that values our customers and strives to build lasting relationships. We look forward to welcoming you into our community and helping you achieve your agricultural goals.

DENNIS AND ANGIE RAWLEY

Founders and Owners of Augusta Seed

MEET OUR TEAM

Office: (540) 886-6055

Fax: (540) 886-3173













Kat Rawley OFFICE MANAGER






Leah Rawley OUTREACH COORDINATOR
























Tony James SALES: GA, NC, SC

RDM: 79

Trait Options: Untreated, CONV, 3110

- High-yielding plant with attractive appearance
- > Very good husk cover
- Good health and stress tolerance
- Plant at populations between 30,000 - 34,000



HIGHLY PRODUCTIVE SOILS		
		9
MODERATELY PRODUCTIVE SOILS		
	8	
LESS PRODUCTIVE SOILS		
	8	
DROUGHT TOLERANCE	_	
	8	
EAR FLEX		
7		
TEST WEIGHT		
		9

Kernel Rows

14-16

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 2034

RDM: 84

Trait Options: 3110

- Dual-purpose hybrid with good staygreen and intactness
- > Likes rotated acres and well drained soils
- > Blocky ear style with good flex
- > Plant at populations between 28,000 32,000



HIGHLY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS 7 Cob Color Red EAR FLEX 8 Corn after Corn Yes

AUGUSTA **2036**

RDM: 86

Trait Options: Untreated, CONV, AAEZ

- > High-yielding with excellent agronomics
- Widely adapted across Northern markets from East to West
-) Great stalk and root strength
- Plant at populations between 28.000 - 32.000



HIGHLY PRODUCTIVE SOILS 8 Kernel Rows 16-18 LESS PRODUCTIVE SOILS 8 Cob Color DROUGHT TOLERANCE 8 EAR FLEX 7 Corn after Corn Yes


AUGUSTA 2136

RDM: 86

Trait Options: AAEZ

- > High yields with consistent performance
- > Broadly adaptable
- Solid agronomics with great early vigor
- Plant at populations between 30,000 - 38,000





	AUGUSTA 2029	AUGUSTA 2034	AUGUSTA 2036	AUGUSTA 2136			
HYBRID FEATURES							
Trait Options	Untreated, CONV, 3110	3110	Untreated, CONV, AAEZ	AAEZ			
RDM	79	84	86	86			
PLACEMENT GUIDE							
Highly Productive Soils	9	8	8	8			
Moderately Productive Soils	8	8	8	8			
Less Productive Soils	8	7	8	8			
Grey Leaf Spot	7	6	7	7			
Northern Leaf Blight	8	6	8	7			
Goss's Wilt	7	5	8	8			
Common Rust	8	N/A	8	N/A			
Corn after Corn	Yes	Yes	Yes	Yes			
Fungicide Response	8	8	8	8			
Drought Tolerance	8	6	8	8			
No-Till	8	6	7	8			
	AGRON	IOMIC CHARACTERISTICS					
Seedling Vigor	9	6	8	8			
Leaf Angle	7	8	7	7			
Stalk Rating	8	7	8	8			
Root Rating	8	7	8	8			
Plant Height	6	8	7	8			
Ear Height	6	8	6	6			
Tar Spot Tolerance	Average	Average	Average	Average			
Staygreen	8	7	8	8			
High Population Tolerance	8	6	7	9			
	EAR &	GRAIN CHARACTERISTICS					
Ear Length	7	6	7	7			
Ear Girth	7	9	7	8			
Ear Flex	7	8	7	7			
Kernel Rows	14-16	18-20	16-18	16-18			
Test Weight	9	7	6	6			
Cob Color	Red	Red	Red	Red			
Husk Cover	9	8	6	7			
Drydown	8	8	6	8			
Silage Quantity	7	8	7	6			
Silage Quality	7	8	7	6			



AMERICAN-OWNED & INDEPENDENT



Mike Sandy Preston, MN



Brent and Scott Smith Holdingford, MN



Brady, Lane and Reese Meech Sebeka, MN



Gene Hallerman Long Praire, MN



Taunya and George Mastey Foley, MN



Jim Mergen and Dan Clauer Glen Haven, WI



Roger Mack Sauk City, WI



Terry O'Donnell Gays Mills, WI



Kyle Semke Coon Valley, WI



Matt Eske – Spangler Seed Jefferson, WI



Kevin Clauer – Beetown Feed & Seed Beetown, WI



Tom Bauer Helenville, WI



Cullen Schlewich Fall Creek, WI



Darren Katzung and Dan Clauer – Beetown, WI



Dennis Bell Gays Mills, WI



SERVICE & CENETICS COME FIRST



Mike Gruber Mondovi, WI



Jeremy Chwala Jefferson, WI



Brittany and Jeff Neumann Spring Green, WI



Stanley Bange Clinton, MI



Dayne Jessup Sheridan, IN



Dale Newhart – Frankfort, IN Josh Freed – West Point, IN



Darren Hinkle, Nate Lawson and James Snavely – Converse, IN



Dustin, Hailey and Hazel Dickerson – Thorntown, IN



John Waitt Sheridan, IN



James Snavely and Brent Lopossa – Martinsville, IN



Jeremy Aughinbaugh Converse, IN



Jared Pelling – Frankfort, IN Dayne Jessup – Sheridan, IN



Josh, Samantha and Harper Freed West Point, IN



Steve Durkes Converse, IN



Roger Powell, Ryan, Katy and Nate Lawson – Converse, IN

RDM: 87

Trait Options: V

- > Top end yield with good stress tolerance
- Strong stalks and roots
- Good test weight
- Plant at populations between 26,000 34,000



HIGHLY PRODUCTIVE SOILS		
		9
MODERATELY PRODUCTIVE SOILS		
		9
LESS PRODUCTIVE SOILS		
	8	
DROUGHT TOLERANCE		
7		
EAR FLEX		
	8	
TEST WEIGHT		
	8	

Kernel Rows

16

Cob Color

Red

Corn after Corn

Yes


AUGUSTA 2039

RDM: 89

Trait Options: Untreated, CONV, DEZ

- Consistent high yields
- Very good plant health
- > Plant at populations between 28,000 34,000





Kernel Rows

16

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 2140

RDM: 90

Trait Options: AAEZ, DEZ

- Strong early roots
- Excels Central and West
- > Widely adaptable, semi flex
- > Plant at populations between 24,000 34,000



HIGHLY PRODUCTIVE SOILS 8 Kernel Rows MODERATELY PRODUCTIVE SOILS 8 LESS PRODUCTIVE SOILS 8 Cob Color Red EAR FLEX 8 Corn after Corn Yes


AUGUSTA 2541

RDM: 97

Trait Options: Untreated, CONV, VEZ, DVEZ

- Superior yield
- Very good ear flex for lower populations
-) Quick drydown
- Plant at populations between 24,000 34,000





	AUGUSTA 2037	AUGUSTA 2039	AUGUSTA 2140	AUGUSTA 2541			
HYBRID FEATURES							
Trait Options	V	Untreated, CONV, DEZ	AAEZ, DEZ	Untreated, CONV, VEZ, DVEZ			
RDM	87	89	90	91			
PLACEMENT GUIDE							
Highly Productive Soils	9	8	8	10			
Moderately Productive Soils	9	8	8	9			
Less Productive Soils	8	9	8	8			
Grey Leaf Spot	N/A	7	8	6			
Northern Leaf Blight	7	6	6	6			
Goss's Wilt	6	7	6	7			
Common Rust	7	N/A	N/A	6			
Corn after Corn	Yes	Yes	Yes	Yes			
Fungicide Response	8	8	8	7			
Drought Tolerance	7	8	8	8			
No-Till	7	8	8	8			
	AGRON	NOMIC CHARACTERISTICS					
Seedling Vigor	7	8	8	8			
Leaf Angle	7	8	7	5			
Stalk Rating	8	8	7	8			
Root Rating	8	6	7	6			
Plant Height	8	8	7	7			
Ear Height	8	6	6	6			
Tar Spot Tolerance	Average	Average	Average	Average			
Staygreen	8	8	6	8			
High Population Tolerance	8	7	6	7			
	EAR &	GRAIN CHARACTERISTICS					
Ear Length	8	8	7	8			
Ear Girth	7	7	8	7			
Ear Flex	8	6	8	7			
Kernel Rows	16	16	18	16-20			
Test Weight	8	7	7	7			
Cob Color	Red	Red	Red	Red			
Husk Cover	7	6	7	7			
Drydown	7	7	6	6			
Silage Quantity	9	8	8	8			
Silage Quality	9	8	8	8			

RDM: 93

Trait Options: VEZ, DVEZ

- > Strong stalks and roots
- > Tall plant good for a dual-purpose hybrid
- > Plant at populations between 28,000 34,000



HIGHLY PRODUCTIVE SOILS			
		9	Kernel Rows
MODERATELY PRODUCTIVE SOILS			16-20
		9	70 20
LESS PRODUCTIVE SOILS			***************************************
			Cob Color
DROUGHT TOLERANCE			Pink
		9	THIK
EAR FLEX			•••••
		9	Corn after Corn
TEST WEIGHT			Ves
	8		763

AUGUSTA 2345

RDM: 95

Trait Options: 3110, DVEZ

- Dual-purpose hybrid with high yield potential
- Very good seedling vigor and drydown
- Plant at populations between 30,000 - 34,000



HIGHLY PRODUCTIVE SOIL	S	<u></u>	
		9	Kernel Rows
MODERATELY PRODUCTIVE	E SOILS		18-20
		8	
LESS PRODUCTIVE SOILS			
	6		Cob Color
DROUGHT TOLERANCE			Red
	7		7.00
EAR FLEX			•••••
	7		Corn after Corn
TEST WEIGHT			Corn after Corn
	7		res

AUGUSTA **2545**

RDM: 95

Trait Options: AAEZ, DEZ

- Consistent yielding hybrid
- > Performs best on productive soils
- > Plant at populations between 30,000 38,000



HIGHLY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS 16-18 LESS PRODUCTIVE SOILS 5 Cob Color Red EAR FLEX 5 Corn after Corn Yes

AUGUSTA **1946**

RDM: 96

Trait Options: AAEZ

- Strong performer over several years
- › Quick emergence and seedling vigor
- > Plant at populations between 28,000 34,000



HIGHLY PRODUCTIVE SOILS			
		9	Kernel Rows
MODERATELY PRODUCTIVE SO	DILS		76
		9	
LESS PRODUCTIVE SOILS			•••••
6			Cob Color
DROUGHT TOLERANCE			Red
	7		ACG .
EAR FLEX			•••••
		8	Corn after Corn
TEST WEIGHT			Ves
	7		7 63

	AUGUSTA 2843	AUGUSTA 2345	AUGUSTA 2545	AUGUSTA 1946			
HYBRID FEATURES							
Trait Options	VEZ, DVEZ	3110, DVEZ	AAEZ, DEZ	AAEZ			
RDM	93	95	95	96			
PLACEMENT GUIDE							
Highly Productive Soils	9	9	9	9			
Moderately Productive Soils	9	8	6	9			
Less Productive Soils	10	6	5	6			
Grey Leaf Spot	8	6	6	6			
Northern Leaf Blight	7	7	7	6			
Goss's Wilt	7	7	5	6			
Common Rust	N/A	N/A	N/A	7			
Corn after Corn	Yes	Yes	Yes	Yes			
Fungicide Response	8	8	9	8			
Drought Tolerance	9	7	8	7			
No-Till	8	8	6	8			
	AGRON	NOMIC CHARACTERISTICS					
Seedling Vigor	9	9	6	8			
Leaf Angle	7	8	6	7			
Stalk Rating	8	7	8	8			
Root Rating	7	7	8	8			
Plant Height	8	8	6	9			
Ear Height	7	7	6	6			
Tar Spot Tolerance	Above Average	Above Average	Average	Average			
Staygreen	8	8	5	8			
High Population Tolerance	8	8	9	7			
	EAR &	GRAIN CHARACTERISTICS					
Ear Length	8	8	6	9			
Ear Girth	7	7	7	6			
Ear Flex	9	7	5	8			
Kernel Rows	16-20	18-20	16-18	16			
Test Weight	8	7	6	7			
Cob Color	Pink	Red	Red	Red			
Husk Cover	7	7	6	7			
Drydown	7	9	7	7			
Silage Quantity	9	9	6	9			
Silage Quality	9	9	6	9			

RDM: 96

Trait Options: DVEZ

- Consistent performer with good top-end yield potential
- > Widely adaptable across soil types
- Superior silage quality
- > Plant at populations between 28,000 38,000



HIGHLY PRODUCTIVE SOILS	
	8
MODERATELY PRODUCTIVE SOILS	
	8
LESS PRODUCTIVE SOILS	
	8
DROUGHT TOLERANCE	
	8
EAR FLEX	
7	
TEST WEIGHT	
7	

Kernel Rows

16-18

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 2048

RDM: 98

Trait Options: AAEZ

- › Fast drydown
- Good stress tolerance
- Good test weight
- > Plant at populations between 26,000 36,000

HIGHLY PRODUCTIVE SOILS

MODEDATELY DOODLICTIVE SOILS



Kernel Rows

MODERAILLI PRODUCTIVE SOILS		18-20
	8	
LESS PRODUCTIVE SOILS		•••••
	8	Cob Color
DROUGHT TOLERANCE		Cob Color Red
	8	, ned
EAR FLEX		• • • • • • • • • • • • • • • • • • • •
	8	Caus often Caus
TEST WEIGHT		Corn after Corn
	8	165

AUGUSTA **2150**

RDM: 100

Trait Options: Untreated, CONV, DV, DVEZ

- Strong stalks and roots
- > Wide utility in maturity zone
- Good ear flex and kernel depth
- > Excels in 180-225 bushel range
- > Plant at populations between 24.000 36.000



HIGHLY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS 18-22 LESS PRODUCTIVE SOILS PROUGHT TOLERANCE EAR FLEX 8 Corn after Corn Yes

AUGUSTA 3350

RDM: 100

Trait Options: DV, DVEZ

- > Strong disease package
- > Stable yields across environments
- > Excellent agronomics
- Plant at populations between 26,000 36,000



8	Kernel Rows
	16-18
8	70 10
	•••••
8	Cob Color
	Red
8	Ned
	Corn after Corn
9	Yes
	8

	AUGUSTA 2146	AUGUSTA 2048	AUGUSTA 2150	AUGUSTA 3350			
HYBRID FEATURES							
Trait Options	DVEZ	AAEZ	Untreated, CONV, DV, DVEZ	DV, DVEZ			
RDM	96	98	100	100			
	PLACEMENT GUIDE						
Highly Productive Soils	8	8	9	8			
Moderately Productive Soils	8	8	9	8			
Less Productive Soils	8	8	9	8			
Grey Leaf Spot	7	7	8	8			
Northern Leaf Blight	7	8	7	7			
Goss's Wilt	8	7	6	8			
Common Rust	N/A	N/A	7	N/A			
Corn after Corn	Yes	Yes	Yes	Yes			
Fungicide Response	9	9	8	8			
Drought Tolerance	8	8	8	8			
No-Till	7	8	7	8			
	AGRON	NOMIC CHARACTERISTICS					
Seedling Vigor	7	8	8	8			
Leaf Angle	7	7	7	7			
Stalk Rating	8	7	8	8			
Root Rating	8	7	9	8			
Plant Height	9	8	8	8			
Ear Height	6	8	8	6			
Tar Spot Tolerance	Above Average	Above Average	Average	Average			
Staygreen	7	6	9	7			
High Population Tolerance	8	8	8	8			
	EAR &	GRAIN CHARACTERISTICS					
Ear Length	7	7	7	8			
Ear Girth	8	9	8	8			
Ear Flex	7	8	8	7			
Kernel Rows	16-18	18-20	18-22	16-18			
Test Weight	7	8	8	9			
Cob Color	Red	Red	Red	Red			
Husk Cover	7	7	7	7			
Drydown	7	9	8	8			
Silage Quantity	8	8	8	7			
Silage Quality	9	8	8	7			

AUGUSTA 2351 Trait Options: AAEZ

RDM: 101

- › Consistent yields across soil types
- > Strong stalks with good roots
- Good test weight
- > Plant at populations between 24,000 - 36,000



HIGHLY PRODUCTIVE SOILS		
	8	Kernel Rows
MODERATELY PRODUCTIVE SOILS		16
	8	
LESS PRODUCTIVE SOILS		•••••
	8	Cob Color
DROUGHT TOLERANCE		Red
	8	, red
EAR FLEX		•••••
6		Corn after Corn
TEST WEIGHT		Corn after Corn
		10




HIGHLY PRODUCTIVE SOILS

AUGUSTA 2252

- Trait Options: D, DEZ > High end yield potential
- Excellent agronomics
- > Strong response to fungicide
- > Plant at populations between 24,000 - 36,000



RDM: 102



AUGUSTA 3053

RDM: 103

Trait Options: DV, DVEZ

- > High top-end yield potential and outstanding test weight
- > Semi-flex ear
- > Excellent plant health
- > Plant at populations between 26.000 - 38.000



HIGHLY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS DROUGHT TOLERANCE EAR FLEX TEST WEIGHT

Kernel Rows

Cob Color Pink

Corn after Corn

Yes

AUGUSTA **2154**

RDM: 104

Trait Options: Untreated, CONV

- Good Tar Spot tolerance
- > Very good late-season stay green and plant health
- > Strong stalks and high test weight
- > Plant at populations between 26.000 - 34.000



HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS 16-18 LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Red EAR FLEX Corn after Corn TEST WEIGHT Yes

	AUGUSTA 2351	AUGUSTA 2252	AUGUSTA 3053	AUGUSTA 2154			
HYBRID FEATURES							
Trait Options	AAEZ	D, DEZ	DV, DVEZ	Untreated, CONV			
RDM	101	102	103	104			
PLACEMENT GUIDE							
Highly Productive Soils	8	8	9	9			
Moderately Productive Soils	8	8	9	9			
Less Productive Soils	8	8	9	7			
Grey Leaf Spot	7	7	6	7			
Northern Leaf Blight	7	7	6	7			
Goss's Wilt	8	8	8	8			
Common Rust	N/A	7	N/A	N/A			
Corn after Corn	Yes	Yes	Yes	Yes			
Fungicide Response	8	9	7	7			
Drought Tolerance	8	8	7	5			
No-Till	8	8	9	7			
	AGRON	NOMIC CHARACTERISTICS					
Seedling Vigor	8	8	8	8			
Leaf Angle	7	7	8	8			
Stalk Rating	8	8	7	8			
Root Rating	8	8	7	6			
Plant Height	6	8	8	8			
Ear Height	5	6	8	7			
Tar Spot Tolerance	Average	Average	Above Average	Above Average			
Staygreen	7	7	8	9			
High Population Tolerance	9	9	9	7			
	EAR &	GRAIN CHARACTERISTICS					
Ear Length	7	7	7	8			
Ear Girth	7	8	7	8			
Ear Flex	6	8	6	8			
Kernel Rows	16	16-18	18	16-18			
Test Weight	10	8	8	8			
Cob Color	Red	Red	Pink	Red			
Husk Cover	7	7	6	7			
Drydown	7	8	8	6			
Silage Quantity	7	6	8	8			
Silage Quality	8	6	7	8			



AMERICAN-OWNED & INDEPENDENT



Curtis and Jonathan Berry Philpot, KY



Parker Simpson New Market, TN



Larry Williams Decherd, TN



Tyler and Carly Osborne Johnson City, TN



Brent Cox Fall Branch, TN



Sam and Colton Mace Brazil, IN



Nate and Ryan Lawson Converse, IN



Luke Thompson Atglen, PA



Phil Thompson Atglen, PA



Gary Haas Millerstown, PA




Jim Nell East Berlin, PA



Becky Nas Gettysburg, PA



Neil Snyder Littlestown, PA



Dave Flanders East Berlin, PA



Joe Haas Millerstown, PA





Rick Baugher Hanover, PA



Scott Smith New Oxford, PA



Robert Hines Duncannon, PA



Andy Mathias Old Fields, WV



Luke Boggess Peterstown, WV



Bridgewater, VA



Marty and Mike Sheets Mt. Solon, VA



West Point, VA



Robert Whipple Brownsburg, VA



Raymond Burkholder Dayton, VA



Vic Ruleman Deerfield, VA



Thomas Fox Jr. King William, VA



Lee Simmons Mt. Solon, VA



Larry Custis Pungoteague, VA



Brendan Martin Mt. Solon, VA

RDM: 104

Trait Options: PWE

- › Robust, durable hybrid
- Large flex ears
-) Consistent tip fill
- > Plant at populations between 26,000 - 34,000



HIGHLY PRODUCTIVE SOILS		
		9
MODERATELY PRODUCTIVE SOILS		
		9
LESS PRODUCTIVE SOILS		
		9
DROUGHT TOLERANCE		
	8	
EAR FLEX		
		9
TEST WEIGHT		
7		

Kernel Rows

16-18

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 4054

RDM: 104

Trait Options: GT

- > Strong emergence and vigor
- Good late-season intactness
- > Widely adaptable
- > Plant at populations between 26,000 - 34,000

HIGHLY PRODUCTIVE SOILS



IIIOIILI PRODUCTIVE SOIL	3		
		9	Kernel Rows
MODERATELY PRODUCTIVE	E SOILS		18-22
		8	22
LESS PRODUCTIVE SOILS			•••••
	7		Cob Color
DROUGHT TOLERANCE			Pink
	7		PIIK
EAR FLEX			•••••
	7		Corn after Corn
TEST WEIGHT			Ves
	6		763

AUGUSTA **2355**

RDM: 105

Trait Options: Untreated, CONV, PWE Untreated, PWE

- > Girthy flex ear with deep kernels
- Great top-end yield potential
- › Long shank with attractive visual appeal
- Plant at populations between 26,000 - 30,000



HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS 16-20 LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Pink FAR FIFX Corn after Corn TEST WEIGHT Yes

AUGUSTA 2856

RDM: 106

Trait Options: VEZ, DVEZ

- Very high top-end yield potential
- > Semi-flex ear that likes population
- Very good seedling vigor
- Plant at populations between 30,000 - 38,000



HIGHLY PRODUCTIVE SOIL	.S		
		9	Kernel Rows
MODERATELY PRODUCTIV	E SOILS	5	14-16
		9	
LESS PRODUCTIVE SOILS			
	7	1	Cob Color
DROUGHT TOLERANCE			Red
	6		, Red
EAR FLEX			
	6		Corn after Corn
TEST WEIGHT			Ves
	6		res

	AUGUSTA 2254	AUGUSTA 4054	AUGUSTA 2355	AUGUSTA 2856			
		HYBRID FEATURES					
Trait Options	PWE	GT	Untreated, CONV, PWE Untreated, PWE	VEZ, DVEZ			
RDM	104	104	105	106			
PLACEMENT GUIDE							
Highly Productive Soils	9	9	9	9			
Moderately Productive Soils	9	8	9	9			
Less Productive Soils	9	7	8	7			
Grey Leaf Spot	7	6	7	6			
Northern Leaf Blight	7	6	7	8			
Goss's Wilt	7	6	8	8			
Common Rust	N/A	6	N/A	N/A			
Corn after Corn	Yes	Yes	Yes	Yes			
Fungicide Response	8	8	8	7			
Drought Tolerance	8	7	7	6			
No-Till	7	7	7	9			
	AGRO	NOMIC CHARACTERISTICS					
Seedling Vigor	8	7	8	8			
Leaf Angle	8	6	7	6			
Stalk Rating	8	7	8	6			
Root Rating	8	7	8	6			
Plant Height	8	7	8	6			
Ear Height	8	7	7	6			
Tar Spot Tolerance	Average	Average	Average	Average			
Staygreen	8	6	7	5			
High Population Tolerance	7	7	6	9			
	EAR &	GRAIN CHARACTERISTICS					
Ear Length	9	7	8	8			
Ear Girth	7	9	9	6			
Ear Flex	9	7	9	6			
Kernel Rows	16-18	18-22	16-20	14-16			
Test Weight	7	6	7	6			
Cob Color	Red	Pink	Pink	Red			
Husk Cover	8	6	8	6			
Drydown	7	6	7	6			
Silage Quantity	9	8	7	5			
Silage Quality	9	8	7	5			

RDM: 107

Trait Options: PWE

-) Good disease tolerance
- Good staygreen and intactness
- > Semi-flex ear with good test weight
- > Plant at populations between 26,000 34,000



HIGHLY PRODUCTIVE SOILS		
		9
MODERATELY PRODUCTIVE SOILS		
		9
LESS PRODUCTIVE SOILS		
6		
DROUGHT TOLERANCE		
6		
EAR FLEX		
	8	
TEST WEIGHT		
	8	

Kernel Rows

16-18

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 2357

Trait Options: V, VEZ

- > Strong roots with good stalks
- > Excellent Tar Spot tolerance
- > High top-end yield potential
- > Plant at populations between 26,000 38,000

HIGHLY PRODUCTIVE SOILS



RDM: 107

MODERATELY PRODUCTIVE SOILS 8 LESS PRODUCTIVE SOILS		Kernel Rows	
-	MODERATELY PRODUCTIVE SOILS		
LESS PRODUCTIVE SOILS		8	
	LESS PRODUCTIVE SOILS		
8 Cob Color		8 Cob Color	
DROUGHT TOLERANCE Red	DROUGHT TOLERANCE		
8			
EAR FLEX	EAR FLEX	•••••	
8 Corn after Corn		8 Corp ofter Corr	
TEST WEIGHT Ves	TEST WEIGHT		1
7	7	, 55	

AUGUSTA 1958

RDM: 108

Trait Options: *DVEZ*

- Strong consistent yields that like high populations
- Excellent agronomics and late-season appearance
-) Good disease tolerance and test weight
- > Plant at populations between 30.000 38.000

HIGHLY PRODUCTIVE SOILS

TEST WEIGHT



MODERATELY PRODUCTIVE SOILS 8 LESS PRODUCTIVE SOILS B DROUGHT TOLERANCE EAR FLEX

Kernel Rows

16-18

Cob Color

Corn after Corn

Yes

AUGUSTA 4858

RDM: 108

Trait Options: Untreated, CONV, D

> Semi-flex ear

TEST WEIGHT

-) High test weight
- > Tends to flower early
- Good late-season intactness
- > Plant at populations between 24.000 38.000



HIGHLY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS P LESS PRODUCTIVE SOILS P DROUGHT TOLERANCE EAR FLEX

Kernel Rows

Cob Color

Corn after Corn

Yes

	AUGUSTA 2257	AUGUSTA 2357	AUGUSTA 1958	AUGUSTA 4858
		HYBRID FEATURES		
Trait Options	PWE	V, VEZ	DVEZ	Untreated, CONV, D
RDM	107	107	108	108
		PLACEMENT GUIDE		
Highly Productive Soils	9	8	8	8
Moderately Productive Soils	9	8	8	9
Less Productive Soils	6	8	8	9
Grey Leaf Spot	7	7	8	8
Northern Leaf Blight	7	7	8	6
Goss's Wilt	8	8	N/A	8
Common Rust	N/A	N/A	N/A	N/A
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	8	8	8	8
Drought Tolerance	6	8	8	8
No-Till	7	8	7	9
	AGRON	IOMIC CHARACTERISTICS		
Seedling Vigor	8	8	7	6
Leaf Angle	7	7	7	6
Stalk Rating	7	7	7	8
Root Rating	8	8	7	8
Plant Height	8	9	7	8
Ear Height	6	9	6	6
Tar Spot Tolerance	Average	Above Average	N/A	Below Average
Staygreen	7	8	8	9
High Population Tolerance	8	9	9	9
	EAR &	GRAIN CHARACTERISTICS		
Ear Length	8	8	7	8
Ear Girth	8	6	8	8
Ear Flex	8	8	6	7
Kernel Rows	16-18	14-16	16-18	14-16
Test Weight	8	7	8	9
Cob Color	Red	Red	Red	Red
Husk Cover	8	7	9	7
Drydown	7	6	4	6
Silage Quantity	N/A	7	N/A	8
Silage Quality	N/A	7	N/A	8

RDM: 109

Trait Options: Untreated, CONV, GT, VZEZ

- > High-yielding line with great agronomics
- Excellent roots and stalks
- > Very good tolerance to GLS and NLB
- > E-Z Refuge® cannot be sprayed with LibertyLink®
- Plant at populations between 30,000 - 38,000



HIGHLY PRODUCTIVE SOILS	
	9
MODERATELY PRODUCTIVE SOILS	
7	
LESS PRODUCTIVE SOILS	
6	
DROUGHT TOLERANCE	
8	
EAR FLEX	
4	
TEST WEIGHT	
6	

Kernel Rows

18-20

Cob Color

Corn after Corn

Yes


AUGUSTA 1259

Trait Options: V, VEZ, DV, DVEZ

- > Excels in Central markets
- Very good vigor and early emergence
- Medium sized plant with medium low ear placement
- > Plant at populations between 24,000 32,000



RDM: 109



AUGUSTA **4759**

RDM: 109

Trait Options: Untreated, CONV, GT, 3110

- > Excellent choice for corn after corn
- Widely adaptable
- Consistent performer
- Plant at populations between 28,000 - 32,000



HIGHLY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS PROUGHT TOLERANCE PINK EAR FLEX 7 Corn after Corn Yes


AUGUSTA 4959

RDM: 109

Trait Options: 3110

- Superior yielding hybrid
- Very high test weight
- > Likes irrigated or highly managed soils
- Plant at populations between 28,000 - 34,000





	AUGUSTA 1059	AUGUSTA 1259	AUGUSTA 4759	AUGUSTA 4959			
HYBRID FEATURES							
Trait Options	Untreated, CONV, GT, VZEZ	V, VEZ, DV, DVEZ	Untreated, CONV, GT, 3110	3110			
RDM	109	109	109	109			
PLACEMENT GUIDE							
Highly Productive Soils	9	9	8	9			
Moderately Productive Soils	7	9	8	8			
Less Productive Soils	6	9	9	7			
Grey Leaf Spot	9	6	8	8			
Northern Leaf Blight	9	6	9	8			
Goss's Wilt	8	8	8	N/A			
Common Rust	N/A	N/A	6	N/A			
Corn after Corn	Yes	Yes	Yes	No			
Fungicide Response	7	9	8	8			
Drought Tolerance	8	8	9	7			
No-Till	9	9	8	8			
	AGRON	OMIC CHARACTERISTICS					
Seedling Vigor	8	8	9	8			
Leaf Angle	7	6	7	7			
Stalk Rating	8	7	8	7			
Root Rating	9	7	9	6			
Plant Height	7	6	8	7			
Ear Height	5	5	7	6			
Tar Spot Tolerance	Above Average	Average	Above Average	N/A			
Staygreen	8	5	9	7			
High Population Tolerance	10	6	9	9			
	EAR & (GRAIN CHARACTERISTICS					
Ear Length	6	8	7	8			
Ear Girth	9	8	7	7			
Ear Flex	4	9	7	7			
Kernel Rows	18-20	16	16	16-18			
Test Weight	6	7	7	10			
Cob Color	Pink	Pink	Pink	Red			
Husk Cover	6	6	6	8			
Drydown	8	8	9	7			
Silage Quantity	9	7	9	7			
Silage Quality	8	7	9	6			

RDM: 110

Trait Options: Untreated, CONV, PWE Untreated, PWE

- Medium-tall
- Very high top-end yield potential
- Outstanding roots and stalks
- > Plant at populations between 26,000 34,000



HIGHLY PRODUCTIVE SOILS		
		9
MODERATELY PRODUCTIVE SOILS		
		9
LESS PRODUCTIVE SOILS		
	8	
DROUGHT TOLERANCE		
7		
EAR FLEX		
7		
TEST WEIGHT		
7		

Kernel Rows

16-18

Cob Color

Red

Corn after Corn

Yes


AUGUSTA 2260

RDM: 110

Trait Options: AAEZ

- › Good Central and Eastern disease package
- > Excels at moderate to high populations
- Good stalks and roots
- Plant at populations between 28,000 - 36,000






AUGUSTA 2360

RDM: 110

Trait Options: PWE Untreated, PWE, PCE

- Showy hybrid
- > Excellent grain quality
- Huge flex-style ears
- Plant at populations between 24,000 - 32,000






AUGUSTA 1961

RDM: 777

Trait Options: VT2Pro

- Wide, dark leaves
- High top-end yield potential and widely adaptable across soil types
- Medium-statured with good roots and stalks
- > Plant at populations between 26,000 34,000





	AUGUSTA 2060	AUGUSTA 2260	AUGUSTA 2360	AUGUSTA 1961			
HYBRID FEATURES							
Trait Options	Untreated, CONV, PWE Untreated, PWE	AAEZ	PWE Untreated, PWE, PCE	VT2Pro			
RDM	110	110	110	111			
PLACEMENT GUIDE							
Highly Productive Soils	9	9	9	10			
Moderately Productive Soils	9	9	9	9			
Less Productive Soils	8	7	9	9			
Grey Leaf Spot	8	8	7	7			
Northern Leaf Blight	5	7	7	7			
Goss's Wilt	7	5	8	7			
Common Rust	N/A	N/A	N/A	N/A			
Corn after Corn	Yes	Yes	Yes	N/A			
Fungicide Response	9	8	8	9			
Drought Tolerance	7	8	8	8			
No-Till	7	7	8	7			
	AGRON	NOMIC CHARACTERISTICS					
Seedling Vigor	8	6	7	7			
Leaf Angle	7	5	7	7			
Stalk Rating	9	8	7	8			
Root Rating	8	8	7	8			
Plant Height	6	6	8	6			
Ear Height	6	6	8	6			
Tar Spot Tolerance	Average	Above Average	Average	Average			
Staygreen	7	8	7	7			
High Population Tolerance	8	9	7	8			
	EAR &	GRAIN CHARACTERISTICS					
Ear Length	8	8	8	8			
Ear Girth	8	7	8	9			
Ear Flex	7	8	9	8			
Kernel Rows	16-18	14-16	16-20	16-18			
Test Weight	7	6	8	6			
Cob Color	Red	Red	Pink	Red			
Husk Cover	8	7	8	4			
Drydown	8	6	8	6			
Silage Quantity	9	6	7	6			
Silage Quality	8	6	7	9			



AMERICAN-OWNED & INDEPENDENT



EG Fleet Hartfield, VA



Chris Tusing Timberville, VA



Jimmie Oliver Smithfield, VA



David Hudnall Heathsville, VA



Fred and Jimmy Smith Craddockville, VA



David Simmons Courtland, VA



Jim and Claire Evans Parksley, VA



Jamie Lee Courtland, VA



Jared and Jack Yaros Cape Charles, VA



Jeff Mills Charles City, VA



Jim Howdyshell Mt. Solon, VA



Josh Roby Rockingham, VA



Joe Will Bridgewater, VA



Langdon Townsend Manquin, VA



John Newsome Northumberland, VA



SERVICE & CENETICS COME FIRST



Chuck Horn Mt. Solon, VA



Carter Crabbe Melfa, VA



David Black Charles City, VA



Chris Good Dayton, VA



David Rosson and Jacob Houff Afton, VA



Waynesboro, VA



Mike Schooley and Dennis Rawley Staunton, VA



Robbie and Lynn Williams Wytheville, VA



Parker Epperley, Larry Smith and Chuck Shorter – Blacksburg, VA



Archer Ruffin III Charles City, VA



Larry Smith Shawsville, VA




Gene Horney Speedwell, VA



Floyd Childress Christainsburg, VA



Bruce Richardson Capeville, VA



Richard Melchert Elmer, NJ

RDM: 777

Trait Options: PWE

- › Consistent large flex ears
-) Low Greensnap risk
- > Taller plant that likes moderate populations
- > Plant at populations between 26,000 34,000



HIGHLY PRODUCTIVE SOILS		
		9
MODERATELY PRODUCTIVE SOILS		
		9
LESS PRODUCTIVE SOILS	_	
	8	
DROUGHT TOLERANCE		
7		
EAR FLEX		
		9
TEST WEIGHT		
	8	

Kernel Rows

16-18

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 4961

RDM: 777

Trait Options: CONV, VEZ, DEZ, DVEZ, AAEZ

- > Excellent test weight and grain quality
- High yield potential with attractive appearance
- › Class leading Tar Spot tolerance
- > Plant at populations between 26,000 34,000



HIGHLY PRODUCTIVE SOILS			
		9	Kernel Rows
MODERATELY PRODUCTIVE SOILS			14-16
		9	
LESS PRODUCTIVE SOILS			• • • • • • • • • • • • • • • • • • • •
	8		Cob Color
DROUGHT TOLERANCE			
	8		THIN
EAR FLEX			• • • • • • • • • • • • • • • • • • • •
7			Corn after Corn
TEST WEIGHT			
	8		763
EAR FLEX			Corn after Corn Yes

AUGUSTA 2162

RDM: 112

Trait Options: AAEZ

- > Top yields across soil types
- High test weight
- > Excels Central and Eastern U.S.
- > Plant at populations between 30,000 38,000



HIGHLY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS B Cob Color White EAR FLEX 7 Corn after Corn Yes

AUGUSTA 4862

RDM: 112

Trait Options: Untreated, CONV, PWE Untreated, PWE, PCE

- > Tremendous top-end yield potential
- Solid disease package
- > Excels in low to moderate plant populations
- Plant at populations between 24,000 32,000



•••••			• • • • • • • • • • • • • • • • • • • •
HIGHLY PRODUCTIVE SOILS			
		9	Kernel Rows
MODERATELY PRODUCTIVE SOILS			16-20
		9	.0 20
LESS PRODUCTIVE SOILS			•••••
		9	Cob Color
DROUGHT TOLERANCE			Red
	8		ACG .
EAR FLEX			•••••
		9	Corn after Corn
TEST WEIGHT			Corn after Corn
7			res

	AUGUSTA 4861	AUGUSTA 4961	AUGUSTA 2162	AUGUSTA 4862			
HYBRID FEATURES							
Trait Options	PWE	CONV, VEZ, DEZ, DVEZ, AAEZ	AAEZ	Untreated, CONV, PWE Untreated, PWE, PCE			
RDM	111	111	112	112			
PLACEMENT GUIDE							
Highly Productive Soils	9	9	9	9			
Moderately Productive Soils	9	9	9	9			
Less Productive Soils	8	8	8	9			
Grey Leaf Spot	7	8	7	7			
Northern Leaf Blight	7	7	7	8			
Goss's Wilt	7	5	8	8			
Common Rust	N/A	6	N/A	N/A			
Corn after Corn	Yes	Yes	Yes	Yes			
Fungicide Response	8	8	9	7			
Drought Tolerance	7	8	7	8			
No-Till	8	8	8	8			
	AGROI	NOMIC CHARACTERISTICS					
Seedling Vigor	8	8	8	7			
Leaf Angle	8	6	7	7			
Stalk Rating	8	8	8	8			
Root Rating	7	6	7	8			
Plant Height	8	8	8	8			
Ear Height	8	5	8	7			
Tar Spot Tolerance	Average	Above Average	Average	Average			
Staygreen	8	7	7	7			
High Population Tolerance	7	9	9	6			
	EAR &	GRAIN CHARACTERISTICS					
Ear Length	8	9	8	7			
Ear Girth	8	6	8	8			
Ear Flex	9	7	7	9			
Kernel Rows	16-18	14-16	16-18	16-20			
Test Weight	8	8	10	7			
Cob Color	Red	Pink	White	Red			
Husk Cover	8	7	7	8			
Drydown	7	6	8	7			
Silage Quantity	7	8	9	8			
Silage Quality	7	8	9	8			

RDM: 112

Trait Options: VEZ, DVEZ

- Consistently yielding hybrid
- Outstanding emergence and vigor
- > Excellent root strength
- > Plant at populations between 24,000 - 36,000




HIGHLY PRODUCTIVE SOILS	
	8
MODERATELY PRODUCTIVE SOILS	
	8
LESS PRODUCTIVE SOILS	
	8
DROUGHT TOLERANCE	
	8
EAR FLEX	
6	
TEST WEIGHT	
7	


Kernel Rows

16

Cob Color Red

Corn after Corn Yes







Yes


AUGUSTA 7162

RDM: 112

Trait Options: VT2Pro, VT2ProRIB

- > High top-end yield potential
- > Widely adaptable across soil types
- > Responds well to intense management
- Plant at populations between 28,000 - 32,000





AUGUSTA 4463

RDM: 113

RDM: 112

Trait Options: VT2Pro, VT2ProRIB


AUGUSTA 6362

Trait Options: DEZ, DVEZ, V, VEZ

› Go anywhere hybrid for silage or grain

- › Outstanding agronomic package with good test weight
- > Balanced ear style with good tip fill and husk coverage
- > Very good late-season health and intactness
- > Plant at populations between 28.000 - 34.000





	AUGUSTA 6162	AUGUSTA 6362	AUGUSTA 7162	AUGUSTA 4463			
HYBRID FEATURES							
Trait Options	VEZ, DVEZ	DEZ, DVEZ, V, VEZ	VT2Pro, VT2ProRIB	VT2Pro, VT2ProRIB			
RDM	112	112	112	113			
PLACEMENT GUIDE							
Highly Productive Soils	8	8	9	9			
Moderately Productive Soils	8	8	9	8			
Less Productive Soils	8	8	8	7			
Grey Leaf Spot	6	8	6	7			
Northern Leaf Blight	6	8	8	7			
Goss's Wilt	8	8	6	5			
Common Rust	N/A	N/A	6	5			
Corn after Corn	Yes	Yes	No	Yes			
Fungicide Response	8	8	9	8			
Drought Tolerance	8	8	8	7			
No-Till	9	8	8	7			
	AGRO	NOMIC CHARACTERISTICS					
Seedling Vigor	8	8	8	6			
Leaf Angle	7	6	8	7			
Stalk Rating	6	8	7	7			
Root Rating	8	8	9	7			
Plant Height	7	10	7	8			
Ear Height	8	6	7	6			
Tar Spot Tolerance	Average	Above Average	N/A	Average			
Staygreen	8	7	7	7			
High Population Tolerance	9	9	8	8			
	EAR &	GRAIN CHARACTERISTICS					
Ear Length	7	8	7	8			
Ear Girth	7	7	7	8			
Ear Flex	6	7	7	8			
Kernel Rows	16	16	16-18	16			
Test Weight	7	6	8	8			
Cob Color	Red	Red	Red	Red			
Husk Cover	7	6	7	8			
Drydown	8	6	8	6			
Silage Quantity	8	9	8	9			
Silage Quality	8	9	8	10			

RDM: 774

Trait Options: DV, DVEZ

- > Excellent disease tolerance
- Good standability and late-season intactness
- > Flex ears with ample husk cover
- > Plant at populations between 26,000 34,000



HIGHLY PRODUCTIVE SOILS		
		9
MODERATELY PRODUCTIVE SOILS		
		9
LESS PRODUCTIVE SOILS		
	8	
DROUGHT TOLERANCE		
6		
EAR FLEX		
	8	
TEST WEIGHT		
	8	

Kernel Rows

14-18

Cob Color

Red

Corn after Corn

Yes

AUGUSTA 2064

RDM: 114

Trait Options: CONV, D, DEZ

- › Go anywhere hybrid for silage or grain
- Great choice for dryland acres
- › Quick emergence and vigor
- Strong roots and stalks to support corn after corn acreage
- Plant at populations between 26.000 - 34.000



MODERATELY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS B Cob Color Pink EAR FLEX 7 TEST WEIGHT 7 Corn after Corn Yes

AUGUSTA 2464

RDM: 114

Trait Options: DV, DVEZ

- > Tall hybrid that handles stress well
- Moves South well
- Very good stalks and roots
- Good silage appeal
- > Plant at populations between 24.000 34.000



HIGHLY PRODUCTIVE SOILS 8 Kernel Rows MODERATELY PRODUCTIVE SOILS 16 LESS PRODUCTIVE SOILS 8 Cob Color Red EAR FLEX 7 Corn after Corn Yes


AUGUSTA 2564

RDM: 774

Trait Options: AAEZ, D, DEZ

- Superior test weight
- > Responds well to productive soils
- > Excels in the Eastern U.S.
- Plant at populations between 24,000 - 32,000






	AUGUSTA 1964	AUGUSTA 2064	AUGUSTA 2464	AUGUSTA 2564
		HYBRID FEATURES		
Trait Options	DV, DVEZ	CONV, D, DEZ	DV, DVEZ	AAEZ, D, DEZ
RDM	114	114	114	114
		PLACEMENT GUIDE		
Highly Productive Soils	9	8	8	9
Moderately Productive Soils	9	8	8	9
Less Productive Soils	8	8	8	7
Grey Leaf Spot	8	7	8	7
Northern Leaf Blight	8	7	8	7
Goss's Wilt	7	8	8	8
Common Rust	6	8	N/A	N/A
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	7	10	8	8
Drought Tolerance	6	9	8	7
No-Till	7	9	8	8
	AGRON	NOMIC CHARACTERISTICS		
Seedling Vigor	7	9	8	8
Leaf Angle	8	8	6	7
Stalk Rating	8	10	8	7
Root Rating	7	10	8	7
Plant Height	10	9	9	8
Ear Height	9	6	7	9
Tar Spot Tolerance	Above Average	Average	Above Average	Above Average
Staygreen	7	7	8	6
High Population Tolerance	7	10	8	6
	EAR &	GRAIN CHARACTERISTICS		
Ear Length	7	8	8	8
Ear Girth	8	7	7	6
Ear Flex	8	7	7	9
Kernel Rows	14-18	14-16	16	14-16
Test Weight	8	7	6	10
Cob Color	Red	Pink	Red	Red
Husk Cover	8	8	6	7
Drydown	6	7	7	8
Silage Quantity	10	9	9	8
Silage Quality	9	10	9	8

RDM: 174

Trait Options: VT2Pro, VT2ProRIB

- > High top-end yield potential
- Consistent performance under drought stress
- Avoid SU herbicides
- > Plant at populations between 26,000 - 34,000



HIGHLY PRODUCTIVE SOILS			
			10
MODERATELY PRODUCTIVE SOILS			
		9	
LESS PRODUCTIVE SOILS			• • • • • •
		9	
DROUGHT TOLERANCE			
	8		
EAR FLEX			• • • • • •
	8		_
TEST WEIGHT			
		9	

Kernel Rows

16-18

Cob Color

Red

Corn after Corn


Yes

AUGUSTA 1165

RDM: 115

Trait Options: VT2Pro, VT2ProRIB

-) Good husk cover and canopy
- > Excellent heat and drought stress tolerance
- Good ear flex
- > Plant at populations between 26,000 - 34,000




HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS 16-18 LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Red EAR FLEX Corn after Corn TEST WEIGHT Yes

AUGUSTA **1365**

RDM: 115

Trait Options: CONV, PWE

- › Go anywhere hybrid for silage or grain
- Great choice for dryland or irrigated acres
- Medium-tall plant with medium low ear placement
-) Likes moderate populations
- > Plant at populations between 25.000 - 30.000



HIGHLY PRODUCTIVE SOILS **Kernel Rows** MODERATELY PRODUCTIVE SOILS 16-18 LESS PRODUCTIVE SOILS Cob Color DROUGHT TOLERANCE Red EAR FLEX Corn after Corn TEST WEIGHT Yes

AUGUSTA 1465

RDM: 115

Trait Options: VT2Pro

- > Strong stress tolerant hybrid for tough acres
- Good grain quality and test weight
- > Dense leaf canopy that shades the row
- > Plant at populations between 24,000 - 32,000



HIGHLY PRODUCTIVE SOILS			•••••••••••••••••••••••••••••••••••••••
	8		Kernel Rows
MODERATELY PRODUCTIVE SOILS			16
		9	
LESS PRODUCTIVE SOILS			• • • • • • • • • • • • • • • • • • • •
		9	Cob Color
DROUGHT TOLERANCE			Red
		9	Red
EAR FLEX			•••••
	8		Corn after Corn
TEST WEIGHT			Corn after Corn
		9	res

	AUGUSTA 6664	AUGUSTA 1165	AUGUSTA 1365	AUGUSTA 1465		
		HYBRID FEATURES				
Trait Options	VT2Pro, VT2ProRIB	VT2Pro, VT2ProRIB	CONV, PWE	VT2Pro		
RDM	114	115	115	115		
PLACEMENT GUIDE						
Highly Productive Soils	10	10	9	8		
Moderately Productive Soils	9	9	8	9		
Less Productive Soils	9	9	7	9		
Grey Leaf Spot	7	8	7	7		
Northern Leaf Blight	8	8	6	6		
Goss's Wilt	6	N/A	6	6		
Common Rust	N/A	N/A	N/A	N/A		
Corn after Corn	Yes	Yes	Yes	Yes		
Fungicide Response	10	8	8	8		
Drought Tolerance	8	8	7	9		
No-Till	10	9	7	7		
	AGRON	IOMIC CHARACTERISTICS				
Seedling Vigor	7	8	5	6		
Leaf Angle	9	7	8	8		
Stalk Rating	8	9	6	8		
Root Rating	8	9	8	8		
Plant Height	5	8	8	7		
Ear Height	6	6	6	7		
Tar Spot Tolerance	N/A	N/A	N/A	Average		
Staygreen	6	7	7	8		
High Population Tolerance	10	8	5	7		
	EAR & (GRAIN CHARACTERISTICS				
Ear Length	8	9	9	9		
Ear Girth	9	8	7	7		
Ear Flex	8	9	10	8		
Kernel Rows	16-18	16-18	16-18	16		
Test Weight	9	8	10	9		
Cob Color	Red	Red	Red	Red		
Husk Cover	7	7	8	7		
Drydown	8	8	7	7		
Silage Quantity	NA	9	8	NA		
Silage Quality	NA	9	6	NA		



AMERICAN-OWNED & INDEPENDENT



Bruce and Charlie Dempsey Dover, DE



Greg Wright Harrington, DE



Chris and Mollie Hudson Delmar, DE



Jeremy Larimore Harrington, DE



Kendall and Bill Metz Magnolia, DE



II Carpenter Milton, DE



Jared Kauffman Houston, DE



Jay Baxter and Kristy Malin Georgetown, DE



Jim Minner Felton, DE



Jay Bennett, Reese and Hazel Stevenson – Milford, DE



Roland, Jerad and Roland Hill, with Nathan Loucks – Lewes, DE



Richard Swartzentruber Greenwood, DE



Willard Kauffman Harrington, DE



Lane and Tom West Girdletree, MD



Kyle Hutchison Cordova, MD

AUGUSTA SEED



SERVICE & CENETICS COME FIRST



Bill and Will Harper Rhodesdale, MD



Bill Bruning Snow Hill, MD



Demarion, Anthony and Deion Kurtz Snow Hill, MD



Danny Hammond Willards, MD



Donnie and David McFarland Church Hill, MD



Harry Jones Denton, MD



Glen Plutschak Preston, MD



John Bruning Snow Hill, MD



Greg Turner Preston, MD



Larry Scott Rhodesdale, MD



Josh and Caitlyn Kurtz Snow Hill, MD



Bobby Hutchison Cordova, MD



Matt Minton Hurlock, MD



Mark Jr. and Mark Callahan Denton, MD



Quint Riley, Arden Hickman and Marcus Shockley – Parsonsburg, MD

AUGUSTA 4465

RDM: 115

Trait Options: CONV, GT, V, VEZ, DV, DVEZ

- > Widely adapted for Eastern geography
- Attractive plant with wide utility
- > Thick, girthy ears with high test weight
- > Plant at populations between 24,000 36,000



HIGHLY PRODUCTIVE SOILS			
		9	
MODERATELY PRODUCTIVE SOILS			
		9	
LESS PRODUCTIVE SOILS			
		9	
DROUGHT TOLERANCE			
	8		
EAR FLEX			
		9	
TEST WEIGHT			
		9	

Kernel Rows

16-20

Cob Color Red

Corn after Corn Yes

AUGUSTA **5065**

RDM: 115

Trait Options: CONV, 3110

- > Excellent ear flex
- Early flowering hybrid great for early planting
- > Food grade grain quality
- > Plant at populations between 26,000 34,000



MODERATELY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS DROUGHT TOLERANCE EAR FLEX B Cob Color Pink EAR FLEX Corn after Corn Yes

AUGUSTA **5565**

RDM: 115

Trait Options: VT2Pro

- Outstanding yields across the board
- Works well in no-till environments and for early planting
- Outright leaf structure with heavy canopy to shade ground
- Plant at populations between 24.000 - 32.000



HIGHLY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS 16-18 LESS PRODUCTIVE SOILS B Cob Color Red FAR FLEX TEST WEIGHT Corn after Corn Yes

AUGUSTA 1466

RDM: 116

Trait Options: DV, DVEZ

- Superior agronomics
- > Excellent plant health and disease tolerance
- Broadly adaptable across soil types and climate
- > Plant at populations between 24.000 36.000



HIGHLY PRODUCTIVE SOILS		
	8	Kernel Rows
MODERATELY PRODUCTIVE SOILS		16-18
	8	
LESS PRODUCTIVE SOILS		• • • • • • • • • • • • • • • • • • • •
	8	Cob Color
DROUGHT TOLERANCE		Red
	8	Red
EAR FLEX		•••••
	8	Corn after Corn
TEST WEIGHT		
	9	Yes

	AUGUSTA 4465	AUGUSTA 5065	AUGUSTA 5565	AUGUSTA 1466		
		HYBRID FEATURES				
Trait Options	CONV, GT, V, VEZ, DV, DVEZ	CONV, 3110	VT2Pro	DV, DVEZ		
RDM	115	115	115	116		
	ļ	PLACEMENT GUIDE				
Highly Productive Soils	9	9	9	8		
Moderately Productive Soils	9	6	9	8		
Less Productive Soils	9	5	8	8		
Grey Leaf Spot	8	8	5	8		
Northern Leaf Blight	8	6	8	8		
Goss's Wilt	8	N/A	6	8		
Common Rust	N/A	7	6	N/A		
Corn after Corn	Yes	Yes	Yes	Yes		
Fungicide Response	9	8	10	7		
Drought Tolerance	8	6	7	8		
No-Till	9	7	9	8		
	AGRON	OMIC CHARACTERISTICS				
Seedling Vigor	8	6	10	8		
Leaf Angle	8	7	5	8		
Stalk Rating	8	7	8	8		
Root Rating	8	7	10	8		
Plant Height	9	10	5	8		
Ear Height	6	7	5	6		
Tar Spot Tolerance	Average	N/A	N/A	Above Average		
Staygreen	9	8	5	8		
High Population Tolerance	8	7	7	8		
	EAR & (GRAIN CHARACTERISTICS				
Ear Length	9	9	8	8		
Ear Girth	9	7	8	8		
Ear Flex	9	8	8	8		
Kernel Rows	16-20	16-20	16-18	16-18		
Test Weight	9	10	9	9		
Cob Color	Red	Pink	Red	Red		
Husk Cover	8	7	8	7		
Drydown	8	7	9	8		
Silage Quantity	9	9	NA	8		
Silage Quality	8	7	NA	8		

AUGUSTA **5566** Trait Options: 3110 Consistent high yields

- > Excellent late-season plant health
- Great dryland option
- > Plant at populations between 24,000 - 34,000



HIGHLY PRODUCTIVE SOILS			
		9	
MODERATELY PRODUCTIVE SOILS			
		9	
LESS PRODUCTIVE SOILS			
		9	
DROUGHT TOLERANCE			
		9	
EAR FLEX			
		9	
TEST WEIGHT			
	8		

Kernel Rows

RDM: 116

16-18

Cob Color

Pink

Corn after Corn

Yes

AUGUSTA 1367

RDM: 117

Trait Options: V, DV

- > High-yielding plant with consistent performance
- > Excellent mobility across SE geographies
- › Good ear flex and plant health
- > Great option for corn after corn
- > Plant at populations between 28,000 - 34,000



HIGHLY PRODUCTIVE SOILS	9	Kernel Rows
MODERATELY PRODUCTIVE SOILS	9	16-20
LESS PRODUCTIVE SOILS	9	
DROUGHT TOLERANCE		Cob Color Pink
EAR FLEX		10 -
TEST WEIGHT 6		Corn after Corn Yes

AUGUSTA **7767**

RDM: 117

Trait Options: RR

-) Good blend of high yields and stress tolerance
- > Long ear with good test weight and deep kernels
- > Excellent husk cover
- > Plant at populations between 26.000 - 34.000



HIGHLY PRODUCTIVE SOILS MODERATELY PRODUCTIVE SOILS LESS PRODUCTIVE SOILS DROUGHT TOLERANCE EAR FLEX TEST WEIGHT

16-18 Cob Color Red Corn after Corn Yes

Kernel Rows


AUGUSTA 7168

RDM: 118

Trait Options: VT2Pro

- > Outstanding staygreen and appearance
- Very good husk cover
- > Excellent grain quality
- > Plant at populations between 26,000 - 34,000





	AUGUSTA 5566	AUGUSTA 1367	AUGUSTA 7767	AUGUSTA 7168
		HYBRID FEATURES		
Trait Options	3110	V, DV	RR	VT2Pro
RDM	116	117	117	118
		PLACEMENT GUIDE		
Highly Productive Soils	9	9	9	9
Moderately Productive Soils	9	9	9	8
Less Productive Soils	9	9	8	7
Grey Leaf Spot	9	5	7	8
Northern Leaf Blight	9	6	8	6
Goss's Wilt	8	8	4	4
Common Rust	8	7	8	N/A
Corn after Corn	Yes	Yes	Yes	Yes
Fungicide Response	9	9	8	7
Drought Tolerance	9	10	9	8
No-Till	10	7	10	8
	AGRON	NOMIC CHARACTERISTICS		
Seedling Vigor	8	6	7	7
Leaf Angle	8	8	6	8
Stalk Rating	9	8	10	8
Root Rating	8	7	10	8
Plant Height	9	9	6	7
Ear Height	7	6	5	6
Tar Spot Tolerance	N/A	N/A	N/A	Below Average
Staygreen	9	7	6	8
High Population Tolerance	9	8	8	8
	EAR &	GRAIN CHARACTERISTICS		
Ear Length	8	8	9	8
Ear Girth	9	9	7	7
Ear Flex	9	10	8	9
Kernel Rows	16-18	16-20	16-18	16-18
Test Weight	8	6	9	9
Cob Color	Pink	Pink	Red	Pink
Husk Cover	9	7	10	8
Drydown	6	7	8	7
Silage Quantity	10	8	6	6
Silage Quality	8	9	5	5

AUGUSTA 7268

RDM: 118

Trait Options: VT2Pro

- Long flex-type ears
- Strong disease package, good for corn-on-corn situations
- > Excellent grain quality and test weight
- > Plant at populations between 26,000 34,000



HIGHLY PRODUCTIVE SOILS			
		9	Kernel Rows
MODERATELY PRODUCTIVE SOILS	8		18-22
LESS PRODUCTIVE SOILS	0		
5			Cob Color
DROUGHT TOLERANCE			Red
7			ACG
EAR FLEX			•••••
		9	Corn after Corn
TEST WEIGHT			No.
			10

Scale: 10 = most or most extreme; 1 = least or least extreme; 3110 = Agrisure Viptera* 3110; AA = Agrisure* Above Refuge Renew;
AAEZ = Agrisure* Above; CONV = Conventional; D = Duracade* Refuge Renew; DEZ = Duracade*;
DV = DuracadeViptera™ Refuge Renew; DVEZ = DuracadeViptera™; GT = Glyphosate Tolerant; PWE = PowerCore* Enlist* Corn;
PCE = PowerCore* Enlist* Refuge Advanced* Corn; RR = Roundup Ready* Corn 2;
V = Viptera* Refuge Renew; VEZ = Viptera*; VZEZ = Viptera*Z3; VT2Pro = VT Double PRO* Corn;
VT2ProRIB = VT Double PRO* RIB Complete* Corn Blend

A	AUGUST	A 7268	
HYBRID FEATURE	s	AGRONOMIC CHARACTE	ERISTICS
Trait Options	VT2Pro	Seedling Vigor	6
RDM	118	Leaf Angle	8
PLACEMENT GUID	E	Stalk Rating	6
Highly Productive Soils	9	Root Rating	6
Moderately Productive Soils	8	Plant Height	7
Less Productive Soils	5	Ear Height	6
Grey Leaf Spot	8	Tar Spot Tolerance	Below Average
Northern Leaf Blight	8	Staygreen	8
Goss's Wilt	6	High Population Tolerance	8
Common Rust	8	EAR & GRAIN CHARACTI	ERISTICS
Corn after Corn	No	Ear Length	8
Fungicide Response	9	Ear Girth	8
Drought Tolerance	7	Ear Flex	9
No-Till	7	Kernel Rows	18-22
		Test Weight	10
		Cob Color	Red
		Husk Cover	8
		Drydown	7

Silage Quantity

Silage Quality

NA

NA

TRAITS



AUGUSTA SEED



SERVICE & GENETICS COME FIRST



Sam, Liam and Will Harper Rhodesdale, MD



Mike Sirman Newark, MD



Wyatt Eberspacher Cambridge, MD



Todd, Wyatt and Isaac Eberspacher – Cambridge, MD



Wayne O'Neill Lothian, MD



Wyatt Sirman Newark, MD



Hetrick Farms Preston, MD



Lothian, MD



Steve Elmore Clinton, NC



Robert Eure Hertford, NC



John Taylor Whitakers, NC



William Monds Tyner, NC



Tommy Hollowell Hertford, NC



Jamie Draughn Mt. Airy, NC



Maurice and Shannon Berry Elizabeth City, NC

	Trait Options	RDM	Highly Productive Soils	Moderately Productive Soils	Less Productive Soils	Grey Leaf Spot	Northern Leaf Blight	Goss's Wilt	Common Rust	Corn After Corn	Fungicide Response	Drought Tolerance	No-Till
AUGUSTA 2029	Untreated, CONV, 3110	79	9	8	8	7	8	7	8	Yes	8	8	8
AUGUSTA 2034	3110	84	8	8	7	6	6	5	N/A	Yes	8	6	6
AUGUSTA 2036	Untreated, CONV, AAEZ	86	8	8	8	7	8	8	8	Yes	8	8	7
AUGUSTA 2136	AAEZ	86	8	8	8	7	7	8	N/A	Yes	8	8	8
AUGUSTA 2037	V	87	9	9	8	N/A	7	6	7	Yes	8	7	7
AUGUSTA 2039	Untreated, CONV, DEZ	89	8	8	9	7	6	7	N/A	Yes	8	8	8
AUGUSTA 2140	AAEZ, DEZ	90	8	8	8	8	6	6	N/A	Yes	8	8	8
AUGUSTA 2541	Untreated, CONV, VEZ, DVEZ	91	10	9	8	6	6	7	6	Yes	7	8	8
AUGUSTA 2843	VEZ, DVEZ	93	9	9	10	8	7	7	N/A	Yes	8	9	8
AUGUSTA 2345	3110, DVEZ	95	9	8	6	6	7	7	N/A	Yes	8	7	8
AUGUSTA 2545	AAEZ, DEZ	95	9	6	5	6	7	5	N/A	Yes	9	8	6
AUGUSTA 1946	AAEZ	96	9	9	6	6	6	6	7	Yes	8	7	8
AUGUSTA 2146	DVEZ	96	8	8	8	7	7	8	N/A	Yes	9	8	7
AUGUSTA 2048	AAEZ	98	8	8	8	7	8	7	N/A	Yes	9	8	8
AUGUSTA 2150	Untreated, CONV, DV, DVEZ	100	9	9	9	8	7	6	7	Yes	8	8	7
AUGUSTA 3350	DV, DVEZ	100	8	8	8	8	7	8	N/A	Yes	8	8	8
AUGUSTA 2351	AAEZ	101	8	8	8	7	7	8	N/A	Yes	8	8	8
AUGUSTA 2252	D, DEZ	102	8	8	8	7	7	8	7	Yes	9	8	8
AUGUSTA 3053	DV, DVEZ	103	9	9	9	6	6	8	N/A	Yes	7	7	9
AUGUSTA 2154	Untreated, CONV	104	9	9	7	7	7	8	N/A	Yes	7	5	7
AUGUSTA 2254	PWE	104	9	9	9	7	7	7	N/A	Yes	8	8	7
AUGUSTA 4054	GT	104	9	8	7	6	6	6	6	Yes	8	7	7
AUGUSTA 2355	Untreated, CONV, PWE Untreated, PWE	105	9	9	8	7	7	8	N/A	Yes	8	7	7
AUGUSTA 2856	VEZ, DVEZ	106	9	9	7	6	8	8	N/A	Yes	7	6	9
AUGUSTA 2257	PWE	107	9	9	6	7	7	8	N/A	Yes	8	6	7
AUGUSTA 2357	V, VEZ	107	8	8	8	7	7	8	N/A	Yes	8	8	8
AUGUSTA 1958	DVEZ	108	8	8	8	8	8	N/A	N/A	Yes	8	8	7
AUGUSTA 4858	Untreated, CONV, D	108	8	9	9	8	6	8	N/A	Yes	8	8	9
AUGUSTA 1059	Untreated, CONV, GT, VZEZ	109	9	7	6	9	9	8	N/A	Yes	7	8	9
AUGUSTA 1259	V, VEZ, DV, DVEZ	109	9	9	9	6	6	8	N/A	Yes	9	8	9
AUGUSTA 4759	Untreated, CONV, GT, 3110	109	8	8	9	8	9	8	6	Yes	8	9	8
AUGUSTA 4959	3110	109	9	8	7	8	8	N/A	N/A	No	8	7	8

Scale: 10 = most or most extreme; 1 = least or least extreme:: 3110 = Agrisure Viptera* 3110; AA = Agrisure* Above Refuge Renew, AAEZ = Agrisure* Above; CONV = Conventional; D = Duracade* Refuge Renew, DEZ = Duracade*; DVCT2ProRIB = DroughtGard* Hybrids with VT Double PRO* RIB Complete* Corn Blend; DV = DuracadeViptera* Refuge Renew; DVEZ = DuracadeViptera*; DVZEZ = DuracadeViptera* Z3; CT = Glyphosate Tolerant; PWE = PowerCore* Enlist* Corn; RR = Roundup Ready* Corn 2; TRE = Trecepta*; TRERIB = Trecepta* RIB Complete* Corn Blend; V = Viptera* Refuge Renew; VEZ = Viptera* Z3; VT2Pro* VT Double PRO* Corn; VT2ProRIB* = VT Double PRO* RIB Complete* Corn Blend; V = Viptera* Refuge Renew; VEZ = Viptera* Z3; VT2Pro* VT Double* PRO* Corn; VT2ProRIB* VT Double* PRO* RIB Complete* Corn Blend; V = Viptera* Refuge Renew; VEZ = Viptera* Z3; VT2Pro* VT Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* VT Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* VT Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* VT Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* VT Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* VT Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* VT Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* VT Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* VT2Pro* VT2Pro* PV Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* VT2Pro* VT2Pro* PV Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* VT2Pro* PV Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* VT2Pro* PV Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* PV Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* PV Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* PV Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* PV Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* PV Double* PRO* RIB Complete* Corn Blend; V = Viptera* Z3; VT2Pro* PV Double*

Seedling Vigor	Leaf Angle	Stalk Rating	Root Rating	Plant Height	Ear Height	Tar Spot Tolerance	Staygreen	High Population Tolerance	Ear Length	Ear Girth	Ear Flex	Kernel Rows	Test Weight	Cob Color	Husk Cover	Drydown	Silage Quantity	Silage Quality
9	7	8	8	6	6	Average	8	8	7	7	7	14-16	9	Red	9	8	7	7
6	8	7	7	8	8	Average	7	6	6	9	8	18-20	7	Red	8	8	8	8
8	7	8	8	7	6	Average	8	7	7	7	7	16-18	6	Red	6	6	7	7
8	7	8	8	8	6	Average	8	9	7	8	7	16-18	6	Red	7	8	6	6
7	7	8	8	8	8	Average	8	8	8	7	8	16	8	Red	7	7	9	9
8	8	8	6	8	6	Average	8	7	8	7	6	16	7	Red	6	7	8	8
8	7	7	7	7	6	Average	6	6	7	8	8	18	7	Red	7	6	8	8
8	5	8	6	7	6	Average	8	7	8	7	7	16-20	7	Red	7	6	8	8
9	7	8	7	8	7	Above Average	8	8	8	7	9	16-20	8	Pink	7	7	9	9
9	8	7	7	8	7	Above Average	8	8	8	7	7	18-20	7	Red	7	9	9	9
6	6	8	8	6	6	Average	5	9	6	7	5	16-18	6	Red	6	7	6	6
8	7	8	8	9	6	Average	8	7	9	6	8	16	7	Red	7	7	9	9
7	7	8	8	9	6	Above Average	7	8	7	8	7	16-18	7	Red	7	7	8	9
8	7	7	7	8	8	Above Average	6	8	7	9	8	18-20	8	Red	7	9	8	8
8	7	8	9	8	8	Average	9	8	7	8	8	18-22	8	Red	7	8	8	8
8	7	8	8	8	6	Average	7	8	8	8	7	16-18	9	Red	7	8	7	7
8	7	8	8	6	5	Average	7	9	7	7	6	16	10	Red	7	7	7	8
8	7	8	8	8	6	Average	7	9	7	8	8	16-18	8	Red	7	8	6	6
8	8	7	7	8	8	Above Average	8	9	7	7	6	18	8	Pink	6	8	8	7
8	8	8	6	8	7	Above Average	9	7	8	8	8	16-18	8	Red	7	6	8	8
8	8	8	8	8	8	Average	8	7	9	7	9	16-18	7	Red	8	7	9	9
7	6	7	7	7	7	Average	6	7	7	9	7	18-22	6	Pink	6	6	8	8
8	7	8	8	8	7	Average	7	6	8	9	9	16-20	7	Pink	8	7	7	7
8	6	6	6	6	6	Average	5	9	8	6	6	14-16	6	Red	6	6	5	5
8	7	7	8	8	6	Average	7	8	8	8	8	16-18	8	Red	8	7	N/A	N/A
8	7	7	8	9	9	Above Average	8	9	8	6	8	14-16	7	Red	7	6	7	7
7	7	7	7	7	6	N/A	8	9	7	8	6	16-18	8	Red	9	4	N/A	N/A
6	6	8	8	8	6	Below Average	9	9	8	8	7	14-16	9	Red	7	6	8	8
8	7	8	9	7	5	Above Average	8	10	6	9	4	18-20	6	Pink	6	8	9	8
8	6	7	7	6	5	Average	5	6	8	8	9	16	7	Pink	6	8	7	7
9	7	8	9	8	7	Above Average	9	9	7	7	7	16	7	Pink	6	9	9	9
8	7	7	6	7	6	N/A	7	9	8	7	7	16-18	10	Red	8	7	7	6

Scale: 10 = most or most extreme; 1 = least or least extreme : 3110 = Agrisure Viptera 3110; AA = Agrisure Above Refuge Renew; AAEZ = Agrisure Above; CONV = Conventional; D = Duracade Refuge Renew; DEZ = Duracade ;

DGVT2ProRIB = DroughtGard Hybrids with VT Double PRO RIB Complete Corn Blend; DV = DuracadeViptera Refuge Renew; DVEZ = DuracadeViptera 23; CT = Glyphosate Tolerant; PWE = PowerCore Enlist Corn;

RR = Roundup Ready Corn 2; TRE = Trecepta TRERIB = Trecepta RIB Complete Corn Blend; V = Viptera Refuge Renew; VEZ = Viptera 23; VT2Pro = VT Double PRO Corn; VT2ProRIB = VT Double PRO RIB Complete Corn Blend; V = Viptera Refuge Renew; VEZ = Viptera 23; VT2Pro = VT Double PRO Corn; VT2ProRIB = VT Double PRO RIB Complete Corn Blend; V = Viptera Refuge Renew; VEZ = Viptera 23; VT2Pro = VT Double PRO RIB Complete Corn Blend; V = Viptera Refuge Renew; VEZ = Viptera 23; VT2Pro = VT Double PRO RIB Complete Corn Blend; V = Viptera Refuge Renew; VEZ = Viptera VT2; VT2Pro = VT Double PRO RIB Complete Corn Blend; V = Viptera VT2ProRIB = VT2P

	Trait Options	RDM	Highly Productive Soils	Moderately Productive Soils	Less Productive Soils	Grey Leaf Spot	Northern Leaf Blight	Goss's Wilt	Common Rust	Corn After Corn	Fungicide Response	Drought Tolerance	No-Till
AUGUSTA 2060	Untreated, CONV, PWE Untreated, PWE	110	9	9	8	8	5	7	N/A	Yes	9	7	7
AUGUSTA 2260	AAEZ	110	9	9	7	8	7	5	N/A	Yes	8	8	7
AUGUSTA 2360	PWE Untreated, PWE, PCE	110	9	9	9	7	7	8	N/A	Yes	8	8	8
AUGUSTA 1961	VT2Pro	111	10	9	9	7	7	7	N/A	N/A	9	8	7
AUGUSTA 4861	PWE	111	9	9	8	7	7	7	N/A	Yes	8	7	8
AUGUSTA 4961	CONV, VEZ, DEZ, DVEZ, AAEZ	111	9	9	8	8	7	5	6	Yes	8	8	8
AUGUSTA 2162	AAEZ	112	9	9	8	7	7	8	N/A	Yes	9	7	8
AUGUSTA 4862	Untreated, CONV, PWE Untreated, PWE, PCE	112	9	9	9	7	8	8	N/A	Yes	7	8	8
AUGUSTA 6162	VEZ, DVEZ	112	8	8	8	6	6	8	N/A	Yes	8	8	9
AUGUSTA 6362	DEZ, DVEZ, V, VEZ	112	8	8	8	8	8	8	N/A	Yes	8	8	8
AUGUSTA 7162	VT2Pro, VT2ProRIB	112	9	9	8	6	8	6	6	No	9	8	8
AUGUSTA 4463	VT2Pro, VT2ProRIB	113	9	8	7	7	7	5	5	Yes	8	7	7
AUGUSTA 1964	DV, DVEZ	114	9	9	8	8	8	7	6	Yes	7	6	7
AUGUSTA 2064	CONV, D, DEZ	114	8	8	8	7	7	8	8	Yes	10	9	9
AUGUSTA 2464	DV, DVEZ	114	8	8	8	8	8	8	N/A	Yes	8	8	8
AUGUSTA 2564	AAEZ, D, DEZ	114	9	9	7	7	7	8	N/A	Yes	8	7	8
AUGUSTA 6664	VT2Pro, VT2ProRIB	114	10	9	9	7	8	6	N/A	Yes	10	8	10
AUGUSTA 1165	VT2Pro, VT2ProRIB	115	10	9	9	8	8	N/A	N/A	Yes	8	8	9
AUGUSTA 1365	CONV, PWE	115	9	8	7	7	6	6	N/A	Yes	8	7	7
AUGUSTA 1465	VT2Pro	115	8	9	9	7	6	6	N/A	Yes	8	9	7
AUGUSTA 4465	CONV, GT, V, VEZ, DV, DVEZ	115	9	9	9	8	8	8	N/A	Yes	9	8	9
AUGUSTA 5065	CONV, 3110	115	9	6	5	8	6	N/A	7	Yes	8	6	7
AUGUSTA 5565	VT2Pro	115	9	9	8	5	8	6	6	Yes	10	7	9
AUGUSTA 1466	DV, DVEZ	116	8	8	8	8	8	8	N/A	Yes	7	8	8
AUGUSTA 5566	3110	116	9	9	9	9	9	8	8	Yes	9	9	10
AUGUSTA 1367	V, DV	117	9	9	9	5	6	8	7	Yes	9	10	7
AUGUSTA 7767	RR	117	9	9	8	7	8	4	8	Yes	8	9	10
AUGUSTA 7168	VT2Pro	118	9	8	7	8	6	4	N/A	Yes	7	8	8
AUGUSTA 7268	VT2Pro	118	9	8	5	8	8	6	8	No	9	7	7

Scale: 10 = most or most extreme; 1 = least or least extreme:: 3110 = Agrisure Viptera 3110; AA = Agrisure Above Refuge Renew; AAEZ = Agrisure Above; CONV = Conventional; D = Duracade Refuge Renew; DEZ = Duracade Viptera Brown AAEZ = Agrisure Above; CONV = Conventional; D = Duracade Refuge Renew; DEZ = Duracade Viptera Brown AAEZ = Agrisure Above; CONV = Conventional; D = Duracade Refuge Renew; DEZ = Duracade Viptera Brown AAEZ = Agrisure AAE

Seedling Vigor	Leaf Angle	Stalk Rating	Root Rating	Plant Height	Ear Height	Tar Spot Tolerance	Staygreen	High Population Tolerance	Ear Length	Ear Girth	Ear Flex	Kernel Rows	Test Weight	Cob Color	Husk Cover	Drydown	Silage Quantity	Silage Quality
8	7	9	8	6	6	Average	7	8	8	8	7	16-18	7	Red	8	8	9	8
6	5	8	8	6	6	Above Average	8	9	8	7	8	14-16	6	Red	7	6	6	6
7	7	7	7	8	8	Average	7	7	8	8	9	16-20	8	Pink	8	8	7	7
7	7	8	8	6	6	Average	7	8	8	9	8	16-18	6	Red	4	6	6	9
8	8	8	7	8	8	Average	8	7	8	8	9	16-18	8	Red	8	7	7	7
8	6	8	6	8	5	Above Average	7	9	9	6	7	14-16	8	Pink	7	6	8	8
8	7	8	7	8	8	Average	7	9	8	8	7	16-18	10	White	7	8	9	9
7	7	8	8	8	7	Average	7	6	7	8	9	16-20	7	Red	8	7	8	8
8	7	6	8	7	8	Average	8	9	7	7	6	16	7	Red	7	8	8	8
8	6	8	8	10	6	Above Average	7	9	8	7	7	16	6	Red	6	6	9	9
8	8	7	9	7	7	N/A	7	8	7	7	7	16-18	8	Red	7	8	8	8
6	7	7	7	8	6	Average	7	8	8	8	8	16	8	Red	8	6	9	10
7	8	8	7	10	9	Above Average	7	7	7	8	8	14-18	8	Red	8	6	10	9
9	8	10	10	9	6	Average	7	10	8	7	7	14-16	7	Pink	8	7	9	10
8	6	8	8	9	7	Above Average	8	8	8	7	7	16	6	Red	6	7	9	9
8	7	7	7	8	9	Above Average	6	6	8	6	9	14-16	10	Red	7	8	8	8
7	9	8	8	5	6	N/A	6	10	8	9	8	16-18	9	Red	7	8	NA	NA
8	7	9	9	8	6	N/A	7	8	9	8	9	16-18	8	Red	7	8	9	9
5	8	6	8	8	6	N/A	7	5	9	7	10	16-18	10	Red	8	7	8	6
6	8	8	8	7	7	Average	8	7	9	7	8	16	9	Red	7	7	NA	NA
8	8	8	8	9	6	Average	9	8	9	9	9	16-20	9	Red	8	8	9	8
6	7	7	7	10	7	N/A	8	7	9	7	8	16-20	10	Pink	7	7	9	7
10	5	8	10	5	5	N/A	5	7	8	8	8	16-18	9	Red	8	9	NA	NA
8	8	8	8	8	6	Above Average	8	8	8	8	8	16-18	9	Red	7	8	8	8
8	8	9	8	9	7	N/A	9	9	8	9	9	16-18	8	Pink	9	6	10	8
6	8	8	7	9	6	N/A	7	8	8	9	10	16-20	6	Pink	7	7	8	9
7	6	10	10	6	5	N/A	6	8	9	7	8	16-18	9	Red	10	8	6	5
7	8	8	8	7	6	Below Average	8	8	8	7	9	16-18	9	Pink	8	7	6	5
6	8	6	6	7	6	Below Average	8	8	8	8	9	18-22	10	Red	8	7	NA	NA

Scale: 10 = most or most extreme; 1 = least or least extreme :: 3110 = Agrisure Viptera 3110; AA = Agrisure Above Refuge Renew; AAEZ = Agrisure Above; CONV = Conventional; D = Duracade Refuge Renew; DEZ = Duracade PRO BIB Complete Corn Blend; DV = Duracade Viptera PRO BIB Complete Corn Blend; DV = Duracade Viptera PRO BIB Complete Corn Blend; DV = Duracade Viptera PRO BIB Complete Corn Blend; DV = Viptera Befuge Renew; DVEZ = Duracade Viptera Z3; DVEZ = Duracade Viptera S3; DVEZ = Duracade Viptera S4; DVEZ = Duracade Viptera S5; DVEZ = Duracade Viptera S6; DVEZ = VIDTO BIB CORD BIB COMPLETE S6; DVEZ = VIDTO BIB CORD BIB CORD



AUGUSTA SEED

AMERICAN-OWNED & INDEPENDENT



John Webber Goldsboro, NC



Bill Sexton Plymouth, NC



Wayne Smitherman East Bend, NC



Douglas Harkey Mount Pleasant, NC



Collins Bullard Stedman, NC



Chris Godfrey Hertford, NC



Ellis, Makayla and Charlie Parker Wallace, NC



Curtis Byrum Tyner, NC



Charles Sutton LaGrange, NC



Jack Fisher Whitakers, NC



Johnnie Sykes Conway, NC



John Spence Elizabeth City, NC



Sonny Price Little Rock, SC



Robert and Wrenlee Wilson Carter – Manning, SC



Leah, Matt, Darren, James and Jo Augusta Seed



Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in

the seed as set forth in the Technology/Stewardship Agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation and agreement to comply with the most recent stewardship requirements.

Bayer is a member of Excellence Through Stewardship" (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all applicable regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. B.t. products may not yet be registered in all states. Check with your seed brand representative for the registration status in your state.

IMPORTANT IRM INFORMATION: Certain products are sold as RIB Complete® corn blend products and do not require the planting of a structured refuge except in the Cotton-Growing Area where corn earworm is a significant pest. Products sold without refuge in the bag (non-RIB Complete) require the planting of a structured refuge. See the IRM/ Grower Guide for additional information. Always read and follow IRM requirements.

Roundup Ready" Technology contains genes that confer tolerance to glyphosate. Roundup Ready" 2 Technology contains genes that confer tolerance to glyphosate. Plants that are not tolerant to glyphosate may be damaged or killed if exposed to those herbicides.

Herculex^{*} is a registered trademark of Dow AgroSciences LLC. Respect the Refuge and Corn Design^{*} and Respect the Refuge" are registered trademarks of National Corn Growers Association. Acceleron", DroughtGard", RIB Complete", Roundup Ready 2 Technology and Design*, Roundup Ready*, SmartStax*, Trecepta*, VT Double PRO* and VT4PRO™ are trademarks of Bayer Group.



Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium based herbicides. Agrisure. Agrisure. Above. Agrisure* Total, Agrisure Viptera*, Artesian*, Duracade*, DuracadeViptera™, DuracadeViptera™Z3, E-Z Refuge®, Viptera® and Viptera®Z3 are trademarks of a

Syngenta Group Company

More information about Duracade" is available at www.biotradestatus.com.



LIBERTY Seed products with the LibertyLink* (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn and combine high-yielding genetics with the powerful, non-selective, post-emergent weed control of Liberty herbicide for optimum yield and excellent weed control. LibertyLink*, Liberty* and the Water Droplet logo are registered trademarks of BASF.

Corn trait technology incorporated into these seeds is commercialized under license from Syngenta Seeds, LLC. Herculex Technology incorporated into these seeds is commercialized under license from Corteva Agriscience LLC. HERCULEX® and the HERCULEX Shield are trademarks of Corteva Agriscience LLC.

YieldGard Yi Pro* is a registered trademark used under license from the Bayer Group.

Seeds containing the PowerCore* Enlist*, PowerCore* Enlist* Refuge Advanced*, Enlist* VTPRO Seeds containing the rowercore Linist, rowercore Linist Corn - REFUGE and Enlist E3* traits are protected under one or more U.S. patents which

can be found at www.traitstewardship.com. The purchase of this traited seed includes a limited license to produce a single crop in the United States. The use of seed from such a crop and/or the progeny thereof for propagation or seed multiplication or for production or development of a hybrid or different variety of seed is strictly prohibited. You acknowledge and agree to be bound by the terms and conditions of the following documents in effect at the time of planting of this seed: (i) the Corteva Agriscience Technology Use Agreement and (ii) the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM) and Use requirements. To plant PowerCore Enlist, PowerCore Enlist Refuge Advanced, Enlist Corn - REFUGE and Enlist E3 seed, you must have a limited license from Corteva Agriscience (or other appropriate affiliates). In consideration of the foregoing, Corteva Agriscience grants to the Grower a limited license to use its technology to produce only a single commercial crop in the United States under the terms and conditions set forth in the Technology Use Agreement in effect at the time of planting of this seed.

Corteva Agriscience is a member of Excellence Through Stewardship" (ETS). Corteva Agriscience products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with the Corteva Agriscience policies regarding stewardship of those products. In line with these guidelines, our product launch process for responsible launches of new products includes a longstanding process to evaluate export market information, value chain consultations and regulatory functionality. Growers and end-users must take all steps within their control to follow appropriate stewardship requirements and confirm their buyer's acceptance of the grain or other material being purchased. For more detailed information on the status of a trait or stack, please visit www.biotradestatus.com.

Excellence Through Stewardship* is a registered trademark of Global Stewardship Group.



Properly managing trait technology is key to preserving it as a long term crop protection tool. Growers who fail to comply with IRM requirements risk losing access to this product. To help preserve the effectiveness of B.t. corn technologies, growers planting B.t. corn technologies are required to follow an IRM Plan. Consult the Corn Product Use Guide for

appropriate refuge configuration options. Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Technology Use Agreement and Product Use Guide. By opening and using a bag of seed, you are reaffirming your obligation to comply with the most recent stewardship requirements. For complete details on IRM requirements for hybrids with B.t. technology, including refuge examples and important information on the use of insecticides on refuge and B.t. corn acres, please consult appropriate Product Use Guide. Go to www.corteva.us/Resources/trait-stewardship.html to download the latest Corteva Agriscience Corn Product Use Guide.







Following burndown, Enlist Duo" and Enlist One" herbicides with Colex-D" technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist" crops. Consult Enlist" herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa.gov/espp/, call 1-844-447-3813, or email ESPP@epa.gov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being applied. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist" herbicides in your area. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CORN AND SOYBEANS. MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS. IN ADDITION TO CIVIL AND/OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at www.traitstewardship.com. POWERCORE" multi-event technology developed by Corteva Agriscience LLC and Monsanto. LibertyLink' and the Water Droplet Design are registered trademarks of BASF. PowerCore° and Roundup Ready° are registered trademarks of Bayer Group. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.t. products may not yet be registered in all states. Check with your seed representative for the registration status in your state.

™ Trademarks of Corteva Agriscience and its affiliated companies.

PowerCore" multi-event technology developed by Corteva Agriscience LLC and Monsanto. POWERCORE" is a registered trademark of Bayer Group. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. \vec{B} . \vec{t} . products may not yet be registered in all states. Check with your seed representative for the registration status in your state

™ Trademarks of Dow AgroSciences or DuPont and their affiliated companies or their respective owners.

THE NEW STANDARD FOR WEED CONTROL & YIELD PERFORMANCE

ENLIST' WEED CONTROL SYSTEM



ON-TARGET APPLICATIONS: 90% less drift than traditional 2,4-D 96% less volatile than 2,4-D ester



Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are labeled for preemergence and postemergence use on PowerCore® Enlist® corn.

I 2.4-D choline

I Glyphosate

I Glufosinate

I FOP Herbicides

- Convenient proprietary blend of 2,4-D choline and glyphosate
- The two modes of action work together to deliver control of yield-robbing weeds and help prevent resistance
- Straight goods 2,4-D choline with additional tank-mix flexibility
- Provides additional tank-mix flexibility with glyphosate, glufosinate and other qualified tank-mix products, allowing for a customized weed control program to fit each farm





The Handy Bt Trait Table for U.S. Corn Production

Compiled by W.
Chris DiFonzo Pa

Web site hosted by
Pat Porter
ity Texas A&M University

The most up-to-date version and related extension materials are free online at: www.texasinsects.org/bt-corn-trait-table.html
Questions? Comments/ Complaints? difonzo@msu.edu

Several formatting changes for 2025

Localized populations of southwestern corn borer (SWCB) and European corn borer (ECB) have been found which survive one or more of the Bts labeled for their control (except VIP for SWCB). Both trait hybrids were still being planted. For SWCB, this was in corn this was in small production areas outside of the corn belt in the species developed resistance in isolated regions, often where singleproduction on irrigated pivots in the southern New Mexico. For ECB, Resistance to Bt proteins continues to be a major theme for 2025. Canadian Maritime provinces, Quebec, and Connecticut.

captured in the control column. An 'x' means a trait package is effective against that insect. Resistance to all Bts in a package is With the increase in species surviving Bts, the table was redesigned to eliminate a separate resistance column. That information is now indicated by 'R' if widespread or 'RL' if currently in limited areas.

'time capsule' of older products. Single-trait hybrids increase the chance of resistance development and thus were supposed to be phased out after introduction of seed-blend refuge fourteen years ago. In 2025, single trait hybrids are still listed in some seed catalogs. Moving single traits out of the main trait table to Table draws attention to the problem of their continued availability. All single-trait packages were moved from Table 2 (below), the

ABBREVIATIONS & TERMS used in the TRAIT TABLE

sect Pests

BCW black cutworm CEW corn earworm

CEW corn earworm ECB European corn borer

FAW fall armyworm

NCR northern corn rootworm

SB stalk borer SCB sugarcane borer SWCB southwestern corn borer TAW true armyworm

WBC western bean cutworm WCR western corn rootworm

Herbicide Tolerance

GLY glyphosate/Roundup-Ready LL glufosinate/Liberty Link LL? check bag tag for LL status Enlist 2,4-D & fops/Enlist trait

Refuge: Unless specified as a seed blend, percentages in table assume a separate 'structured' refuge planted in strips, blocks, borders, or in an adjacent field

TABLE 1: TIME CAPSULE Trait packages phased out	Beg	Proteins in trait package	One or Resista	more more	lr Bts in Bts in	packa packa	s con ge still ge: wic	Insects controlled: One or more Bts in package still effective (x) Resistance to Bts in package: widespread (R)	Insects controlled: One or more Bts in package still effective (x) Resistance to Bts in package: widespread (R) or limited (RL)	· limit	ed (RL	Refuge,	ige,		
	code	Font type denotes target: caterpillar or rootworm	B C ≥	В С Е	. ∢ ≷	SB	SOB	ა ≷ ი ¤	⊢ ∢ ≩	≥ a ∪	_ ≥∪æ	W states C (higher in the south)		Herbicide tolerance	9 9 e
AcreMax1	AM1	Cry1F Cry34/35Ab1	×	R	~	×	×	굼		~	R	R 10% blend 20% ECB		11 A19	
AcreMax RW	AMRW	Cry34/35Ab1								_	RL	R 10% blend	Г	GLY LL	
AcreMax TRIsect	AMT	Cry1Ab Cry1F mCry3A	×	2	~	×	×	꿉		~	×	R 10% blend	Г	GLY LL	Ι.
Agrisure 3010 (Agrisure GT/CB/LL)	3010	Cry1Ab	~	R			×	R				70%	0	GLY LL	
Agrisure 3000GT	3000GT Cry1Ab	Cry1Ab mCry3A	~	R			×	RL			×	R 20%	0	GLY LL	
Agrisure RW or GT/RW	-	тСгуЗА									×	R 20%	0	GLY (if GT)	_
Herculex I	IXH	Cry1F	×	RL	~	×	×	RL		~		70%	0	פרא ור	
Herculex RW	HXRW	Cry34/35Ab1									RL	R 20%	٥	פרא רד	
Herculex XTRA	XXH	Cry1F <i>Cry34/35Ab1</i>	×	RL	Ж.	×	×	RL		R	RL	R 20%	9	פרא ור	
Intrasect TRIsect	CYHR	Cry1Ab Cry1F mCry3A	×	R	~	×	×	RL		~	×	R 20%	0	פרג ור	
Intrasect Xtra	YXR	Cry1Ab Cry1F Cry34/35Ab1	×	RL	α.	×	×	RL		<u>-</u>	RL	R 20%	0	פרג רר	
Intrasect Xtreme	CYXR	Cry1Ab Cry1F Cry34/35Ab1 mCry3A	×		<u>~</u>	×	×	귐		~	×	R 5%		פרא וו	
TRIsect	CHR	Cry1F mCry3A	×	R	~	×	×	RL		~	×	R 20%	0	פרא רר	
VT Triple PRO	VT3P	Cry1A.105 Cry2Ab2 <i>Cry3Bb1</i>	R	RL	×	×	×	RL		_	RL	R 20%	9	GLY	
YieldGard Corn Borer	YGCB	Cry1Ab	R	RL			×	RL		_		70%	٥	GLY	
YieldGard Rootworm	YGRW	Cry3Bb1									RL	R 20%	٥	GLY	
YieldGard VT Triple	VT3	Cry1Ab Cry3Bb1	R	RL			×	RL			RL	R 20%	<u>.</u>	GLY	

Corn Production The Handy Bt Trait Table for U.S.

Pat Porter Michigan State University Chris DiFonzo Compiled by

Texas A&M University Web site hosted by

The most up-to-date version and related extension materials are free online at: www.texasinsects.org/bt-corn-trait-table.html Questions? Comments/ Complaints? difonzo@msu.edu

TABLE 2	Bag	Proteins in trait package	One o	One or more Resistance to	e Bts in to Bts in	Insection packa	ts cor ge still age: wi	Insects controlled Bts in package still effective (x) Bts in package: widespread (R)	ed ive (x) ad (R)	or lir	or limited (RL)	(L)	Refuge,	Herbicide
available in the U.S.	tag	Font type denotes target:	 B				S	S	-	>	>	3	states	(? = check
(alternate names in parentheses)	code	caterpillar or rootworm	ບ ≽	ш >	∀ ≱	S B	ပေရ	≥∪ ∞	∢≥	в О	U W	<i>ه</i> د	(higher in the south)	the bag tag)
AcreMax/ AcreMax Above	AM	Cry1Ab Cry1F	×	~	RL R	×	×	꿉		~			5% blend	פרג ור
AcreMax Leptra	AML	Vip3A	×	×	RL x	×	×	×	×	×			5% blend	פרא ור
AcreMax Xtra	XMA	Cry1Ab Cry1F <i>Cry34/35Ab1</i>	×	~	RL R	×	×	RL		~	RL	~	10% blend	פרג ור
AcreMax Xtreme	AMXT	Cry1Ab Cry1F Cry34/35Ab1 mCry3A	×	~	R.	×	×	Ζ		~	×	œ	5% blend	פרג ור
Agrisure Above (Agrisure3120EZ) AA Refuge Renew (Agrisure3120)	AA	Cry1Ab Cry1F	×	~	RI R	×	×	R		<u>ح</u>			5% blend Renew: 5%	פרא ווי
Agrisure® Total (Agrisure3122EZ) AT Refuge Renew (Agrisure3122)	AT	Cry1Ab Cry1F Cry34/35Ab1 mCry3A	×	~	R R	×	×	R		~	×	~	5% blend Renew: 5%	GLY LL?
Agrisure Viptera 3110	3110	Vip3A	×	×	R ×	×	×	×	×	×	1		20%	פרג ור
Agrisure Viptera 3111	3111	Cry1Ab Vip3A <i>mCry3A</i>	×	×	RL ×	×	×	×	×	×	×		20%	
Duracade (Agrisure5122EZ) D Refuge Renew (Agrisure5122)	Q	Cry1Ab Cry1F eCry3.1Ab mCry3A	×	~	RL R	×	×	RL		R	×	œ	5% blend Renew: 5%	פרג ורג
DuracadeViptera (Agrisure5222Ez) DV Refuge Renew (Agrisure 5222)	ΛΟ		×	×	RL ×	×	×	×	×	×	×	œ	5% blend Renew: 5%	פרג ורג
DuracadeViptera Z3 (Agrisure3332EZ) DVZ Refuge Renew (Agrisure5332)	ZAQ		×	×	RL ×	×	×	×	×	×	×	æ	5% blend Renew: 5%	פרג ררג
Intrasect	YHR	Cry1Ab Cry1F	×	~	RL R	×	×	RL		~			2%	TT
Leptra	VYHR	Cry1Ab Cry1F Vip3A	×	×	RL ×	×	×	×	×	×			5%	פרא ור
PowerCore	ΡW	Cry1A.105 Cry2Ab2 Cry1F	×	~	RL ×	×	×	R		~			5%	פרג ור
PowerCore Refuge Adv.	PWRA	Cry1A.105 Cry2Ab2	×	~	R. ×	×	×	R		~			5% blend	GLY LL
PowerCore Enlist Refuge Adv.	PWE		×	~	RL ×	×	×	꿉		œ			5% blend	GLY LL Enlist
QROME	ď	Cry1Ab Cry1F Cry34/35Ab1 mCry3A	×	<u> </u>	R 	×	×	귐		œ	×	œ	5% blend	GLY LL
SmartStax or Genuity SS	xs ss	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1 Cry34/35Ab1	×	~	RL ×	×	×	RL		æ	RL	<u>«</u>	2%	פרג ור
SmartStax Enlist SS Enlist Refuge Advanced	SSE	Same as SmartStax	×	~	RL ×	×	×	RL		æ	RL	8	5% Advanced: 5% blend	GLY LL Enlist
SmartStax Refuge Adv. SmartStax RIB Complete	SXRA	Same as SmartStax	×	~	RL ×	×	×	곱		~	R	~	5% blend	פרג ור
SmartStax PRO	SSPro	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1Cry34/35Ab1 dvSnf7	×	~	RL×	×	×	R		æ	×	×	5%	פרג רר
SmartStax PRO Enlist SSPro Enlist Refuge Adv.	SSPro	Same as SmartStax Pro	×	<u>م</u>	RL ×	×	×	RL		æ	×	×	5% Advanced: 5% blend	GLY LL Enlist
SmartStax PRO Refuge Advanced RIB Complete or w/RNAi Tech	SSPro		×	~	R ×	×	×	R		~	×	×	5% blend	פרג ור
Trecepta RIB Complete	TRERIB)5 Cry	×	×	RL ×	×	×	×	×	×			5% blend	GLY
Viptera (Agrisure3220EZ) Vip Refuge Renew (Agrisure3220)	۸	Cry1Ab Cry1F Vip3A	×	×	RL ×	×	×	×	×	×			5% blend Renew: 5%	פרג ורג
Viptera Z3 (Agrisure3330E2) VZ Refuge Renew (Agrisure3330)	ZΛ		×	×	RL ×	×	×	×	×	×			5% blend Renew: 5%	פרג ודג
Vorceed Enlist	>	Cry1A.105 Cry2Ab2 Cry1F Cry3Bb1 Cry34/35Ab1 dvSnf7	×	~	RL ×	×	×	묍		œ	×	×	5% blend	GLY LL Enlist
VT Double PRO	VT2P	Cry1A.105			R. ×	×	×	곱					5%	GLY
VT2 PRO RIB Complete	VT2PRIB	Cry1A.105 Cry2Ab2					× ;	로 급			ā		5% blend	GLY
VI3 PRO RIB Complete VT4 PRO w/RNAi Technology	VT4PRO	Cry1A.105 Cry2A Cry1A.105 Cry2A	×	r ×	도 도 	× ×	× ×	로 ×	×	×	로 ×	×	10% biend 5% blend	GLY
		Cry3Bb1 dvSnf7								П		1		

